

SIZE & WEIGHT

2023 GUIDE



XTRA
LEASE



Definitions:

NS	Not Specified
IFTA	International Fuel Tax Agreement (for interstate fuel tax registration)
IRP	International Registration Plan
UCRA	Unified Carrier Registration Agreement

©2023 XTRA Lease, Inc.

XTRA Lease, Inc.
7911 Forsyth Blvd., Ste. 600
St. Louis, MO 63105
USA

Phone: (800) 325-1453

www.xtralease.com
marketinginfo@xtra.com

United States Laws and Federal regulations published as promulgated are in public domain. However, their compilation and arrangement along with other materials in this publication are subject to the copyright notice.

All rights reserved. Neither the booklet nor any part thereof may be reproduced in any manner without written permission of the publisher.

Due to the constantly changing nature of government regulations, it is impossible to guarantee absolute accuracy of the material contained herein. The publisher and editors, therefore, cannot assume any responsibility for omissions, errors, misprinting, or ambiguity contained within this publication and shall not be held liable in any degree for any loss or injury caused by such omission, error, misprinting or ambiguity presented in this publication.

This publication is designed to provide reasonably accurate and authoritative information in regard to the subject matter covered. If legal advice or other expert assistance is required, the services of a competent professional person should be sought.



J. J. Keller has provided certain Canadian, Mexican and state-level contact information, as well as size and weight information for this brochure.

Dear Transportation Professional,

We're pleased to provide you with this complimentary **Size & Weight Guide**, updated for 2023. We hope it helps you make your operation even more efficient, especially in today's chaotic freight environment.

And keep in mind that XTRA designs our trailers and services to support your efficient operation.

- Free trailer tracking gives you the data and control you need to keep your drivers working rather than waiting, and your rented and leased trailers turning and earning, rather than sitting idle.
- Trailer skirts and low rolling-resistance tires—standard on our trailers—are aerodynamic and fuel-saving, cutting up to 6% of your fuel cost.
- Industry-tested specs mean you get the most damage-resistant, driver-friendly, and loader-friendly trailer in the rental/lease market from a company you can rely on.

To learn more, please visit us on LinkedIn, YouTube, and xtralease.com.

And give us a call when you need to rent an extra-efficient trailer.

Sincerely,

Chase Whitaker, CEO
XTRA Lease



TABLE OF CONTENTS

United States, by State	Pages 3-30
Quick Reference Pull-Out Chart	Between Pages 16-17
Mexico	Page 31
Canada	Page 31



The *Size & Weight 2023 Guide* provides a comprehensive state-by-state listing of:

- Where to register for fuel use tax (IFTA) and order IFTA permits.
- Where to register vehicles (IRP) and order IRP trip permits.
- Where to register for UCRA.
- Where to get hazardous materials/waste permits.
- Where to get overweight, oversize permits.
- State trucking associations.
- Enforcement phone numbers.
- Size and weight legal limits (U.S.). Contact information provided for Canada and Mexico.

Convenient quick reference pull-out chart included for all states.

Need trailers spec'd to meet your size and weight requirements? Check out our equipment types at www.xtralease.com.

ALABAMA

Where to Register for Fuel Use Tax (IFTA) and Order IFTA Trip Permits

Mailing Address:
Department of Revenue
Motor Vehicle Division
Motor Carrier Services
P.O. Box 327620
Montgomery, AL 36132-7620
Ph: (334) 242-9000
<https://revenue.alabama.gov/>

Where to Register Vehicles (IRP) and Order IRP Trip Permits

Department of Revenue
Motor Vehicle Division
Motor Carrier Services
P. O. Box 327620
Montgomery, AL 36132-7620
Ph: (334) 242-9000 (IRP)
Ph: (334) 242-9000 (Reciprocity)

Where to Register for UCRA

Alabama Public Service Commission
Motor Carrier Services
P.O. Box 304260
Montgomery, AL 36130
Ph: (888) 505-9047
E-mail: mcs.ued@psc.alabama.gov
www.ucr.gov

Where to get Hazardous Materials/Waste Permits

Department of Environmental Management - Land Division
1400 Coliseum Blvd.
P.O. Box 301463

Montgomery, AL
36130-1463
Ph: (334) 271-7714
E-mail: permits-mail@adem.alabama.gov
<http://adem.alabama.gov/default.cnt>



State Trucking Association

Alabama Trucking Association
7550 Halcyon Pointe Drive
P.O. Box 242337
Montgomery, AL 36124-2337
Ph: (334) 834-3983 or 877-277-TRUK
E-mail: info@alabamatrucking.org
www.alabamatrucking.org

Where to get Overweight, Oversize Permits

Alabama Department of Transportation
Vehicle Enforcement Office
P.O. Box 303050
1409 Coliseum Blvd.
Montgomery, AL 36130-3050
Ph: (800) 499-2782
E-mail: AlabamaPermits@dot.state.al.us
<https://www.dot.state.al.us/business/permits/osowPermits.html>

Enforcement Information

Ph: (334) 242-5218

Size/Weight Limits

Dimension	National Network	State and Other Supplemental Highways
Width:	8' 6"	8' 6"
Height:	13' 6"	13' 6"
Length:		
Bus	45'	45'
Articulated bus	60'	60'
Straight trucks	40'	40'
Straight truck and trailer	57'	57'
Tractor-semitrailer combinations	No limit	No limit Except for autotransporters and livestock haulers
Semitrailer	57' see KPRA	53' see KPRA
Tractor-twin-trailer combination	No limit	No limit
Trailers of twin-trailer combinations	28'6"	28'6" Allowed on all 4-lane U.S. routes and some 2-lane U.S. routes.
Auto-transporter	65'	65'
Overhang limitations	4' front, 6' rear	4' front, 6' rear
Stinger-steered auto-transporter	80'	80'
Overhang limitations	4' front, 6' rear	4' front, 6' rear
Saddlemount	up to 3	up to 3
General overhang limitations	5' total beyond both the front and rear.	5' total beyond both the front and rear.
Kingpin to rear axle	41' To the rearmost axle or a point midway between the two rear axles - only applies to semi-trailers greater than 53' 6"	41' To the rearmost axle or a point midway between the two rear axles - only applies to semi-trailers greater than 53' 6"
Weight:	Interstate and Defense Highways	State and Other Supplemental Highways
Single axle	20,000	20,000
Tandem axle	34,000	36,000
Gross vehicle weight	80,000	80,000 or 84,000 with 6 or more axles
Tolerances	NS	10%
APU allowance	400	400
Natural gas allowance	2,000	

ALASKA

Where to Register for Fuel Use Tax
Alaska is not a member of IFTA. All fuel tax is paid at the pump with no requirements to file for a fuel permit or decals.

Where to Register Vehicles
Alaska is not a member of IRP and requires all vehicles to be registered and licensed. Out-of-state vehicles must obtain trip permits to enter. Alaska Division of Motor Vehicles 3901 Old Seward Highway, Suite 101 Anchorage AK 99503-6089
Ph: (907) 269-5551
<http://doa.alaska.gov/dmv/reg/index.htm>

Where to Register for UCRA
Alaska Department of Transportation & Public Facilities
Division of Measurement Standards & Commercial Vehicle Enforcement
Commercial Vehicle Customer Service Center
11900 Industry Way, Bldg M., Suite 2 Anchorage, AK 99515
Ph: (907) 365-1200
E-mail: swoop@alaska.gov

Where to get Hazardous Materials/Waste Permits
Hazardous Waste Management-Department of Environmental Conservation

410 Willoughby Avenue - Suite 303
P.O. Box 111800
Juneau, AK 99811-1800
Ph: (907) 465-5066
E-mail: dec.commissioner@alaska.gov
<https://dec.alaska.gov/>

State Trucking Association
Alaska Trucking Association
3443 Minnesota Drive
Anchorage, AK 99503
Ph: (907) 276-1149
E-mail: info@aktrucks.org
www.aktrucks.org

Where to get Overweight, Oversize Permits
Department of Transportation and Public Facilities
Commercial Vehicle Customer Service Center (CVCSC)
Huffman Business Park
11900 Industry Way
Building M
Anchorage, AK 99515
Ph: (800) 478-7636 or (907) 365-1200
<http://dot.alaska.gov/mscve/pages/permits.shtml>

Enforcement Information
Ph: (907) 365-1200



Size/Weight Limits

Dimension	National Network	State and Other Supplemental Highways
Width:	8' 6"	8' 6"
Height:	15'	15' 17' between the Fox Weight Station and Prudhoe Bay on the Dalton and Elliot Highways
Length:		
Bus	40'	40'
Straight trucks	45'	45'
Straight truck and trailer	75'	75'
Tractor-semitrailer combinations	No limit	75'
Semitrailer	53' can be route restricted to 48'	53' can be route restricted to 48'
Tractor-twin-trailer combination	75'	75'
Trailers of twin-trailer combinations	48'	48'
Boat-transporter combination	65'	65'
Overhang limitations	3' front, 4' rear	3' front, 4' rear
Stinger-steered auto-transporter	75'	75'
Overhang limitations	3' front, 4' rear	3' front, 4' rear
Auto-transporter	65'	65'
Overhang limitations	3' front, 4' rear	3' front, 4' rear
Stinger-steered	75'	75'
Overhang limitations	3' front, 4' rear	3' front, 4' rear
Saddlemount	97'	97'
General overhang limitations	3' front, 4' rear	3' front, 4' rear
Drawbar	15'	15'
Weight:	Interstate and Defense Highways	State and Other Supplemental Highways
Single axle	20,000	20,000
Tandem axle	38,000	38,000 3'6" minimum spacing
Tridem axle	42,000	42,000 3'6" minimum spacing
Load per inch width of tire	600	600
Gross vehicle weight	Federal Bridge Formula or axle summation, whichever is more restrictive	Federal Bridge Formula or axle summation, whichever is more restrictive
APU allowance	400	400
Weight special limitations or restrictions	Lift axles or variable suspension axles are allowed on the driver axle group of the power vehicle but may not be used for calculation of legal allowable weight. Alaska's seasonal weight restrictions can be found at http://dot.alaska.gov/mscve/pages/weightrestrictions.shtml .	

ARIZONA

Where to Register for Fuel Use Tax (IFTA) and Order IFTA Trip Permits
Arizona Department of Transportation
Motor Carrier Licensing Unit
Motor Vehicle Division
P. O. Box 2100
Mail Drop 527M
Phoenix, AZ 85001-2100
Ph: (602) 255-0072 (IFTA Registration)
Ph: (602) 255-0072 (Trip Permits)
E-mail: mvdmcsc@azdot.gov
<https://azdot.gov/motor-vehicles/motor-carrier-services/international-fuel-tax-agreement-ifta>

Where to Register Vehicles (IRP) and Order IRP Trip Permits
Arizona Department of Transportation
Motor Carrier Licensing Unit
Motor Vehicle Division
P. O. Box 2100
Mail Drop 527M
Phoenix, AZ 85001-2100
Ph: (602) 255-0072 (IRP Vehicle Registration & Reciprocity)
Ph: (602) 255-0072 (Trip Permits)
<https://azdot.gov/motor-vehicles/motor-carrier-services/motor-carrier-licensing/international-registration-plan-irp>

Where to Register for UCRA
Arizona is not a participating member of the Unified Carrier Registration Agreement. Interstate motor carriers based in Arizona are required to register with the UCRA by choosing a participating state where the applicant maintains an office or operating facility, or by choosing one of the following states: AK, CA, CO, ID, MT, ND, NM, SD, UT, or WA. Refer to www.ucr.gov for more information.

Where to get Hazardous Materials/Waste Permits
ADEQ
Attn: Hazardous Waste Unit
1110 W. Washington St.
Phoenix, AZ 85007
Ph: (602) 771-4120

E-mail: hazwastepermits@azdeq.gov
<https://www.azdeq.gov/hazardous-waste-permitting-application-forms-guidance>



One-Stop Shopping
Arizona Department of Transportation
Motor Vehicle Division
P. O. Box 2100
Mail Drop 527M
Phoenix, AZ 85001-2100
Ph: (602) 255-0072
<https://azdot.gov/motor-vehicles/motor-carrier-services>

State Trucking Association
Arizona Trucking Association
7500 W. Madison St.
Tolleson, AZ 85353
Ph: (602) 850-6000
E-mail: info@aztrucking.com
<https://arizonatrucking.com>

Where to get Overweight, Oversize Permits
Department of Transportation
Motor Vehicle Division
14370 W. Van Buren St.
Goodyear, AZ 85338
Ph: (602) 255-0072

Permit applications may not be accepted over the phone. You must purchase them at a port of entry, through a permit service or in person at the Commercial Permits Office.
<https://azdot.gov/motor-vehicles/enforcement/commercial-vehicle-permits/general-permit-information/oversizeoverweight>

Enforcement Information
Arizona Department of Public Safety
2222 W. Encanto Blvd.
Phoenix, AZ 85009
Ph: (602) 223-2000
<https://www.azdps.gov/organization/HPD/cve>

Size & Weight Limits

Dimension	National Network	State and Other Supplemental Highways
Width:	8' 6"	8'
Height:	14'	13' 6"
Length:		
Bus	45'	45'
Articulated bus	60'	60'
Straight trucks	40'	40'
Straight truck and trailer	65'	65'
Tractor-semitrailer combinations	No limit	No limit
Semitrailer	57' 6"	53' or total length of 65' if semitrailer exceeds 53'
Tractor-twin-trailer combination	No limit	65'
Trailers of twin-trailer combinations	28' 6"	28' 6"
Stinger-steered	80'	80'
Overhang limitations	4' front, 6' rear	4' front, 6' rear
General overhang limitations	3' front, 6' rear	3' front, 6' rear
Drawbar	15'	15'
Length special limitations or restrictions	A vehicle transporter may transport cargo or general freight on a backhaul. A backhaul means the return trip of a vehicle transporter carrying cargo or general freight over all or part of the same route.	
Weight:	Interstate and Defense Highways	State and Other Supplemental Highways
Steer axle	20,000	20,000
Single axle	20,000	20,000
Tandem axle	34,000	34,000
Gross vehicle weight	80,000 Federal Bridge Formula	80,000 Federal Bridge Formula
APU allowance	550	550
Natural gas allowance	2,000 Includes battery powered or hydrogen fuel cell systems	2,000 Includes battery powered or hydrogen fuel cell systems

ARKANSAS

Where to Register for Fuel Use Tax (IFTA) and Order IFTA Trip Permits

Department of Finance and Administration
Motor Fuel Tax Section
P. O. Box 1752
Little Rock, AR 72203-1752
Ph: (501) 682-4800 (Fuel Registration/Decals; IFTA Registration)
E-mail: MotorFuelTax@dfa.arkansas.gov
<https://www.dfa.arkansas.gov/excise-tax/motor-fuel-tax>

Where to Register Vehicles (IRP) and Order IRP Trip Permits

Department of Finance and Administration
IRP Unit
P.O. Box 8091
Little Rock, AR 72203
Ph: (501) 682-4653 (IRP)
<https://amcs.arkansas.gov/>
E-mail: IRP.Unit@dfa.arkansas.gov

Where to Register for UCRA

Arkansas Department of Finance & Administration
P. O. Box 8091
Little Rock, AR 72203
Ph: (501) 682-4653
<https://plan.ucr.gov/>

Where to get Hazardous Materials/Waste Permits

Arkansas Highway Police

ATTN: Hazardous Waste
P.O. Box 2779
Little Rock, AR 72203-2779
Ph: (501) 569-2546
E-mail: ahp-permit@ardot.gov
<https://www.ardot.gov/divisions/arkansas-highway-police/hazardous-waste-permits/>

State Trucking Association
Arkansas Trucking Association
P.O. Box 3476 (72203)
1401 W. Capitol Ave.
Little Rock, AR 72201
Ph: (501) 372-3462
www.arkansastrucking.com

Where to get Overweight, Oversize Permits

Arkansas State Highway & Transportation Department
10324 Interstate 30
Little Rock, AR 72209
Ph: (501) 569-2381
E-mail: ahppermit@ardot.gov
<https://www.ardot.gov/divisions/arkansas-highway-police/over-size-and-overweight-permits/>

Enforcement Information

Ph: (501) 618-8000



CALIFORNIA

Where to Register for Fuel Use Tax (IFTA) and Order IFTA Trip Permits

Motor Carrier Office
California Department of Tax and Fee Administration
PO Box 942879, MIC:65
West Sacramento, CA 94279-0065
Ph: (800) 400-7115 (IFTA/Use Fuel Tax Permits & Returns)
www.cdtfa.ca.gov/taxes-and-fees/ifta-ciudft-di-license.htm

Where to Register Vehicles (IRP) and Order IRP Trip Permits

Department of Motor Vehicles, Registration Operations Division
IRP Operations Section MS H160
P. O. Box 932320
Sacramento, CA 94232-3200
Ph: (916) 657-7971 (IRP Unit)
<https://www.dmv.ca.gov/portal/vehicle-registration/new-registration/commercial-vehicle-registration/international-registration-program/>

Where to Register for UCRA

UCR Filing Assistance
California Division
Ph: (240) 544-0882
www.ucr.gov

Where to get Hazardous Materials/Waste Permits

California Highway Patrol
Commercial Vehicle Section
P.O. Box 942898
Sacramento, CA 94298-0001
Ph: (916) 843-3400
www.chp.ca.gov/programs-services/programs/commercial-vehicle-section/partners-in-safety-hazmat-information-for-shippers-and-carriers

State Trucking Association

California Trucking Association
4148 East Commerce Way
Sacramento, CA 95834
Ph: (916) 373-3500
www.caltrux.org

Where to get Overweight, Oversize Permits

California Department of Transportation
Permits Issuance Office
P.O. Box 942874, MS #41
Sacramento, CA 94274-0001
Ph: (916) 322-1297
E-mail: Oversize.Oversize.Permits@dot.ca.gov
<https://dot.ca.gov/programs/traffic-operations/transporation-permits>

Enforcement Information

California Highway Patrol
Enforcement and Planning Division
P.O. Box 942898
Sacramento, CA 94298-0001
Ph: (916) 843-3400



Size/Weight Limits

Dimension	National Network	State and Other Supplemental Highways
Width:	8' 6"	8' 6" 8' for manufactured homes
Height:	14'	14'
Length:		
Bus	45'	45'
Straight trucks	40'	40'
Tractor-semitrailer combinations	No limit	No limit
Semitrailer	53' 6"	53' 6"
Tractor-twin-trailer combination	No limit	No limit
Trailers of twin-trailer combinations	28' When in use prior to December 1982: 28' 6"	28' When in use prior to December 1982: 28' 6"
Stinger-steered auto-transporter	80'	80'
Overhang limitations	4' front, 6' rear	4' front, 6' rear
General overhang limitations	3' front, rear not stated	3' front, rear not stated
Drawbar	15'	15'
Weight:	Interstate and Defense Highways	State and Other Supplemental Highways
Steer axle	20,000 Not to exceed manufacturer's axle weight rating. If no rating, 12,000 lbs.	20,000 Not to exceed manufacturer's axle weight rating. If no rating, 12,000 lbs.
Single axle	20,000	20,000
Tandem axle	34,000	34,000
Tridem axle	50,000	50,000
Gross vehicle weight	80,000	80,000

CALIFORNIA

Size/Weight Limits

Dimension	National Network	State and Other Supplemental Highways
Width:	8' 6"	8' 6"
Height:	14'	14'
Length:	National Network	All Highways
Articulated bus	60'	60'
Straight trucks	40'	40'
Straight truck and trailer	65'	65'
Tractor-semitrailer combinations	No limit with legal trailer	65' see KPRA
Semitrailer	53' For trailers over 48' see KPRA	No limit On "California legal" routes so long as overall length does not exceed 65' and KPRA compliant
Tractor-twin-trailer combination	No limit if trailers are 28' 6" or less	75' With two 28' 6" trailers. 65' with one 28' 6" trailer and one longer
Trailers of twin-trailer combinations	28' 6"	28' 6"
Stinger-steered auto-transporter	70' If kingpin is at least 3' behind rear drive axle. 75' if distance from steering axle to rear drive axle does not exceed 24', kingpin is at least 5' behind rear drive axle and KPRA does not exceed 34' or 36' KPRA of a tridem axle trailer.	70' If kingpin is at least 3' behind rear drive axle. 75' if distance from steering axle to rear drive axle does not exceed 24', kingpin is at least 5' behind rear drive axle and KPRA does not exceed 34' or 36' KPRA of a tridem axle trailer.
Overhang limitations	6' 6" rear	6' 6" rear
Saddlemount	97' up to three vehicles	97' up to three vehicles
Drawbar	15'	15'
Kingpin to rear axle	40' to rear most axle or 38' for semitrailer with one axle	40' or 38' single axle. Some routes restricted to 30'
Length special limitations or restrictions	California is very strict with length and KPRA. Travel not advised if KPRA length is over posted value. A forklift that is lifted off the ground and is being transported on the back of a truck is considered a load. When combination length exceeds 75 ft, the load must be confined within the exterior dimensions of the vehicle. To the rear, the load cannot extend beyond the last point of support for a greater distance than that equal to two-thirds of the length of the wheelbase. The wheelbase of a semitrailer is considered the distance between the rearmost axle of the towing vehicle and the rearmost axle of the semitrailer.	
Weight:	Interstate and Defense Highways	All Highways
Steer axle	20,000 There are various exceptions – the steering axle, however, must go by the load limit set by the tire manufacturer.	20,000 There are various exceptions – the steering axle, however, must go by the load limit set by the tire manufacturer.
Single axle	20,000 for buses 20,500	20,000 for buses 20,500
Tandem axle	34,000	34,000
Gross vehicle weight	80,000	80,000
Load per inch width of tire	620	620
Per wheel	10,500 One wheel, or wheels, supporting one end of an axle	10,500 One wheel, or wheels, supporting one end of an axle
Near zero emission vehicle	2,000	2,000

COLORADO

Where to Register for Fuel Use Tax (IFTA) and Order IFTA Trip Permits

Colorado Department of Revenue
Fuel Tax Unit, Room 200
P.O. Box 17087
Denver, CO 80217-0087
Ph: (303) 205-8205 (IFTA)
Ph: (303) 205-8205 (Trip Permits)
<https://tax.colorado.gov/>

Where to Register Vehicles (IRP) and Order IRP Trip Permits

Department of Revenue
Motor Carrier Services
International Registrations
1881 Pierce St.
Lakewood, CO 80214-1497
Ph: (303) 205-5608 (IRP)
<https://dmv.colorado.gov/international-registration-plan>

Where to Register for UCRA

Colorado Public Utilities Commission
1560 Broadway, Suite 250
Denver, CO 80202
Ph: (303) 894-2000
E-mail: dora_puc_website@state.co.us
<https://www.ucr.gov/>

Where to get Hazardous Materials/Waste Permits

Colorado Department of Transportation
Freight Mobility & Safety Branch
2829 W. Howard Pl.

Denver, CO
80204
Ph: (303) 757-9539
(information and questions)
Ph: (303) 757-9764
(permit)

E-mail: dot_cdot_permits@state.co.us
<https://www.codot.gov/programs/environmental/hazardous-materials>

State Trucking Association

Colorado Motor Carriers Association
4060 Elati Street
Denver, CO 80216
Ph: (303) 433-3375
<https://cmca.com>

Where to get Overweight, Oversize Permits

Colorado Department of Transportation
Permit Office, Room 124
2829 W. Howard Pl.
Denver, CO 80204
Ph: (800) 350-3765
Ph: (303) 757-9539 (Local)
<https://www.codot.gov/business/permits/truckpermits/documents>

Enforcement Information

Ph: (303) 273-1875

Size/Weight Limits

Dimension	National Network	State and Other Supplemental Highways
Width:	8' 6"	8' 6"
Height:	14' 16" Unless otherwise restricted	14' 16" Unless otherwise restricted
Length:		
Straight trucks	45'	45'
Straight truck and trailer	70'	70'
Tractor-semitrailer combinations	No limit if trailer is 57' 4" or less	No limit if trailer is 57' 4" or less
Semitrailer	57' 4"	57' 4"
Tractor-twin-trailer combination	No limit if trailers are 28' 6" or less	No limit if trailers are 28' 6" or less
Trailers of twin-trailer combinations	28' 6"	28' 6"
Stinger-steered boat-transporter	80'	80'
Overhang limitations	4' front, 6' rear	4' front, 6' rear
Stinger-steered auto-transporter	80'	80'
Overhang limitations	4' front, 6' rear	4' front, 6' rear
Saddlemount	97'	97' up to 4
General overhang limitations	4' front, 10' rear	4' front, 10' rear
Drawbar	15'	15'
Weight:	Interstate and Defense Highways	State and Other Supplemental Highways
Steer axle	18,000 Due to limit of single pneumatic tire wheels	18,000 Due to limit of single pneumatic tire wheels
Single axle	20,000	20,000 21,000 lb if the vehicle or combination is a digger derrick or bucket boom truck operated by an electric utility.
Tandem axle	36,000	40,000
Gross vehicle weight	80,000	85,000
Per wheel	9,000 on single pneumatic tire	9,000 on single pneumatic tire
APU allowance	550	550
Natural gas allowance	2,000	2,000

CONNECTICUT

Where to Register for Fuel Use Tax (IFTA) and Order IFTA Trip Permits
Department of Revenue Services
Registration Section
450 Columbus Blvd., Ste. 1
Hartford, CT 06103
Ph: (860) 297-5962
<https://portal.ct.gov/DRS/IFTA/Connecticut-IFTA>

Where to Register Vehicles (IRP) and Order IRP Trip Permits
Department of Motor Vehicles
IRP Section
60 State Street, Room 102
Wethersfield, CT 06161-1010
Ph: (860) 263-5281 (Reciprocity; IRP)
<https://portal.ct.gov/DPMV/Registration/Trucking-Business-Fleets/International-Registration-Plan-IRP>

Where to Register for UCRA
Department of Motor Vehicles
60 State Street, UCR Unit Room 307
Wethersfield, CT 06161-1015
Ph: (860) 263-5281
E-mail: DMV.IRP@ct.gov
<https://portal.ct.gov/DPMV/Registration/Trucking-Business-Fleets/Unified-Carrier-Registration-UCR-Program>

Where to get Hazardous Materials/Waste Permits
Dept. of Energy and Environmental Protection
Bureau of Materials Management and Compliance Assurance
Waste Engineering and Enforcement Division
79 Elm Street
Hartford, CT 06106-5127

Ph: (860) 424-336
<https://portal.ct.gov/DEEP/Permits-and-Licenses/Factsheets-Waste-and-Materials-Management/Waste-Transportation-Fact-Sheet>

State Trucking Association
Motor Transport
Association of Connecticut, Inc.
60 Forest Street
Hartford, CT 06105
Ph: (860) 520-4455
<https://mtac.us/>

Where to get Overweight, Oversize Permits
Department of Transportation
Oversize/Overweight Permits
Bureau of Engineering & Highway Operations
2800 Berlin Turnpike
P.O. Box 317546
Newington, CT 06131 7546
Ph: (860) 594-2560
Email: dot.osowpermits@ct.gov
<https://portal.ct.gov/DOT/Permits/Highways/Oversize-Overweight-Permits>

Enforcement Information
State of Connecticut
Department of Emergency Services and Public Protection
1111 Country Club Road
Middletown, CT 06457
Ph: (860) 685-8000



Size/Weight Limits

Dimension	National Network	State and Other Supplemental Highways
Width:	8' 6"	8' 6"
Height:	13' 6"	13' 6"
Length:	National Network	All Highways
Straight trucks	45'	45'
Straight truck and trailer	65'	65'
Tractor-semitrailer combinations	No limit With 53' semitrailer	No limit With 48' semitrailer
Semitrailer	53' see KPRA	48'
Tractor-twin-trailer combination	No limit With 28' semitrailers	NS
Trailers of twin-trailer combinations	28'	NS
Auto-transporter	65' conventional fifth wheel	65' conventional fifth wheel
Overhang limitations	4' front, 3' rear extendable ramps used to achieve overhangs are excluded from overall length and must be retracted when not in use	4' front, 3' rear extendable ramps used to achieve overhangs are excluded from overall length and must be retracted when not in use
Stinger-steered auto-transporter	75'	75'
Drawbar	20' total allowed distance between vehicles	NS
Kingpin to rear axle	43' to rearmost axle with wheels in contact with the road surface	NS
Weight:	Interstate and Defense Highways	All Highways
Single axle	18,000 If axles are less than 6' apart, 22,400 if axles spaced 6' or greater	18,000 If axles are less than 6' apart, 22,400 if axles spaced 6' or greater
Gross vehicle weight	80,000	80,000
Load per inch width of tire	600 Per inch of width	600 Per inch of width
APU allowance	550	550

DELAWARE

Where to Register for Fuel Use Tax (IFTA) and Order IFTA Trip Permits
Delaware Division of Motor Vehicles, IFTA
P.O. Drawer E
Dover, DE 19903
Ph: (302) 744-2702 (IFTA)
<https://www.dmv.de.gov/VehicleServices/MC/index.shtml?dc=iftaDefault>

Where to Register Vehicles (IRP) and Order IRP Trip Permits
Division of Motor Vehicles, IRP Unit
P.O. Drawer E
Dover, DE 19903
Ph: (302) 744-2702 (IRP Registration)
<https://www.dmv.de.gov/VehicleServices/MC/index.shtml?dc=iftaDefault>

Where to Register for UCRA
UCR Filing Assistance
Delaware Division
33 W Higgins Rd 810
South Barrington IL 60010
Ph: (240) 544-0882
<https://de.ucrportal.us>

Where to get Hazardous Materials/Waste Permits
(No permit is required for transportation of hazardous materials, only hazardous waste.)
Department of Natural Resources and Environmental Control
Compliance and Permitting Section
89 Kings Highway

Dover, Delaware 19901
Ph: (302) 739-9403
<https://dnrec.alpha.delaware.gov/waste-hazardous/management/solid/transporter>

State Trucking Association
Delaware Motor Transport Association, Inc.
445 Pear St
Dover, DE 19904
Ph: (302) 734-9400
<https://web.dscc.com/Trucking/Delaware-Motor-Transport-Association-1314>
<https://delawaretrucking.org/>

Where to get Overweight, Oversize Permits
Department of Transportation
Motor Fuel Tax Administration
Hauling Permit Section
P. O. Drawer 7065
Dover, DE 19903-7065
Ph: (302) 744-2700
E-mail: haulpermit@delaware.gov
<https://deldot.gov/osow/application>

Enforcement Information
State Police Truck Enforcement
1441 N. DuPont Highway,
P.O. Box 430
Dover, DE 19903-0430
Ph: (302) 378-5230



Size/Weight Limits

Dimension	National Network	State and Other Supplemental Highways
Width:	8' 6"	8' 6"
Height:	13' 6"	13' 6"
Length:		
Bus	45'	45'
Straight trucks	40'	40'
Straight truck and trailer	60'	60'
Tractor-semitrailer combinations	No limit	60'
Semitrailer	53'	53'
Tractor-twin-trailer combination	No limit	60'
Trailers of twin-trailer combinations	29'	29'
Auto-transporter	NS	65' exclusive of the overhang
Stinger-steered auto-transporter	80'	NS
Overhang limitations	4' front, 6' rear	NS
Saddlemount	97'	65'
General overhang limitations	3' front, 6' rear	3' front, 6' rear
Drawbar	15'	15'
Weight:	Interstate and Defense Highways	State and Other Supplemental Highways
Single axle	20,000	22,400
Tandem axle	34,000	36,000
Gross vehicle weight	80,000	80,000
APU allowance	550	NS
Natural gas allowance	2,000 includes battery powered	NS
Weight special limitations or restrictions	Delaware maintains maximum GVW for 2, 3, and 4 axle straight trucks and 3, 4, and 5 axle combinations.	

FLORIDA

Where to Register for Fuel Use Tax (IFTA) and Order IFTA Trip Permits

Department of Highway Safety and Motor Vehicles
Division of Motorist Services - Bureau of Commercial Vehicle and Driver Services
2900 Apalachee Parkway, B-112, MS-58
Tallahassee, FL 32399-6552
Ph: (850) 617-3711
(IFTA Registration)
www.flhsmv.gov/dmv/facqcarriers.html

Where to Register Vehicles (IRP) and Order IRP Trip Permits

Department of Highway Safety and Motor Vehicles
Division of Motorist Services - Bureau of Commercial Vehicle and Driver Services
2900 Apalachee Parkway, B-112, MS-58
Tallahassee, FL 32399-6552
Ph: (850) 617-3711 (IRP; Registration of Vehicles - Intrastate)
<http://www.flhsmv.gov/dmv/facqcarriers.html>

Where to Register for UCRA

Florida is not a participating member of the Unified Carrier Registration Agreement. Interstate motor carriers based in Florida are required to register with the UCRA by choosing a participating state where the applicant maintains an office or operating facility, or by choosing

one of the following states: AL, AR, GA, KY, LA, MS, NC, OK, SC, TN, or TX. Refer to <https://www.ucr.gov> for more information.

Where to get Hazardous Materials/Waste Permits

Florida Department of Environmental Protection
Division of Waste Management
2600 Blair Stone Road, MS 4500
Tallahassee, FL 32399-2400
Ph: (850) 245-8705
www.dep.state.fl.us/mainpage/programs/waste.htm

State Trucking Association


Florida Trucking Association
350 E. College Ave
Tallahassee, FL 32301-1565
Ph: (850) 222-9900
www.fltrucking.org

Where to get Overweight, Oversize Permits

Florida Department of Transportation
Permit Office
Barry Building
3185 South Blairstone Rd.
Tallahassee, FL 32301
Ph: (850) 410-5777
<http://www.fdot.gov/maintenance/OWODPermits.shtm>

Enforcement Information

Ph: (850) 617-3010



GEORGIA

Where to Register for Fuel Use Tax (IFTA) and Order IFTA Trip Permits

Department of Revenue
Motor Fuel Tax Unit
4125 Welcome All Rd.
Atlanta, GA 30349
Ph: (855) 406-5221 (IFTA Registration and Reporting)
<https://dor.georgia.gov/motor-vehicles/georgia-trucking-portal/commercial-vehicle-registration>

Where to Register Vehicles (IRP) and Order IRP Trip Permits

Attention: Commercial Vehicle - IRP
DOR/Motor Vehicle Division
P O Box 740382
Atlanta, GA 30374-0382
Ph: (855) 406-5221
E-mail: commercial.vehicles@dor.ga.gov
<https://dor.georgia.gov/motor-vehicles/georgia-trucking-portal/commercial-vehicle-registration>

Where to Register for UCRA

Georgia Department of Public Safety
UCR-GIMC Section
P. O. Box 1456
Atlanta, GA 30371-1456
Ph: (844) 238-8097 or (404) 624-7247
E-mail: ucr.gimc@gsp.net
<http://gamccd.net/UCR/UCRGa.aspx>

Where to get Hazardous Materials/Waste Permits

Department of Public Safety
Motor Carrier Compliance Division
P. O. Box 1456
Atlanta, GA 30371-1456
Ph: (404) 624-7700
<https://dps.georgia.gov/divisions/motor-carrier-compliance-division>

State Trucking Association

Georgia Motor Trucking Association
2060 Franklin Way, SE Suite 200
Marietta, GA 30067
Ph: (770) 444-9771
<https://www.gmta.org>

Where to get Overweight, Oversize Permits

Georgia Department of Transportation
Oversize Permit Unit
959 United Ave
Atlanta, GA 30316
Ph: (844) 837-5500 (toll free)
Ph: (404) 635-8176 (local)
www.dot.ga.gov/PS/Permits/OversizePermits#tab-2

Enforcement Information

Ph: (404) 624-7700



Size/Weight Limits

Dimension	National Network	State and Other Supplemental Highways
Width:	8' 6"	8' 6"
Height:	13' 6" Automobile transporter semitrailers 14'	13' 6" Automobile transporter semitrailers 14'
Length:		
Bus	50'	50'
Articulated bus	65'	65'
Straight trucks	40'	40'
Straight truck and trailer	68'	68'
Tractor-semitrailer combinations	No limit with legal trailer	No limit with legal trailer
Semitrailer	53' see KPRA	53' see KPRA
Tractor-twin-trailer combination	No limit with legal trailer	No limit with legal trailer
Trailers of twin-trailer combinations	28'	28'
Boat-transporter combination	50'	50'
Overhang limitations	6' rear	6' rear
Stinger-steered boat-transporter	75'	75'
Auto-transporter	Exclusive of overhang	Exclusive of overhang
Overhang limitations	6' rear	6' rear
Stinger-steered auto-transporter	80'	80'
Overhang limitations	4' front	4' front
Saddlemount	97' up to 3	97' up to 3
General overhang limitations	3' front	3' front
Drawbar	15'	15'
Kingpin to rear axle	41' to the center of the rear axle or rear group of axles	41' to the center of the rear axle or rear group of axles
Weight:	Interstate and Defense Highways	State and Other Supplemental Highways
Steer axle	22,000	22,000
Single axle	22,000	22,000
Tandem axle	44,000	44,000
Gross vehicle weight	80,000	80,000
Tolerances	10% tolerance included	10% tolerance included
APU allowance	550	550
Natural gas allowance	2,000	2,000

Size/Weight Limits

Dimension	National Network	State and Other Supplemental Highways
Width:	8' 6"	8' 6"
Height:	13' 6" Auto transporter 14'	13' 6"
Length:		
Tractor-semitrailer combinations	No limit w/legal trailer	100' unless otherwise limited. Such routes will be posted - except NHS routes
Semitrailer	53'	53' unless route is posted otherwise
Tractor-twin-trailer combination	No limit If 28' 6" trailers are used, maximum total length may not exceed 65'	No limit w/legal trailers If 28' 6" trailers are used, maximum total length may not exceed 67' 6"
Trailers of twin-trailer combinations	28'	28'
Boat-transporter combination	No limit with 48' trailer	65'
Overhang limitations	65' limit with trailer over 58'	tractor-trailer unit of 60' front 3', rear 4'
Stinger-steered boat-transporter	75'	75'
Overhang limitations		front 3', rear 4'
Auto-transporter	No limit with 48' trailer 65' limit with trailer over 58'	65' tractor-trailer unit of 60' front 3', rear 4'
Overhang limitations		front 3', rear 4'
Stinger-steered auto-transporter	75'	75'
Overhang limitations		front 3', rear 4'
Saddlemount	97'	97'
Length special limitations or restrictions	On interstate and NHS routes, single-piece loads may be transported on an extendable semitrailer that exceeds 53', provided that no pieces will be loaded end to end and the semitrailer does not exceed 75' in length; on roads other than the interstate and NHS routes, the same rules apply, except that the overall length cannot exceed 100'.	
Weight:	Interstate and Defense Highways	State and Other Supplemental Highways
Single axle	20,340 34,000	20,340
Tandem axle	Exception: If vehicle is less than 55' long and gross weight is less than 73,280 lb, will allow 40,680 lb	37,340 40,680 semi-trailer tandems
Tridem axle		61,020
Gross vehicle weight	80,000 subject to federal bridge formula	80,000 subject to state bridge formula
APU allowance	550	550
Weight special limitations or restrictions	No lift axle may be used in computing allowable gross weight.	

On other state highways, certain commodity-specific tolerances apply. Contact Georgia Motor Carrier Compliance Division for more information.

HAWAII

Where to Register for Fuel Use Tax

(Hawaii is not a member of IFTA.)
Department of Taxation
P. O. Box 259
Honolulu, HI 96809-0259
Ph: (808) 587-4242
<http://tax.hawaii.gov/contact/>

Where to Register Vehicles (IRP)

(Hawaii is not a member of IRP.)
City and County of Honolulu
Motor Vehicle & Licensing Division
P.O. Box 30320
Honolulu, HI 96820-0320
Ph: (808) 768-4325
(Registration of Vehicles)
<http://www.honolulu.gov/csd/mvinformation.html>

Where to Register for UCRA

Hawaii is not a participating member of the Unified Carrier Registration Agreement. Interstate motor carriers based in Hawaii are required to register with the UCRA by choosing a participating state where the applicant maintains an office or operating facility, or by choosing one of the following states: AK, CA, CO, ID, MT, ND, NM, SD, UT, or WA. Refer to <https://www.ucr.gov> for more information.

Where to get Hazardous Materials/Waste Permits

Solid & Hazardous Waste Branch

Hawaii
Department of Health
2827 Waimano Home Rd. #100
Pearl City, HI 96782
Ph: (808) 586-4226
www.health.hawaii.gov/shwb/hazwaste

State Trucking Association

Hawaii Transportation Association
P.O. Box 30166
Honolulu, HI 96820
Ph: (808) 833-6628
E-mail: info@htahawaii.org
www.htahawaii.org

Where to get Overweight, Oversize Permits

State of Hawaii
Department of Transportation
Highways Division
Oahu District
727 Kakoi St.
Honolulu, HI 96819
Ph: (808) 831-6712
www.hidot.hawaii.gov/highways/oversized-and-over-weight-vehicles-on-state-highways/

Enforcement Information

Motor Vehicle Safety Office
Ph: (808) 692-7650

Size/Weight Limits

Dimension	National Network	State and Other Supplemental Highways
Width:	9'	9'
Height:	14'	14'
Length:		
Articulated bus	N/S	65'
Straight Trucks	45'	45'
Straight truck and trailer	65'	65'
Tractor-semitrailer combinations	N/S	65'
Semitrailer	48'	48'
Tractor-twin-trailer combination	N/S	65'
Weight:	Interstate and Defense Highways	State and Other Supplemental Highways
Steer axle	22,500	22,500
Single axle	22,500	22,500
Tandem axle	34,000	34,000
Gross vehicle weight	80,000 subject to federal bridge formula	88,000 or state bridge formula
Per wheel	11,250	11,250
Weight special limitations or restrictions	As posted on bridges.	

IDAHO

Where to Register for Fuel Use Tax (IFTA) and Order IFTA Trip Permits

Idaho State Tax Commission
P.O. Box 36
Boise, ID 83722-0410
Ph: (208) 334-7806 (Boise) or (800) 972-7660 ext. 7806
E-mail: permitprocessing@tax.idaho.gov
Ph: (208) 334-7830 (Trip permits)
<https://tax.idaho.gov/i-1035.cfm>

Where to Register Vehicles (IRP) and Order IRP Trip Permits

Idaho Transportation Department
Division of Motor Vehicles
3311 W. State Street
P.O. Box 7129
Boise, ID 83707-1129
Ph: (208) 334-8611 (IRP)
<https://trucking.idaho.gov/>

Where to Register for UCRA

Idaho Transportation Department
Motor Carrier Services
P.O. Box 34
Boise, ID 83707-0034
Ph: (208) 334-8611
E-mail: cvs@itd.idaho.gov
<https://www.ucr.gov/>

Where to get Hazardous Materials/Waste Permits

Idaho Transportation Department
P.O. Box 34
Boise, ID 83731-0034
Ph: (208) 334-8611 (hazardous materials endorsements or hazardous waste permits)

E-mail: cvs@itd.idaho.gov
<https://itd.idaho.gov/itddmv/>

One-Stop Shopping

Idaho Transportation Department
One Stop Shop
P.O. Box 7129
Boise, ID 83707-1129
Ph: (208) 334-8611 (IRP)
Ph: (800) 972-7660 ext. 7806 (IFTA return help)
Ph: (208) 334-7806 (IFTA license, decals and renewal)
E-mail: cvs@itd.idaho.gov
<https://itd.idaho.gov/>

State Trucking Association

Idaho Trucking Association
3405 East Overland Road, Suite 175
Meridian, ID 83642
Ph: (208) 662-3521
<https://www.idtrucking.org/contact>

Where to get Overweight, Oversize Permits

Idaho Transportation Department
Division of Motor Vehicles
3311 W. State Street
P. O. Box 7129
Boise, ID 83707-1129
Ph: (800) 662-7133
<https://itd.idaho.gov/dmv/poe/poe.htm>

Enforcement Information

Ph: (208) 884-7220

Size/Weight Limits

Dimension	National Network	State and Other Supplemental Highways
Width:	8' 6"	8' 6"
Height:	14'	14'
Length:		
Straight trucks	45'	45'
Straight truck and trailer	75'	75'
Tractor-semitrailer combinations	75'	75'
Semitrailer	unless otherwise noted	unless otherwise noted
Tractor-twin-trailer combination	68' of trailers including tongues	61' of trailers including tongues or 75' overall
Trailers of twin-trailer combinations	68' of trailers including tongues	61' of trailers including tongues or 75' overall
Boat-transporter combination	65'	65'
Overhang limitations	front 3', rear 4'	front 3', rear 4'
Stinger-steered boat-transporter	75'	75'
Overhang limitations	front 3', rear 4'	front 3', rear 4'
Auto-transporter	65'	65'
Overhang limitations	front 4', rear 6'	front 4', rear 6'
Stinger-steered auto-transporter	80'	80'
Overhang limitations	front 4', rear 6'	front 4', rear 6'
Saddlemount	97'	75'
General overhang limitations	4' front, 10' rear	4' front, 10' rear
Length special limitations or restrictions	1-mile access to terminals or facilities for fuel, food, lodging, or repairs.	
Weight:	Interstate and Defense Highways	State and Other Supplemental Highways
Steer axle	20,000 or manufacturer's rating of tire/axle	20,000 or manufacturer's rating of tire/axle
Single axle	20,000 or manufacturer's rating of tire/axle	20,000 or manufacturer's rating of tire/axle
Tandem axle	34,000	34,000
Tridem axle	42,000	42,000
Gross vehicle weight	80,000 without permit	80,000 without permit
Load per inch width of tire	600 of tire width or the manufacturer's load rating, whichever is less	600 of tire width or the manufacturer's load rating, whichever is less
Weight special limitations or restrictions	Farm vehicles, vehicles that are operated to transport forest products, and refuse or sanitation trucks that are operated by a city, county or state agency, or by a designated agent of the agency to transport refuse may operate up to 2,000 pounds in excess of any axle, bridge formula, or gross weight limit. This operation cannot be part of the federal-aid interstate system, or exceed a posted bridge weight or other seasonal or temporary weight limit posting.	

ILLINOIS

Where to Register for Fuel Use Tax (IFTA) and Order IFTA Trip Permits

Illinois Department of Revenue
Motor Fuel Use Tax Section
P.O. Box 19467
Springfield, IL 62794-9467
Ph: (217) 785-1397 (IFTA)
<https://www2.illinois.gov/rev/Pages/default.aspx>

Where to Register Vehicles (IRP) and Order IRP Trip Permits

Secretary of State
Commercial and Farm Truck Division
501 S. 2nd Street Rm 300
Springfield, IL 62756
Ph: (217) 785-1800 (IRP Registration)
[International Registration Plan \(IRP\) Renewal \(ilsos.gov\)](https://www2.illinois.gov/rev/Pages/default.aspx)

Where to Register for UCRA

The Illinois Commerce Commission is hereby notifying all private and for-hire Interstate motor carriers, freight forwarders, brokers and leasing companies that the Commission will no longer be accepting registrations for UCR. For all future UCR registrations, please visit the online UCR National Registration System at www.ucr.gov.

Where to get Hazardous Materials/Waste Permits

Waste Reduction and Compliance Section

Bureau of Land
Illinois Environmental
Protection Agency
1021 N. Grand Avenue East
P.O. Box 19276
Springfield, IL 62704-9276
Ph: (217) 524-3300
Bureau of Land - Waste Management (illinois.gov)

State Trucking Association

Illinois Trucking Association
2250 S. Chicago St., Suite 201
Joliet, IL 60436
Ph: (630) 654-0884
www.iltrucking.org
Springfield Office:
932 S. Spring St.
Springfield, IL 62704
Ph: (217) 789-6017
www.iltrucking.org

Where to get Overweight, Oversize Permits

Illinois Department of Transportation
Bureau of Operations, Permit Office
2300 South Dirksen Parkway
Springfield, IL 62764
Ph: (217) 785-1477
E-mail: dot.permitoffice@illinois.gov
<http://www.idot.illinois.gov/doing-business/permits/Oversize-and-Overweight-Permits/index>

Enforcement Information

Ph: (217) 782-6267



Size/Weight Limits

Dimension	National Network	State and Other Supplemental Highways
Width:	8' 6"	8' 6"
Height:	13' 6"	13' 6"
Length:		
Bus	42' 45' for a charter or regulated route	42' 45' for a charter or regulated route
Straight trucks	42'	42'
Straight truck and trailer	60'	60'
Tractor-semitrailer combinations	NS	65'
Semitrailer	53' see KPRA	53' see KPRA
Tractor-twin-trailer combination	NS for Class I & II highways. 65' center of front axle to center of rear axle for Class II highways.	60'
Trailers of twin-trailer combinations	28' 6"	NS
Boat-transporter combination	65'	60'
Overhang limitations	3' front, 6' rear	
Stinger-steered boat-transporter	80'	60'
Overhang limitations	4' front, 6' rear	
Auto-transporter	65'	60'
Overhang limitations	3' front, 6' rear	
Stinger-steered auto-transporter	80'	60'
Overhang limitations	4' front, 6' rear	
Saddlemount	97' up to 3	60'
General overhang limitations	3'	NS
Drawbar	15'	15'
Kingpin to rear axle	45' 6" on Class I and II highways to the center of the rear axle, 42' 6" on Class III and other non-designated state highways.	45' 6" on Class I and II highways to the center of the rear axle, 42' 6" on Class III and other non-designated state highways.
Weight:	Interstate and Defense Highways	Non-Designated (Other State Highways and Local Roads)
Steer axle	20,000	20,000
Single axle	20,000	20,000
Tandem axle	34,000	34,000
Tridem axle	42,500	42,500
Gross vehicle weight	80,000	80,000
Load per inch width of tire	800	800
APU allowance	550	550
Natural gas allowance	2,000	2,000
Weight special limitations or restrictions	Weight limits apply on all roads within Illinois unless posted otherwise.	

INDIANA

Where to Register for Fuel Use Tax (IFTA) and Order IFTA Trip Permits

Department of Revenue
Motor Carrier Services, Attn: IFTA
P.O. Box 6175
Indianapolis, IN 46206-6175
Ph: (317) 615-7200
(IFTA Reg.)
IndianaMotorFuel@dor.in.gov
www.in.gov/dor/4233.htm

Where to Register Vehicles (IRP) and Order IRP Trip Permits

Indiana Dept. of Revenue, IRP Unit
7811 Millhouse Rd., Ste. M
Indianapolis, IN 46241
Ph: (317) 615-7200 (IRP/Base Plate Reg. of Vehicles)
Ph: (317) 615-7340 (IRP)
E-mail: IndianalRP@dor.in.gov
www.in.gov/dor/4242.htm

Where to Register for UCRA

Indiana Department of Revenue
Motor Carrier Services Division
7811 Millhouse Rd. Ste. M
Indianapolis, IN 46241
Ph: (317) 615-7373
E-mail: ucrinforequest@dor.in.gov
www.in.gov/dor/4243.htm
motorcarrier.dor.in.gov/login-Home.html

Where to get Hazardous Materials/Waste Permits

Indiana State Police
Commercial Vehicle
Enforcement Division
7811 Millhouse Rd., Ste. S
Indianapolis, IN 46241
Ph: (317) 615-7373
www.in.gov/isp/2557.htm

One-Stop Shopping

Ph: (317) 615-7200
www.in.gov/dor/4106.htm

State Trucking Association

Indiana Motor Truck Association
One North Capitol, Ste. 460
Indianapolis, IN 46204
Ph: (317) 630-4682
www.intrucking.org

Where to get Overweight, Oversize Permits

Motor Carrier Services Division
Department of Revenue
7811 Millhouse Rd., Ste. M
Indianapolis, IN 46241
Ph: (317) 615-7200
E-mail: IndianaOSW@dor.in.gov
www.in.gov/dor/4243.htm

Enforcement Information

Ph: (317) 615-7373



Size/Weight Limits

Dimension	National Network	State and Other Supplemental Highways
Width:	8' 6"	8' 6"
Height:	13' 6"	13' 6"
Length:	National Network	All Highways
Bus	45'	45'
Articulated bus	65'	65'
Straight trucks	40' Permanently installed specialized equipment used for lifting, reaching, pumping, or spraying are allowed an additional 5' overhang.	40' Permanently installed specialized equipment used for lifting, reaching, pumping, or spraying are allowed an additional 5' overhang.
Straight truck and trailer	60'	60'
Tractor-semitrailer combinations	No limit	No limit
Semitrailer	53' see KPRA	53' see KPRA
Tractor-twin-trailer combination	No limit	No limit
Trailers of twin-trailer combinations	28' 6"	28' 6"
Auto-transporter	75'	75'
Overhang limitations	3' front, 4' rear	3' front, 4' rear
Stinger-steered auto-transporter	75'	75'
Overhang limitations	3' front, 4' rear	3' front, 4' rear
Drawbar	15'	15'
Kingpin to rear axle	43' To rearmost axle. Motor-sports combinations 46'	43' To rearmost axle. Motor-sports combinations 46'
Weight:	Interstate and Defense Highways	All Highways
Steer axle	20,000 Not to exceed 800 lb/in. rim width	20,000 Not to exceed 800 lb/in. rim width
Single axle	20,000	20,000
Tandem axle	34,000	34,000
Tridem axle	48,000 50,000 lb with lift axle	48,000 50,000 lb with lift axle
Gross vehicle weight	80,000 90,000 lb on toll road	80,000 90,000 lb on toll road
Load per inch width of tire	800 rim width	800 rim width
Tolerances	None	None
APU allowance	400	400
Natural gas allowance	2,000	2,000

INDIANA

Indiana Toll Road

Special maximum size and weight limits are in effect for Toll Road operations. The following are the maximum allowable dimensions for vehicles permitted to operate on toll roads without toll attendant authorization. Vehicles at/under the legal dimensions will, for toll collection purposes, be classified by axle count and the toll addressed accordingly.

Dimension	
Width: > 8' 6" to and including 12' limits > 12'	8' 6" legal limit Class 7 toll charged Special Hauling Permit required
Height: > 13' 6" to and including 14' 6" > 14' 6"	13' 6" legal limit Class 7 toll charged Special Hauling Permit required
Length:	
Single vehicle under own power (other than buses) > 36' to 65' > 65'	36' legal limit (other than buses) Class 7 toll charged Special Hauling Permit required
Buses > 40' to 65' > 65'	40' legal limit Class 7 toll charged Prohibited
Two vehicle combination > 60'	Special Hauling Permit required
Three vehicle combination > 65'	Prohibited
Semitractor and trailer combo Trailers > 53'	Trailer length is limited to 53' (no overall combination length restriction) Special Hauling Permit required
Semitractor in 3-vehicle combination (Pups) Trailers > 28' 6"	Trailer length is limited to 28' 6" (no overall combination length restriction) Prohibited
Weight:	
Maximum single axle weight	22,400 lb
Maximum tandem axle weight	18,000 lb per axle
Maximum gross weight	90,000 lb (axle width applies)
Vehicles over these limits	Special Hauling Permit required

Special Hauling Permits and Toll Road Gate Permits are issued by: Indiana Department of Revenue, 5252 Decatur Blvd., Ste. R, Indianapolis, IN 46241 (317) 615-7320 motorcarrier.dor.in.gov/mcsd/mcsdHome

Permitted movements are subject to the following hours of operation:

Permitted Movement Type	Hours of Operation
Up to 110' long, 10' wide, 13' 6" high, and < 200,000 lb	Continuous travel 7 days per week
> 110' long, 10' to 14' 6" wide, and up to 15' high	7 days per week (1/2 hour before sunrise to 1/2 hour after sunset)
> 16' wide, or > 15' high, or > 200,000 lb gross vehicle weight	Monday to Friday 8:30 a.m. to 3:30 pm (other provisions may apply)
Between 14' 4" wide and 16' wide	Monday to Friday (1/2 hour before sunrise to 1/2 hour after sunset)
Permitted mobile homes and sectionalized buildings between 8' 6" and 14' 4" wide	Monday to Friday (1/2 hour before sunrise to 1/2 hour after sunset) Saturday (1/2 hour before sunrise to noon)

In addition:

- Permitted vehicles are restricted during certain holidays.
- Vehicles exceeding 10' in width are not allowed to travel during hours of darkness on the Indiana Toll Road.
- Trailer combinations (triples and long doubles) operate under separate rules. Contact Customer Service for information, (574) 674-8836, ext. 420.

Toll Road Gate Permits —

A toll road gate permit is needed anytime an oversized or overweight vehicle needs to travel to or from an Indiana toll gate using an Indiana road. The permit is granted for one vehicle, per gate, for one calendar year. It is valid for a distance no greater than 15 miles to or from the toll road gate.

The fee for the permit is \$20 per gate, per truck. To qualify for an annual toll road gate permit, your vehicle must not exceed the following limits:

1. A single vehicle which is not over 12' wide, 65' long, 13' 6" high, with a maximum weight subject to axle limits and not over 90,000 lb.
2. A combination of two vehicles (tractor-trailer) whose trailer is not more than 53' long, 12' wide, and 13' 6" high. Maximum weight, subject to axle limits, may not exceed 90,000 lb.
3. A combination of three vehicles (tractor-trailer-trailer) whose trailers are not more than 48' 6" each in length, 8' 6" wide, and a height of 13' 6". The maximum weight, subject to axle limits, may not exceed 127,400 lb.
4. A combination of four vehicles (tractor and triple trailer) whose trailers are not more than 28' 6" in. each in length, 8' 6" wide, and 13' 6" high. The maximum weight, subject to axle limits, may not exceed 127,400 lb.

This type of triple trailer combination is not allowed on any highway other than an Indiana toll road, except between an Indiana toll road designated make-up, break-up area and the nearest toll gate.

IOWA

Where to Register for Fuel Use Tax (IFTA) and Order IFTA Trip Permits

Department of Transportation
Office of Vehicle and Motor Carrier Services
P.O. Box 10382
Des Moines, IA 50306-0382
Ph: (515) 237-3268 (IFTA)
Ph: (515) 237-3264 (Trip Permits)
<https://iowadot.gov/mvd/motor-carriers/ifta-irp-filing>

Where to Register Vehicles (IRP) and Order IRP Trip Permits

Iowa Department of Transportation
Office of Vehicle and Motor Carrier Services
P.O. Box 10382
Des Moines, IA 50306-0382
Ph: (515) 237-3268 (IRP)
Ph: (515) 237-3264 (Trip Permits)
<https://iowadot.gov/mvd/motor-carriers/ifta-irp-filing>

Where to Register for UCRA

Iowa Department of Transportation
Motor Carrier Services
Customer Service Bureau
P.O. Box 10382
Des Moines, IA 50306-0382
Ph: (515) 237-3268
<https://www.ucr.gov/>

Where to get Hazardous Materials/Waste Permits

Iowa Department of Transportation

Office of Motor

Vehicle Enforcement

6310 SE

Convenience Blvd.

Ankeny, IA 50021

Ph: (515) 237-3214

Ph: (800) 925-6469 (Toll-free in Iowa)

<https://iowadot.gov/mvd/cdl/hazardous-materials>

One-Stop Shopping

Ph: (515) 237-3264

State Trucking Association

Iowa Motor Truck Association

717 East Court Ave.

Des Moines, IA 50309

Ph: (515) 244-5193

www.iowamotortruck.com

Where to get Overweight, Oversize Permits

Department of Transportation
Office of Vehicle & Motor Carrier Services

P. O. Box 10382

Des Moines, IA 50306-0382

Ph: (515) 237-3264

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>

<https://iowadot.gov/mvd/motorcarriers/Oversize-Overweight-Trip-permits>



Size/Weight Limits

Dimension	National Network	State and Other Supplemental Highways
Width:	8' 6" 12' 5" for certain agricultural commodities	8' 6" 12' 5" for certain agricultural commodities
Height:	13' 6" 14' for auto transporters 14' 6" for certain agricultural commodities	13' 6" 14' for auto transporters 14' 6" for certain agricultural commodities
Length:	National Network	All Highways
Bus	45'	45'
Articulated bus	61'	61'
Straight trucks	45'	45'
Straight truck and trailer	65'	65'
Tractor-semitrailer combinations	No limit with legal trailer	No limit with legal trailer
Semitrailer	53' 57' lowboy trailers allowed for the transport of construction equipment in a tractor semitrailer combination	53' 57' lowboy trailers allowed for the transport of construction equipment in a tractor semitrailer combination
Tractor-twin-trailer combination	No limit with legal trailer	No limit with legal trailer
Trailers of twin-trailer combinations	28' 6"	28' 6"
Boat-transporter combination	65'	65'
Overhang limitations	3' front, 4' rear	3' front, 4' rear
Auto-transporter	65'	65'
Overhang limitations	3' front, 4' rear	3' front, 4' rear
Stinger-steered auto-transporter	80'	80'
Overhang limitations	4' front, 6' rear	4' front, 6' rear
Saddlemount	97'	97'
Drawbar	15' conditional	15' conditional
Weight:	Interstate and Defense Highways	All Highways
Steer axle	20,000 to tire load rating or 600 lb per inch	20,000 to tire load rating or 600 lb per inch
Single axle	20,000	20,000
Tandem axle	34,000	34,000
Tridem axle	42,000 with minimum 8' 1" spacing	42,000 with minimum 8' 1" spacing
Gross vehicle weight	80,000	80,000
Load per inch width of tire	575 or tire rating	575 or tire rating
Per wheel	NS manufacturer's sidewall weight rating	NS manufacturer's sidewall weight rating
APU allowance	550	550
Natural gas allowance	2,000	2,000

Where to Register for Fuel Use Tax (IFTA) and Order IFTA Trip Permits

Kansas Department of Revenue
Motor Fuel Tax
120 SE 10th Ave.
P.O. Box 78573
Topeka, KS 66675-8573
Ph: (785) 368-8222 (IFTA Registration)
Ph: (785) 368-8221 (Trip permits)
www.ksrevenue.org/mfifta.html

Where to Register Vehicles (IRP) and Order IRP Trip Permits

Department of Revenue
Commercial Motor Vehicle Office
300 SW 29th St.
Topeka, KS 66611
Ph: (785) 296-3621, option 2
then option 2 again (IRP and Central Permit)
Ph: (785) 296-3621 (CMV/IRP registration)
E-mail: kdor_mc@ks.gov
<https://www.ksrevenue.org/dovirp.html>

Where to Register for UCRA

Kansas Corporation Commission
1500 SW Arrowhead Road
Topeka, KS 66604-4027
Ph: (785) 271-3145
<https://www.ucr.gov/>

Where to get Hazardous Materials/Waste Permits

Kansas Dept. of Health
& Environment
Bureau of Waste Management
1000 SW Jackson, Suite 320

Topeka, KS
66612-1366
Ph: (785) 296-1600
or 296-0005

Email: kdhe.bwmweb@ks.gov
<https://www.kdhe.ks.gov/606/Hazardous-Waste-Permitting-Corrective-Ac>

State Trucking Association

Kansas Motor Carriers Association
2900 SW Topeka Blvd.
Topeka, KS 66611
P.O. Box 1673
Topeka, KS 66601-1673
Ph: (785) 267-1641
www.kmca.org

Where to get Overweight, Oversize Permits

Kansas Turnpike Authority
9401 E. Kellogg
Wichita, KS 67207
Ph: (316) 682-4537, ext. 2202
(Kansas Turnpike)
<https://www.ksturnpike.com/commercial-travel/oversized-vehicles>

All Kansas permits available through the Kansas Trucking Connection

Ph: (785) 368-6501
<https://www.ksrevenue.org/dovtruckingks.html>

Enforcement Information

122 SW 7th
Topeka, KS 66603
Ph: (785) 296-6800



Kansas Turnpike Authority

Written permits aren't required to move oversize loads on the Kansas Turnpike. However, due to the size and configuration of some loads, prior approval is required from a Division Engineer, or the Turnpike Highway Patrol Commander before such loads or vehicles can be moved or transported on the Kansas Turnpike. STATE PERMITS DO NOT ALLOW VEHICLES TO RUN ON THE TURNPIKE.

To assist you in determining what types of oversize vehicles and loads are permitted to use the Kansas Turnpike, with and without authorization, the following is offered:

Tractor-Trailer Combination Units

The Kansas Turnpike presently allows single, tandem and triple trailer combinations to operate day or night.

Height Restrictions

Vehicles and/or loads activating high load detectors when entering the Kansas Turnpike are required to stop and cannot proceed until authorized by a Turnpike Highway Patrol Trooper.

All overhead structures on the Kansas Turnpike will allow movement of loads not exceeding 14' in height. All vehicles and/or loads over 14' in height will be denied entry until a Turnpike Highway Patrol Trooper has measured the load. The trooper will then authorize or prohibit entry onto the Kansas Turnpike based on the measured height of the vehicle and/or load and the destination of the vehicle and/or load.

Width Restrictions

Vehicles and/or loads up to, but not exceeding 8' 6" in width may use the Kansas Turnpike without special authorization both day and night. Vehicles and/or loads up to, but not exceeding 12' in width, may use the Kansas Turnpike without special authorization during daylight hours. Any load exceeding 8' 6" inches in width MAY NOT travel the Kansas Turnpike during nighttime hours. Authorization for loads wider than 8' 6" during nighttime operation will only be granted in extreme emergency or disaster conditions.

Loads wider than 12' 6", but not exceeding 14' in width may use the Kansas Turnpike without authorization, but can only operate during daylight hours. There is a width restriction of 12' from Bonner Springs (K7 or mile post 224) to LeCompton (mile post 197) for both eastbound and westbound traffic.

Vehicles and/or loads exceeding 14' in width are required to obtain authorization from the Chief Engineer, or the Turnpike Highway Patrol Commander or his Designee prior to using the Kansas Turnpike. Movement of such vehicles and/or loads is limited to Monday through Thursday between the hours of 8:30 a.m. and 4:30 p.m. At least one escort vehicle is required to accompany the movement of loads over 14' in width on the Kansas Turnpike.

Authorization will not be granted for night operation, except in extreme emergency, or disaster conditions.

The following categories of oversize and overweight vehicles or loads must obtain prior authorization before moving upon the Turnpike:

- 1) Loads exceeding 14' in width
- 2) Loads exceeding 14' in height
- 3) Loads exceeding 125' in length.

Loads exceeding 16' in width will not be permitted except in cases of extreme emergencies. Loads exceeding axle limits can not be issued any special turnpike permits and will not be allowed entry.

Weight Restrictions

All vehicle axle weights must comply with Kansas Law (KSA 8-1908 and 8-1909).

"Single Axle" shall not exceed 20,000 pounds, including any axle of a group of axles.

"Tandem Axles" shall not exceed 34,000 pounds, when axles spaced not less than 40" and not more than 96" apart.

"Triple Axles" shall not exceed 42,000 pounds, when such three or more consecutive axles are spaced more than 96" and not more than 120" apart.

"Quad Axles" shall not exceed 50,000 pounds, when such four or more consecutive axles, arranged in tandem, are spaced more than 120" and not more than 150" apart.

No authorization is required for vehicles and/or loads up to and including 120,000 pounds if legal axle weights are not exceeded.

Any vehicle and/or load exceeding the above weight limitations cannot legally use the Kansas Turnpike without advance authorization from the Chief Engineer, or the Division II Engineer, or Highway Patrol Commander. Such authorization will be unlikely except in extreme emergency, or disaster situations.

Length Restrictions

Any vehicle, or combination of vehicles, trailer(s), or load exceeding 125' in overall length must obtain authorization from the Chief Engineer, or Turnpike Highway Patrol Commander or his Designee prior to moving such vehicle on the Kansas Turnpike. Authorization will not be granted for night operation, except in extreme emergency, or disaster conditions.

Other Information

Special permits from the Kansas Department of Transportation are not required to move oversize loads on the Kansas Turnpike. Movement of any oversize loads, however, must comply with Kansas laws governing authority, insurance, lights, flags, signs, placards and safety equipment. It is the responsibility of the driver of any oversize vehicle and/or load entering or exiting the Kansas Turnpike to determine if the toll plaza has adequate space for the safe entry or exiting of the vehicle and/or load. Refer to <http://www.ksturnpike.com> for more information.

Restrictions on the movement of some or all oversize vehicles or combinations of vehicles may be temporarily implemented due to wind, weather, road or construction conditions.

Daylight hours are the hours between sunrise and sunset.

Size/Weight Limits

Dimension	National Network	State and Other Supplemental Highways
Width:	8' 6"	8' 6"
Height:	14'	14'
Length:	National Network	On All Other
Straight trucks	45'	45'
Straight truck and trailer	65'	65'
Tractor-semitrailer combinations	No limit	No limit
Semitrailer	59' 6"	59' 6"
Tractor-twin-trailer combination	No limit	No limit
Trailers of twin-trailer combinations	28' 6"	28' 6"
Stinger-steered boat-transporter	75'	75'
Overhang limitations	3' front, 4' rear	3' front, 4' rear
Stinger-steered auto-transporter	80'	80'
Overhang limitations	4' front, 6' rear	4' front, 6' rear
Weight:	Interstate and Defense Highways	On All Other
Steer axle	20,000	20,000
Single axle	20,000	20,000
Tandem axle	34,000	34,000
Gross vehicle weight	80,000	85,500
Per wheel	10,000	10,000
Tolerances	None	None
APU allowance	400	400
Natural gas allowance	2,000	2,000

KENTUCKY

Where to Register for Fuel Use Tax (IFTA) and Order IFTA Trip Permits

Kentucky Transportation Cabinet
Division of Motor Carriers
P.O. Box 2007
Frankfort, KY 40602-2004
Ph: (502) 564-1257 (IFTA)
E-mail: ifta.dmc@ky.gov
<https://drive.ky.gov/motor-carriers/Pages/IFTA.aspx>

Where to Register Vehicles (IRP) and Order IRP Trip Permits

Kentucky Transportation Cabinet
Licensing & Registration Branch
IRP Section
200 Mero St.
P.O. Box 2323
Frankfort, KY 40622-2323
Ph: (502) 564-1257 (IRP)
E-mail: irp.dmc@ky.gov
<https://drive.ky.gov/motor-carriers/Pages/International-Registration-Plan.aspx>

Where to Register for UCRA

Kentucky Division of Motor Carriers
P.O. Box 2007
Frankfort, KY 40602
Ph: (502) 564-1257
<https://www.ucr.gov/>

Where to get Hazardous Materials/Waste Permits

Department for
Environmental Protection
Division of Waste Management

300 Sower Blvd.,
2nd Floor
Frankfort, KY 40601
Ph: (502) 564-6716
**Hazardous Waste Branch -
Kentucky Energy and
Environment Cabinet**
E-mail: waste@ky.gov

One-Stop Shopping

Ph: (502) 564-1257
<https://drive.ky.gov/Pages/One-Stop-Shop.aspx>

State Trucking Association

Kentucky Trucking Association
P.O. Box 818
Frankfort, KY 40602
Ph: (502) 227-0848
E-mail: info@kytrucking.net
<https://kytrucking.net>

Where to get Overweight, Oversize Permits

Kentucky Transportation Cabinet
Division of Motor Carriers
P.O. Box 2007
Frankfort, KY 40602-2007
Ph: (502) 564-1257
<https://drive.ky.gov/motor-carriers/Pages/OWOD-Services.aspx>

Enforcement Information

KSP Headquarters
919 Versailles Road
Frankfort, KY 40601
Ph: (502) 782-1800



Size/Weight Limits

Dimension	National Network	State and Other Supplemental Highways
Width:	8' 6"	8'
Height:	13' 6" Auto-transporters 14'	13' 6" Auto-transporters 14'
Length:		45' May be restricted to 26' 6" based on the strength, safety, and durability of the highway
Straight trucks	45'	
Straight truck and trailer	65'	65'
Tractor-semitrailer combinations	No limit with legal trailer	65'
Semitrailer	53'	N/S
Tractor-twin-trailer combination	No limit with legal trailer	Not allowed
Trailers of twin-trailer combinations	28'	N/S
Auto-transporter	65'	65'
Overhang limitations	3' front, 4' rear	3' front, 4' rear
Weight:	Interstate and Defense Highways	State and Other Supplemental Highways
Single axle	20,000	20,000
Tandem axle	34,000	34,000
Tridem axle	48,000 axles spaced 42" to 120"	48,000 axles spaced 42" to 120"
Gross vehicle weight	80,000	80,000 On Class AAA highways 62,000 lb on Class AA highways 44,000 lb on Class A highways.
Load per inch width of tire	700	700
Tolerances	N/S	5% on axles and 10% on axles for certain agricultural products

LOUISIANA

Where to Register for Fuel Use Tax (IFTA) and Order IFTA Trip Permits

Department of Revenue
Excise Tax Division
P. O. Box 201
Baton Rouge, LA 70821-0201
Ph: (225) 219-7656 (Special Fuels, IFTA)

E-mail: ExciseTaxInquiries@MAIL.LA.GOV
<https://www.louisiana.gov/Taxpayer-Education/Courses/Excise/IFTA/Registering/index.html>

Where to Register Vehicles (IRP) and Order IRP Trip Permits

Louisiana Office of Motor Vehicles IRP
P.O. Box 64848
Baton Rouge, LA 70896
Ph: (225) 925-7022
<https://www.la-trucks-online.org/>

Where to Register for UCRA

Louisiana Office of Motor Vehicles
IRP Processing Center
P.O. Box 64848
Baton Rouge, LA 70896
Ph: (225) 925-7022
<https://www.ucr.gov/>

Where to get Hazardous Materials/Waste Permits

Louisiana Department of
Environmental Quality

Waste Permits
Division
602 N. Fifth Street
Baton Rouge, LA 70802
Ph: (225) 219-5337
<https://deq.louisiana.gov/>

State Trucking Association

Louisiana Motor Transport
Association Inc.
4838 Bennington Avenue
P.O. Box 80278
Baton Rouge, LA 70898
Ph: (225) 928-5682
E-mail: lmata@lmata.la
www.louisianatrucking.com

Where to get Overweight, Oversize Permits

Truck Permit Office
Louisiana Department of
Transportation & Development
P.O. Box 94042
Baton Rouge, LA 70804-9042
Ph: (225) 343-2345, Option 1 or
(800) 654-1433
E-mail: DOTDLaGeauxPermits@LA.GOV
DOTD.LaGeaux

Enforcement Information

Ph: (225) 925-6006



Size/Weight Limits

Dimension	National Network	State and Other Supplemental Highways
Width:	8' 6"	8' 6"
Height:	14' Interstate only	13' 6"
Length:	National Network	On All Other
Bus	45'	45'
Straight trucks	45'	45'
Straight truck and trailer	N/S 30' trailer	N/S 30' trailer
Tractor-semitrailer combinations	No limit with legal trailer	65'
Semitrailer	59' 6"	N/S
Tractor-twin-trailer combination	No limit with legal trailer	Not allowed
Trailers of twin-trailer combinations	30'	Not allowed
Boat-transporter combination	75'	75'
Overhang limitations	3' front, 4' rear	3' front, 4' rear
Stinger-steered auto-transporter	75'	75'
Overhang limitations	3' front, 4' rear	3' front, 4' rear
General overhang limitations	4' front, 8' rear 15' pole trailers, 20' forest products	4' front, 8' rear 15' pole trailers, 20' forest products
Drawbar	15'	15'
Weight:	Interstate and Defense Highways	On All Other
Steer axle	650 pounds per tire inch	650 pounds per tire inch
Single axle	20,000	22,000
Tandem axle	34,000	37,000
Tridem axle	42,000	45,000
Gross vehicle weight	80,000	80,000
Load per inch width of tire	650	650
Tolerances	None	N/S
Natural gas allowance	2,000	2,000
Weight special limitations or restrictions	Reasonable access — not to exceed 10 miles for food, fuel, repairs, and rest, unless otherwise prohibited. Household goods' carriers shall have unrestricted access for loading and unloading purposes only, unless otherwise prohibited.	

MAINE

Where to Register for Fuel Use Tax (IFTA) and Order IFTA Trip Permits

Bureau of Motor Vehicles
Motor Carrier Services - IFTA
29 State House Station
Augusta, ME 04333-0029
Ph: (207) 624-9000 – Ext. 52136
(IFTA /License)
Ext. 52137 (Trip Permits)
<http://www.maine.gov/sos/bmv/commercial/fuel.html>

Where to Register Vehicles (IRP) and Order IRP Trip Permits

Bureau of Motor Vehicles
Motor Carrier Services - IRP
29 State House Station
Augusta, ME 04333-0029
Ph: (207) 624-9000 Ext. 52135 (IRP)
<http://www.maine.gov/sos/bmv/commercial/irp.html>

Where to Register for UCRA

Maine Bureau of Motor Vehicles
Motor Carrier Services – UCR
29 State House Station
Augusta, ME 04333-0029
Ph: (207) 624-9000 Ext. 52131
<http://www.maine.gov/sos/bmv/commercial/ucr.html>

Where to get Hazardous Materials/Waste Permits

Maine State Police
20 State House Station

Augusta, ME 04333-0020

Ph: (207) 624-8909

www.maine.gov/dps/msp/investigation-traffic/commercial-vehicle-unit

State Trucking Association

Maine Motor Transport Association
142 Whitten Road
P.O. Box 857
Augusta, ME 04332-0857
Ph: (207) 623-4128
www.mmta.com

Where to get Overweight, Oversize Permits

Motor Carrier Services
Overlimit Permit Unit
29 Statehouse Station
Augusta, ME 04333-0029
Ph: (207) 624-9000 Ext. 52134
<http://www.maine.gov/sos/bmv/commercial/olpermits.html>

Maine Turnpike Information

Ph: (207) 871-7771 or (877) 682-9433
<http://www.maineturnpike.com/Home.aspx>

Enforcement Information

36 Hospital Street, Augusta
Mailing address: 20 State House Station
Augusta, ME 04333-0020
Ph: (207) 624-8909



MARYLAND

Where to Register for Fuel Use Tax (IFTA) and Order IFTA Trip Permits

Comptroller of Maryland
Revenue Administration Division
Motor Fuel Tax Unit
P.O. Box 1751
Annapolis, MD 21404-1751
Ph: (410) 260-7980 (General Information)
E-mail: IFTA_CARRIERS@marylandtaxes.gov
<https://www.marylandtaxes.gov/business/motor-fuel/index.php>

Where to Register Vehicles (IRP) and Order IRP Trip Permits

Motor Vehicle Administration
Motor Carrier & Electronic Services
6601 Ritchie Highway, N.E., Room 120
Glen Burnie, MD 21062
Ph: (410) 787-2971 (Registration of Vehicles/Trip Permits)
General Information: 410-768-7000
E-mail: irp@mdot.maryland.gov
<https://mva.maryland.gov/vehicles/Pages/registration/irp.aspx>

Where to Register for UCRA

Maryland is not a participating member of the Unified Carrier Registration Agreement. Interstate motor carriers based in Maryland are required to register with the UCRA by choosing a participating state where the applicant maintains an office or operating facility, or by choosing one of the following states: CT, DE, MA, ME, NH, NY, PA, RI, VA, or WV. Refer to <https://www.ucr.gov> for more information.

Where to get Hazardous Materials/Waste Permits

Maryland Department of the Environment
Hazardous Materials Compliance Section
1800 Washington Boulevard, Suite 645
Baltimore, MD 21230-1719
Ph: (410) 537-3400 or (410) 537-3323
General Information: 410-537-3314
Hazardous Waste (maryland.gov)

State Trucking Association

Maryland Motor Truck Association
9256 Bendix Rd., Suite 203
Columbia, MD 21045
Ph: (410) 644-4600
www.mdtrucking.org

Where to get Overweight, Oversize Permits

Maryland State Highway Administration
Hauling Permit Unit
7491 Connelley Dr.
Hanover, MD 21076
Toll-free Ph: (800) 846-6435 or (800) 543-4564
Ph: (410) 582-5650 (After Hours)
E-mail: haulingpermits@mdot.maryland.gov
<https://www.roads.maryland.gov/mdotsha/pages/hp.aspx?PageId=58&did=hp>

Enforcement Information

Maryland State Police
6855 Deerpath Rd, Ste G
Elkridge, MD 21075
Ph: (410) 579-5959
E-mails: mssp.cved@maryland.gov



Size/Weight Limits

Dimension	National Network	State and Other Supplemental Highways
Width:	8' 6"	8' 6"
Height:	13' 6" plus 6" of load, 13' 6" limit on Turnpike	13' 6" plus 6" of load, 13' 6" limit on Turnpike
Length:	National Network	On All Other
Bus	45'	45'
Straight trucks	45'	45'
Straight truck and trailer	65'	65'
Tractor-semitrailer combinations	No limit with legal trailer	69' with 48' trailer, 74' with 53' trailer
Semitrailer	53' see KPRA	53' see KPRA
Tractor-twin-trailer combination	No limit with legal trailer	N/S 28' 6" semi-trailer and 28' 6" straight trailer
Trailers of twin-trailer combinations	28' 6"	28' 6"
Stinger-steered auto-transporter	80' on interstate	
Overhang limitations	4' front, 6' rear	NS
Saddlemount	97'	97'
Kingpin to rear axle	45'6" to the center of the rearmost axle	45'6" to the center of the rearmost axle. Overall length not to exceed 74' on non-National Network highways.
Length special limitations or restrictions	All trailers over 48' must display a sign on the rear of the trailer stating that the vehicle/combination has a wide turning radius.	
Weight:	Interstate and Defense Highways	On All Other
Steer axle	600 per inch width of tire or manufacturers rating	600 per inch width of tire or manufacturers rating
Single axle	20,000	20,000
Tandem axle	34,000	38,000
Tridem axle		48,000 50,000 lb on a 6-axle combination
Gross vehicle weight	80,000 100,000 lb on a 3-axle truck-tractor and tri-axle semitrailer on the Maine Turnpike	80,000 100,000 lb conditionally on a 3-axle truck-tractor and tri-axle semitrailer
Load per inch width of tire	600 or manufacturer's rating	600 or manufacturer's rating
APU allowance	400	400
Weight special limitations or restrictions	Addition allowances for special commodity vehicles	

Size/Weight Limits

Dimension	National Network	State and Other Supplemental Highways
Width:	8' 6"	8' 6"
Height:	13' 6"	13' 6"
Length:	National Network	On All Other
Bus	45'	40'
Straight trucks	40'	40'
Straight truck and trailer	62'	62'
Tractor-semitrailer combinations	No limit	No limit
Semitrailer	53' see KPRA	48'
Tractor-twin-trailer combination	No limit	Not allowed
Trailers of twin-trailer combinations	28'	Not allowed
Boat-transporter combination	65'	N/S
Overhang limitations	3' front, 4' rear	
Auto-transporter	65'	N/S
Overhang limitations	3' front, 4' rear rearmost portion of the overhanging be flagged with an 18" square red or orange fluorescent flag.	
Stinger-steered auto-transporter	80'	Not allowed
Overhang limitations	4' front, 6' rear	
Saddlemount	97'	Not allowed
General overhang limitations	3' front, 6' rear	3' front, 6' rear
Kingpin to rear axle	41' to the center of the rear tandem axles. Requires "Wide Right Turn" signs on trailer.	NS
Length special limitations or restrictions	Length limits do not apply to vehicles or combinations carrying pilings, poles, or mill logs that do not exceed 75' in length, or crew or racing shells.	
Weight:	Interstate and Defense Highways	On All Other
Steer axle	Not to exceed sum rated	Not to exceed sum rated
Single axle	20,000; 22,400 lb if 73,000 lb RGWW or less	20,000; 22,400 lb if 73,000 lb RGWW or less
Tandem axle	34,000	34,000
Gross vehicle weight	80,000	80,000
Tolerances	None	Conditional operational tolerances for agricultural, harvest, and forest product operations.
APU allowance	550	550

MASSACHUSETTS

Where to Register for Fuel Use Tax (IFTA) and Order IFTA Trip Permits

Massachusetts Department of Revenue
IFTA Unit
P.O. Box 7027
Boston, MA 02204
Ph: (617) 887-6367 or
(617) 887-6300 (IFTA)
www.mass.gov/dor/all-taxes/fuels/ifta/

Where to Register Vehicles (IRP) and Order IRP Trip Permits

Mass DOT - RMV Division
IRP Section
25 Newport Ave. Extension, 4th Floor
Quincy, MA 02171
Ph: (857) 368-8120
<http://www.mass.gov/international-registration-plan-irp>

Where to Register for UCRA

Massachusetts Department of Public Utilities
Transportation Oversight Division-
One South Station, 5th floor
Boston, MA 02110
Ph: (617) 305-3559
[File unified carrier registration | Mass.gov](http://www.mass.gov/file-unified-carrier-registration)

Where to get Hazardous Materials/Waste Permits

Massachusetts Department of Environmental Protection

Bureau of Waste Prevention
Hazardous Waste Transporter Program
One Winter Street
Boston, MA 02108
Ph: (617) 292-5576
[Hazardous Waste Transportation & Transporters | Mass.gov](http://www.mass.gov/hazardous-waste-transportation)

State Trucking Association

Trucking Association of Massachusetts (TAM)
198 Tremont St., Suite 456
Boston, MA 02116
Ph: (833) 482-6277
<https://masstrucking.org/>

Where to get Overweight, Oversize Permits

MassDOT Trucking Permits Office
668 South Ave.
Weston, MA 02493
Ph: (781) 431-5148
(Turnpike information)
<https://www.mass.gov/commercial-transport-permits>

Enforcement Information

470 Worcester Road
Framingham, MA 01702
Ph: (508) 820-2300



Size/Weight Limits

Dimension	National Network	State and Other Supplemental Highways
Width:	8' 6"	8' 6"
Height:	13' 6"	13' 6"
Length:	National Network	On All Other
Bus	45'	45'
Articulated bus	60'	60'
Straight trucks	40'	40'
Straight truck and trailer	60'	60'
Tractor-semitrailer combinations	No limit with legal trailer	No limit with legal trailer
Semitrailer	53'	53'
Tractor-twin-trailer combination	No limit with legal trailer	No limit with legal trailer
Trailers of twin-trailer combinations	28'	28'
Boat-transporter	65'	60'
Overhang limitations	3' front, 4' rear	3' front, 4' rear
Stinger-steered boat-transporter	75'	65'
Overhang limitations	3' front, 4' rear	3' front, 4' rear
Auto-transporter	65'	60'
Overhang limitations	3' front, 4' rear	3' front, 4' rear
Stinger-steered auto-transporter	75'	65'
Overhang limitations	3' front, 4' rear	3' front, 4' rear
Saddlemount	75'	75'
Weight:	Interstate and Defense Highways	On All Other
Single axle	22,400 18,000 lb if spaced less than 6' apart	22,400 18,000 lb if spaced less than 6' apart
Tandem axle	34,000	34,000
Tridem axle	36,000	36,000
Gross vehicle weight	80,000	80,000
Load per inch width of tire	800	800
Tolerances	5% on GW with permit	N/S
APU allowance	400	400

MICHIGAN

Where to Register for Fuel Use Tax (IFTA) and Order IFTA Trip Permits

Michigan Department of Treasury
Special Taxes Division - IFTA Unit
P.O. Box 30474
Lansing, MI 48909-7974
Ph: (517) 636-4580 (IFTA)
E-mail: IFTA_licensing@michigan.gov
www.michigan.gov/taxes/0,1607,7-238-43542_43546---,00.html

Where to Register Vehicles (IRP) and Order IRP Trip Permits

Michigan Department of State, IRP Unit
7064 Crownner Drive
Lansing, MI 48918
Ph: (517) 335-6119 (IRP)
E-mail: sosirp@michigan.gov
<https://www.michigan.gov/sos/industry-services/irp>

Where to Register for UCRA

Michigan State Police, CVED
Regulatory & Credentialing Section
P.O. Box 30634
Lansing, MI 48909
Ph: (517) 284-3250
E-mail: MSP-CVED-RCS@michigan.gov
<https://www.ucr.gov/>

Where to get Hazardous Materials/Waste Permits

Michigan Department of

Environment,
Great Lakes, and
Energy Materials
Management Division
Constitution Hall
P.O. Box 30241
Lansing, MI 48909-7741
(517) 224-2746

www.michigan.gov/deq/0,1607,7-135-3312_7235---,00.html

State Trucking Association

Michigan Trucking Association
1131 Centennial Way
Lansing, MI 48917
Ph: (517) 321-1951
www.mitrucking.org/

Where to get Overweight, Oversize Permits

Michigan Department of Transportation
Transport Permit Unit Supervisor
P.O. Box 30648
Lansing, MI 48909
Ph: (517) 241-8999
<https://www.michigan.gov/mdot/business/permits/over-weight-oversize>

Enforcement Information

Ph: (517) 284-3250



Size/Weight Limits

Dimension	National Network	State and Other Supplemental Highways
Width:	8' 6"	8'
Height:	13' 6"	13' 6"
Length:		
Bus	45'	45'
Articulated bus	65'	65'
Straight trucks	40'	40'
Straight truck and trailer	65'	59'
Tractor-semitrailer combinations	No limit with legal trailer	No limit with legal trailer
Semitrailer	53'	50'
Tractor-twin-trailer combination	from front of first to back of last axle or 28' 6" each trailer	59'
Trailers of twin-trailer combinations	28' 6"	N/S
Boat-transporter combination	65'	65'
Overhang limitations	3' front, 4' rear	3' front, 4' rear
Stinger-steered auto-transporter	80'	80'
Overhang limitations	4' front, 6' rear	4' front, 6' rear
Saddlemount	97' up to 3	55' up to 3
General overhang limitations	3' front, rear cannot cause vehicle to be over length	3' front, rear cannot cause vehicle to be over length
Drawbar	15'	15'
Length special limitations or restrictions		
Weight:	Interstate and Defense Highways	State and Other Supplemental Highways
Natural gas allowance	2,000	2,000
Weight special limitations or restrictions	Michigan weight limits vary by season, axles, roadway. See state bridge formula.	

Exceptions

Unprocessed logs, pulpwood, wood bolts, agricultural products, and concrete pipe, 108" for load only; buses, 102"; implements of husbandry; "a farmer only" may operate or move an implement of husbandry of any width on a highway as required for normal hauling operations.

BRIDGE FORMULA WEIGHTS

Vehicles with a gross weight of 80,000 lb or less and being operated on state highways may be eligible for increased weights using the Bridge Weight Formula. Vehicles with a gross weight over 80,000 lb or vehicles exceeding the gross weight set by the Bridge Formula are not eligible for the Bridge Weights. The formula allows for single axle, 20,000 lb; tandem axles, 34,000 lb. The weight of other axle groups would be set by the Bridge Formula chart. To receive these weights, the vehicle would have to strictly comply with the axle spacings as set forth in the formula:

$$W=500 \left[\frac{LN}{N-1} + 12N + 36 \right]$$

MINNESOTA

Where to Register for Fuel Use Tax (IFTA) and Order IFTA Trip Permits

Minnesota Department of Public Safety
Driver and Vehicle Services -
Prorate Office
445 Minnesota St., Suite 188
St. Paul, MN 55101
Ph: (651) 205-4141
(IFTA Registration)
E-mail: dvs.prorate@state.mn.us
<https://dps.mn.gov/divisions/dvs/irp-ifta/Pages/default.aspx>

Where to Register Vehicles (IRP) and Order IRP Trip Permits

Minnesota Department of Public Safety
Driver and Vehicle Services -
Prorate Office
445 Minnesota St., Suite 188
St. Paul, MN 55101-5188
Ph: (651) 205-4141 (IRP)
<https://dps.mn.gov/divisions/dvs/Pages/default.aspx>
<https://dps.mn.gov/divisions/dvs/irp-ifta/Pages/default.aspx>

Where to Register for UCRA

Minnesota Department of Transportation
Freight and Commercial
Vehicle Operations
395 John Ireland Blvd., MS 420
St. Paul, MN 55155-1800
Ph: (651) 366-3700
E-mail: motorcarrier.dot@state.mn.us
Unified Carrier Registration Program
- Commercial Vehicle Operations -
MnDOT (state.mn.us)

Where to get Hazardous Materials/Waste Permits

Minnesota
Department of
Transportation
Commercial Vehicle Operations
395 John Ireland Blvd, St. Paul, MN
55155-1800
Ph: (651) 296-3000
Title - Commercial Vehicle Operations
- MnDOT (state.mn.us).

One-Stop Shopping

Ph: (651) 215-6330

State Trucking Association

Minnesota Trucking Association
6160 Summit Dr. N., Ste. 330
Brooklyn Center, MN 55430
Ph: (651) 646-7351
E-mail: mta@mntruck.org
www.mntruck.org/

Where to get Overweight, Oversize Permits

Minnesota Department of Transportation
OFCVO-Permits
395 John Ireland Blvd., MS 420
St. Paul, MN 55155-1800
Ph: (651) 296-6000 or
(800) 657-3774 (Toll-free)
E-mail: ofcvopermits.dot@state.mn.us
www.dot.state.mn.us/cvo/oversize/index.html

Enforcement Information

Ph: (651) 405-6196



Size/Weight Limits

Dimension	National Network	State and Other Supplemental Highways
Width:	8' 6"	8' 6"
Height:	13' 6"	13' 6"
Length:		
Articulated bus	61'	61'
Straight trucks	45'	45'
Straight truck and trailer	75'	75'
Tractor-semitrailer combinations	NS	75'
Semitrailer	53' see KPRA	53' see KPRA
Tractor-twin-trailer combination	N/S	Allowed only on state-designated routes
Trailers of twin-trailer combinations	28' 6"	28' 6"
Boat-transporter	75'	75'
Stinger-steered auto-transporter	80'	80'
Overhang limitations	4' front, 6' rear	4' front, 6' rear
Auto-transporter	75'	75'
Saddlemount	97'	97'
Drawbar	15'	15'
Kingpin to rear axle	43'	43'
	to the centerline of the rear axle group	to the centerline of the rear axle group
Length special limitations or restrictions	All vehicles are measured individually, even when in combinations, and all maximum length measurements for a vehicle or combination include front and rear overhang.	
Weight:	Interstate and Defense Highways	10-ton routes
Steer axle	20,000 lb up to 600 lb/in. of tire width or tire rating	18,000 lb up to 600 lb/in. of tire width or tire rating
Single axle	20,000	20,000
Tandem axle	34,000	34,000
Gross vehicle weight	80,000	80,000
Load per inch width of tire	500	500
Per wheel	10,000	10,000
APU allowance	550	550
Natural gas allowance	2,000	2,000
Weight special limitations or restrictions	All paved routes in Minnesota are 10-ton routes unless posted with a sign indicating a lesser axle weight limit.	

Seasonal Weight Restrictions

Up to 10% more weight is allowed during winter freeze, with no permit required except when traveling on Interstates. Vehicles must be registered for sufficient weight to cover GVW. The winter freeze period varies each year depending on weather. Seasonal weight restrictions can be found at <http://www.dot.state.mn.us/materials/pvmt/design/sll/index.html>.

MISSISSIPPI

Where to Register for Fuel Use Tax (IFTA) and Order IFTA Trip Permits

Mississippi Department of Revenue
State Tax Commission
Petroleum Tax Division
P.O. Box 1033
Jackson, MS 39215-1033
Ph: (601) 923-7142 (IFTA)
Commercial Vehicles - Interstate Operations | DOR (ms.gov)

Where to Register Vehicles (IRP) and Order IRP Trip Permits

Mississippi Department of Revenue
Motor Vehicle Licensing Division
IRP Section
P.O. Box 1033
Jackson, MS 39215
Ph: (601) 923-7142 (IRP)
Commercial Vehicles - Interstate Operations | DOR (ms.gov)

Where to Register for UCRA

Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 2309
Jackson, MS 39225
Ph: (601) 961-5171
Hazardous Waste Program -
MDEQ (ms.gov)

Where to get Hazardous Materials/Waste Permits

Department of Public Safety
Motor Carrier Safety Division
1900 Woodrow Wilson Dr.
Jackson, MS 39216
Ph: (601) 987-1454
<https://www.dps.ms.gov/highway-patrol/motor-carrier>

State Trucking Association

Mississippi Trucking Association
825 North President Street
Jackson, MS 39202
Ph: (601) 354-0616 or (800) 878-2593
E-mail: mstruck@mstrucking.org
www.mstrucking.org

Where to get Overweight, Oversize Permits

Mississippi Department of Transportation
Permits and Motor Carrier Division (66-05)
P.O. Box 1850
Jackson, MS 39215-1850
Ph: (601) 359-1717 or (888) 737-0061
<https://mdot.ms.gov/portal/over-dimensional-permits>

Enforcement Information

412 E Woodrow Wilson Ave
Jackson, MS 39216
Ph: (601) 359-1707



Size/Weight Limits

Dimension	National Network	State and Other Supplemental Highways
Width:	8' 6"	8' 6"
Height:	13' 6"	13' 6"
Length:		
Straight trucks	40'	40'
Tractor-semitrailer combinations	No limit	No limit
Semitrailer	53'	53'
Tractor-twin-trailer combination	No limit	No limit
Trailers of twin-trailer combinations	30'	30'
Stinger-steered auto-transporter	NS	NS
Overhang limitations	4' front, 6' rear	3' front, 4' rear
General overhang limitations	3' front, 4' rear	3' front, 4' rear
Weight:	Interstate and Defense Highways	State and Other Supplemental Highways
Single axle	20,000	20,000
Tandem axle	34,000 24,000 lb on 57,650 lb routes	34,000 24,000 lb on 57,650 lb routes
Gross vehicle weight	80,000	80,000
Load per inch width of tire	550	550
Tolerances	None	5% on tandem, 2% on GVW if no scale available at the point of origin.
Natural gas allowance	2,000	

CANADIAN VEHICLE SIZES & WEIGHTS — MAXIMUM LIMITS — JANUARY 2023

Length (m)								Axle Weights (kg)				Gross Weight (kg)				
Jur.	Truck-trailer	Tractor-semitrailer	A,B,C-Train	Wheelbase-Tractor		Wheelbase-Semitrailer ¹		Single Axle	Tandem axle	Steer Axle (Truck-Tractor)	Super Single Axle	Truck-Trailer	5-Axle Tractor-Semi-trailer	A-Train (7-8 axle)	B-Train (8-axle)	C-Train (8-axle)
				Min.	Max.	Min.	Max.									
AB	23	23	26 ²⁰	NS	6.2	6.25	12.5	9100	17000	6000	9100	a,b	39500 ^b	53500 ^b	63500 ^b	60500 ^b
BC	23	23 ²	26 ²⁰	3 ²¹	6.2	6.25	12.5 ²¹	9100	17000	6000 ³	8900	a	40000	53500	63500	60500
MB	23	23	25 ²⁰	NS	6.2	6.25	12.5	9100 ⁴	17000 ⁴	5500 ⁴	7700 ⁴	a	40000 ⁴	53500 ⁴	62500 ⁴	53500 ⁴
NB	23	23	23 ^{6,20}	NS	6.2 ⁷	6.25	12.5	9100	18000 ^{8, 10}	5500	7700 ⁵	a	41500 ^c	53500 ^c	62500 ^c	58500 ^c
NL	23	23	25 ²⁰	NS	6.2 ¹²	6.25	12.5	9100 ¹⁰	18000 ⁸	5500 ⁹	7700	a	41500	53500	62500	58500
NT	21	25	26	NS	6.2	6.25	12.5	9100 ¹⁰	17000 ¹⁰	5500 ¹⁰	6000 ¹⁰	10,a	39500 ¹⁰	53500 ¹⁰	63500 ¹⁰	58500 ¹⁰
NS	23 ¹¹	23	25 ²⁰	NS	6.2 ¹²	6.25	12.5	9100	18000	5500 ⁹	7700	a	41500	53500 ^d	62500 ^d	58500 ⁴
ON	23	23	25 ²⁰	NS	6.2 ¹³	6.25 ¹³	12.5 ¹³	10000	19100	7700	9000	a	45900 ^e	53500 ^f	63500 ⁹	58500 ^h
PE	23	23	25	NS	6.2 ¹²	6.25	12.5	9100	18000	5500	NS	a	41500	53500	62500	58500
QC	23	23 ¹⁴	25 ¹⁴	3	6.2	6.25	12.5	10000	18000	5500 ¹⁵	10000	16,a	16	16	16	16
SK	23	23	26 ²⁰	NS	6.2	6.25	12.5	9100	17000	6000	7700	a	40000	53500	62500	60500
YT	23	23	25 ¹⁷	NS	6.2	6.25	12.5	10000	18300	5500 ¹⁸	7700 ¹⁹	a	43700	53500	63500	60500
MOU	23	23	25 ²⁰	NS	6.2 ²¹	6.25	12.5 ²¹	9100	17000	5500 ³	7700	a	39500	53500	62500	58500

NS — Not Specified
MOU — Memorandum of Understanding on Vehicle Weights and Dimensions — [tinyurl.com/1k8o0wpg](https://www.tinyurl.com/1k8o0wpg)
Jurisdictions can be more liberal with weights/dimensions.
¹Wheelbase of single semitrailer is measured from kingpin to center of tandems or tridem.
²23 m for single or tandem drives; 23.5 m for tridem drives.
³Additional 225 kg allowed on steer/drives to compensate for APU; need BC Greening Transportation Decal.
⁴Weights on MB RTAC routes; on other routes weights may be lower.
⁵Permit required; in NB, only allowed on certain routes.
⁶Up to 25 m allowed with conspicuity markings and rear underride guard. ⁷Can exceed 6.2 m if operated alone; can also exceed 6.2 m (up to 7.2 m) with single semitrailer if tractor wheelbase does not exceed “X” in the following: X=25-(1.5 x length of semitrailer wheelbase), and all other legal dimensions.
⁸Allowed with axle spread of 1.2 m - 1.85 m.
⁹Can be up to 9,100 kg provided axles/tires rated as such; max. gross weight not increased, however.
¹⁰For a tractor or straight truck equipped with an APU, axle weight and gross weight may exceed max weight for that vehicle by up to 225 kg.
¹¹If being used to transport poles, pipe or other material that cannot be dismembered, max. overall length is 25 m.
¹²Can be up to 7.2 m if wheelbase of semitrailer is reduced accordingly.
¹³Wheelbase for tractor in Des. Combo #1 is 7.2 m if tractor built after 2005 but semitrailer wheelbase must be reduced accordingly. See ON SPiF requirements at [tinyurl.com/Ontariosizeandweight](https://www.tinyurl.com/Ontariosizeandweight).
¹⁴19 m if tractor interaxle spacing less than 3 m, tractor wheelbase more than 6.2 m, OR overhang more than 35% of semitrailer wheelbase.


¹⁵Axle capacity can be higher when indicated by the mfg of the road vehicle by the person who made alterations on or to a vehicle with the approval of SAAQ.
¹⁶QC gross weight is the lower of: the sum of the max. authorized total loaded mass of each axle class OR total loaded mass of the class of vehicles in the regulations. See the Vehicle Load and Size Limits Regulation, section 20.
¹⁷B-Trains allowed 26 m.
¹⁸Up to 6,000 kg if driver can provide written documentation by the mfg that axle, suspension, braking system, or tire is rated higher.
¹⁹Allowed by policy, not yet in regulation.
²⁰B-Trains allowed 27.5 m.
²¹On tractor-semitrailers, wheelbase can be up to 7.2 m provided semitrailer wheelbase is reduced accordingly. See MOU at [https://comt.ca/english/programs/trucking/MOU%202022.pdf](https://www.comt.ca/english/programs/trucking/MOU%202022.pdf) for details; for BC, see [tinyurl.com/BClongwheel](https://www.tinyurl.com/BClongwheel).
^aTruck-trailer weights vary based on number of axles and axle spacings. Refer to jurisdiction regulations for more details. MOU allows 6-axle truck- pony trailer up to 45250 kg; 7-axle truck-full trailer up to 53500 kg.
^bSee also AB weight calculator at www.transportation.alberta.ca/4777.htm to enter specific axle spacings.
^cGross masses over 43,500 kg are restricted from some hwys.; check with NB DOT for route restrictions.
^dA,B,C-Trains are only allowed on max. wt. routes.
^eDes. Combo #1 - Tractor Fixed-Axle Semitrailer. See regulation for guidance on max. weights at [tinyurl.com/Ontariosizeandweight](https://www.tinyurl.com/Ontariosizeandweight).
^fDes. Combo #11 - Tractor A-Train Double Trailers. See regulation for guidance on max. weights at [tinyurl.com/Ontariosizeandweight](https://www.tinyurl.com/Ontariosizeandweight).
⁹Des. Combo #12 - Tractor B-Train Double Trailers. See regulation for guidance on max. weights at [tinyurl.com/Ontariosizeandweight](https://www.tinyurl.com/Ontariosizeandweight).
^hDes. Combo #13 - Tractor C-Train Double Trailers. See regulation for guidance on max. weights at [tinyurl.com/Ontariosizeandweight](https://www.tinyurl.com/Ontariosizeandweight).

Other Dimensions

	Truck Length (m)	Semitrailer Length (m)	Width (m)	Height (m)	Effective Rear Overhang
All Jurisdictions	12.5	16.2	2.6; 3.2 in NT	4.15; 4.2 in NT and YT	35% wheelbase
Effective rear overhang is measured from center of tandems/tridem to rear of trailer or load.					

Items Excluded from Length/Width

According to the MOU, auxiliary equipment and/or devices not designed or used to carry cargo which do not extend more than 10 cm beyond each side of the vehicle are excluded from measurements of overall width. Rear view mirrors that do not extend more than 30 cm beyond each side of the vehicle are excluded from measurements of overall width. Aerodynamic devices installed at the rear of trucks, trailers and semitrailers are not included in the measurement of overall length, trailer length, semitrailer length, box length, and effective rear overhang, if: any portion of the device more than 1.9 m above the ground does not protrude more than 1.52 m beyond	the rear of the vehicle, any portion of the device within 1.9 m of the ground does not protrude beyond a transverse plane starting from the rear bottom edge of the rear impact guard or, if not so equipped, the lowest point at the rear of the vehicle and intersecting a point that is 1.74 m above the ground and 1.21 m behind the rear of the vehicle, and the device is capable of being folded to within 0.305 m of the rear of the vehicle. Jurisdictions may adopt additional exclusions; consult jurisdiction weight/dimension regulations for more details.
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------



VEHICLE SIZES & WEIGHTS—MAXIMUM LIMITS—JANUARY 2023

DES. = Interstates and federally designated state highways OTHER = All other state highways and supplemental routes

Copyright J. J. Keller & Associates, Inc.

	LENGTH (FEET)										HEIGHT (FEET)		WIDTH (FEET)		WEIGHT (1000 POUNDS)					
	INTERSTATE AND DESIG. HWYS. (DES.)					STATE AND SUPP. HWYS. (OTHER)									SINGLE AXLE WEIGHT		TANDEM AXLE WEIGHT		GROSS VEHICLE/ COMBO WEIGHT	
	STRAIGHT TRUCKS	COMBINATIONS †		TRAILING UNITS ‡		STRAIGHT TRUCKS	COMBINATIONS †		TRAILING UNITS ‡											
		TRACTOR SEMI- TRAILER	TRACTOR TWIN- TRAILERS	SEMI- TRAILER	TRAILER		TRACTOR SEMI- TRAILER	TRACTOR TWIN- TRAILERS	SEMI- TRAILER	TRAILER	DES.	OTHER	DES.	OTHER	INTER- STATE	OTHER	INTER- STATE	OTHER	INTER- STATE	OTHER
ALABAMA	40	ø	ø	57*	28'6"	40	ø	ø	53*	28'6**	13'6"	13'6"	8'6"	8'6"	20	20	34	36	80	80*
ALASKA	45	ø	75	53*	48	45	75	75	53*	48	15	15*	8'6"	8'6"	20	20	38	38*	0*	0*
ARIZONA	40	ø	ø	57'6"	28'6"	40	ø	65	53*	28'6"	14	13'6"	8'6"	8	20	20	34	34	80*	80*
ARKANSAS	40	ø	ø	53'6"	28*	40	ø	ø	53'6"	28*	14	14	8'6"	8'6"	20	20	34	34	80	80
CALIFORNIA	40	ø	ø	53*	28'6"	40	65*	75*	No limit*	28'6"	14	14	8'6"	8'6"	20*	20*	34	34	80	80
COLORADO	45	ø	ø	57'4"	28'6"	45	ø	ø	57'4"	28'6"	14'6**	14'6**	8'6"	8'6"	20	20*	36	40	80	85
CONNECTICUT	45	ø	ø	53*	28	45	ø	NS	48	NS	13'6"	13'6"	8'6"	8'6"	18*	18*	0	0	80	80
DELAWARE	40	ø	ø	53	29	40	60	60	53	29	13'6"	13'6"	8'6"	8'6"	20	22.4	34	36	80	80
DISTRICT OF COLUMBIA	40	ø	ø	53*	28	40	55	ø	48*	28*	13'6"	13'6"	8'6"	8	20	20*	34	34	80	80
FLORIDA	40	ø	ø	53*	28	40	ø	ø	53*	28	13'6**	13'6**	8'6"	8'6"	22	22	44	44	80	80
GEORGIA	0	ø	ø	53	28	0	100*	No limit w/legal trailer*	53*	28	13'6**	13'6"	8'6"	8'6"	20.34	20.34	34*	37.34*	80*	80*
HAWAII	45	NS	NS	48	0	45	65	65	48	0	14	14	9	9	22.5	22.5	34	34	80*	88*
IDAHO	45	75*	68*	53	68*	45	75*	61*	48	61*	14	14	8'6"	8'6"	20*	20*	34	34	80*	80*
ILLINOIS	42	NS	NS*	53*	28'6"	42	NS	65	53*	NS	13'6"	13'6"	8'6"	8'6"	20	20	34	34	80	80
INDIANA	40*	ø	ø	53*	28'6"	40*	ø	ø	53*	28'6"	13'6"	13'6"	8'6"	8'6"	20	20	34	34	80*	80*
IOWA	45	ø	ø	53*	28'6"	45	ø	ø	53*	28'6"	13'6**	13'6**	8'6**	8'6**	20	20	34	34	80	80
KANSAS	45	ø	ø	59'6"	28'6"	45	ø	ø	59'6"	28'6"	14	14	8'6"	8'6"	20	20	34	34	80	85.5
KENTUCKY	45	ø	ø	53	28	45*	65	Not allowed	NS	NS	13'6**	13'6**	8'6"	8	20	20	34	34	80	80*
LOUISIANA	45	ø	ø	59'6"	30	45	65	Not allowed	NS	Not allowed	14*	13'6**	8'6"	8'6"	20	22	34	37	80	80
MAINE	45	ø	ø	53*	28'6"	45	69*	NS*	53*	28'6"	13'6**	13'6**	8'6"	8'6"	20	20	34	38	80*	80*
MARYLAND	40	ø	ø	53*	28	40	ø	Not allowed	48	Not allowed	13'6"	13'6"	8'6**	8'6**	20*	20*	34	34	80	80
MASSACHUSETTS	40	ø	ø	53	28	40	ø	ø	53	28'	13'6"	13'6"	8'6"	8'6"	22.4*	22.4*	34	34	80	80
MICHIGAN	40	ø	58*	53	28'6"	40	ø	59	50	NS	13'6"	13'6"	8'6"	8	8'	0	0	0	0	0
MINNESOTA	45	NS	NS	53*	28'6"	45	75	Only on state designated routes	53*	28'6"	13'6"	13'6"	8'6"	8'6"	20	20	34	34	80	80
MISSISSIPPI	40	ø	ø	53	30	40	ø	ø	53	30	13'6"	13'6"	8'6"	8'6"	20	20	34*	34*	80	80
MISSOURI	45	ø	ø	53	28*	45	60	65	NS	NS	14	13'6"	8'6**	8'6**	20	22	34	36	80	80
MONTANA	55	ø	ø	53	28'6**	55	ø	ø	53	28'6"	14	14	8'6"	8'6"	20*	20*	34	34	80	131.06*
NEBRASKA	40	ø	ø	53	65*	40	ø	ø	53	65*	14'6"	14'6"	8'6"	8'6"	20	20	34	34	80	95*
NEVADA	40	ø	ø	53	28'6"	40	ø	ø	53	28'6"	14	14	8'6"	8'6"	20	20	34	34	129*	129*
NEW HAMPSHIRE	45	0	NS	53*	28	45	0	NS	48	28*	13'6"	13'6"	8'6"	8'6"	20*	20*	34*	34*	80	80
NEW JERSEY	40*	ø	ø	53*	28	40*	ø	Only allowed on NJ double trailer truck network	48	28	13'6"	13'6"	8'6"	8	22.4	22.4	34	34	80	80
NEW MEXICO	40	ø	ø	57'6"	28'6"	40	65	65	NS	28'6"	14	14	8'6"	8'6"	21.6	21.6	34.32	34.32	86.4	86.4
NEW YORK	40	ø	ø	53*	28'6"	40	65	65	48	28'6"	13'6"	13'6"	8'6"	8'6"	22.4	22.4	36*	36*	80	80
NORTH CAROLINA	40	ø	ø	53*	28	40	ø	Not allowed	53*	Not allowed	13'6"	13'6"	8'6"	8'6"	20	20	38	38	80	80
NORTH DAKOTA	50	ø	110	53	100*	50	75*	75*	53	NS	14	14	8'6"	8'6"	20	20	34	34	80	105.5*
OHIO	50	ø	ø	53	28'6"	50	ø	ø	53	28'6"	13'6"	13'6"	8'6"	8'6"	20	20	34	34*	80	80
OKLAHOMA	45	ø	ø	53	53*	45	ø	ø	53	29	14*	14*	8'6"	8'6"	20	20	34	34	80	80
OREGON	40	ø	No limit with legal trailer limit	53	40*	40	60*	75*	53*	Total length restricted	14	14	8'6"	8'6"	20	20	34	34	80	80
PENNSYLVANIA	40*	ø	ø	53*	28'6"	40*	ø	Not allowed	53*	Not allowed	13'6"	13'6"	8'6"	8'6"	20*	20*	34*	34*	80*	80*
RHODE ISLAND	40	ø	ø	53*	28'6"	40	ø	ø	48'6"	28'6**	13'6"	13'6"	8'6"	8'6"	22.4	22.4	36	36	80	80
SOUTH CAROLINA	40	ø	ø	53*	28'6"	40	ø	Not allowed	53	Not allowed	13'6**	13'6**	8'6"	8'6"	20	20	35.2	36	80	80
SOUTH DAKOTA	45	No overall limit	No overall limit	53	28'6**	45	No overall limit	No overall limit	53	28'6**	14	14	8'6"	8'6"	20	20	34	34	80	•
TENNESSEE	45	ø	ø	53	28'6"	45	ø	Not allowed	53	Not allowed	13'6"	13'6"	8'6"	8'6"	20	20	34	34	80	80
TEXAS	45	ø	ø	59	28'6"	45	ø	ø	59	28'6"	14	14	8'6"	8'6"	20	20	34	34	80	80
UTAH	45	ø	ø	53	61*	45	ø	ø	53	61*	14	14	8'6"	8'6"	20	20	34	34	80	80
VERMONT	46	ø	ø	53*	28	46	75*	Not allowed*	53*	Not allowed*	13'6"	13'6"	8'6"	8'6"	20	22.4	34	36	80	80
VIRGINIA	40	ø	ø	53*	28'6"	40	ø	Not allowed	53*	Not allowed	13'6"	13'6"	8'6"	8'6"	20	20	34	34	80	80
WASHINGTON	40	ø	No limit with legal trailer limit	53	61*	40	ø	No limit with legal trailer limit	53	61*	14	14	8'6"	8'6"	20	20	34	34	105.5*	105.5*
WEST VIRGINIA	40	ø	ø	53	28	40	70	Not allowed	48*	Not allowed	13'6"	13'6"	8'6"	8'6"	20	20	34	34	80	80
WISCONSIN	45	ø	ø	53*	28'6"	45	75	Not allowed	53*	Not allowed	13'6"	13'6"	8'6"	8'6"	20	20	34	34	80	80
WYOMING	60	ø	NS	60	81*	60	ø	NS	60	81*	14	14	8'6"	8'6"	20	20	36	36	117*	117*

* Additional conditions apply. Contact state or see J.J. Keller & Associates state specific table.

† Only tractor-semitrailer and tractor-twin-trailer combinations are considered here. For other combinations, contact state agency.

‡ Semitrailer in tractor-semitrailer combination, and trailer in tractor-twin-trailer-combination.

ø No overall length restrictions imposed, but must not exceed allowed trailer length for configuration.



State Kingpin to Rear Axle Allowances

States may not limit the length of a semitrailer to less than 48' and a state may not limit the overall length of a tractor-semitrailer combination. Most states will allow 53-foot trailers on all highways. However, several states have adopted kingpin to rear axle (KPRA) allowances as a condition of operating trailers exceeding 48 feet in the states.

The following apply to all highways within a state unless otherwise specified:

STATE	KINGPIN TO REAR AXLE LIMIT National Network		State and Other Supplemental Highways
ALABAMA	41 ft to the rearmost axle or a point midway between the two rear axles (only applies to semitrailers greater than 53 ft 6 in).		
CALIFORNIA	40 ft to rearmost axle or 38 ft for semitrailer with only one axle.	40 ft or 38 ft single axle. Some routes restricted to 30 ft	
CONNECTICUT	43 ft to rearmost axle with wheels in contact with the road surface.	NS	
DISTRICT OF COLUMBIA	41 ft to rear axle.	NS	
FLORIDA	41 ft to the center of the rear axle or rear group of axles.		
ILLINOIS	45 ft 6 in. on Class I and Class II highways to the center of the rear axle. 42 ft 6 in. on Class III and other non-designated state highways.		
INDIANA	43 ft to rearmost axle. Motorsports combinations 46 ft.		
MAINE	45 ft 6in. ft to the center of the rearmost axle	45 ft 6 in. to the center of the rearmost axle. Overall length not to exceed 74 ft on non-National Network highways.	
MARYLAND	41 ft to the center of the rear tandem axles. "Wide Right Turn" signs on trailer.	NS	
MINNESOTA	43 ft to the centerline of the rear axle group.		
NEW HAMPSHIRE	41 ft to the centerline of the rear axle or the midpoint of a tandem axle of the semitrailer. Trailer must also be equipped with ear underride guard.	NS	
NEW JERSEY	41 ft to the centerline of the rear axle or rear axle group.	NS	
NEW YORK	43 ft to the centerline of the rear axle.	NS	
NORTH CAROLINA	41 ft to the rearmost axle or a point midway between the two rear axles.	41'to the rearmost axle or a point midway between the two rear axles 53' allowed on primary roads with KPRA. 48' trailers allowed with truck tractors on all roads	
PENNSYLVANIA	41 ft to the center line of the rear axle or rear axle group.		
RHODE ISLAND	41 ft to the center of the rear axle.	NS	
SOUTH CAROLINA	41 ft to the center of the rear axle assembly or to the center of the tandem axle assembly. 46 ft to the center of the rear axle for trailers or semitrailers used primarily to transport vehicles used in connection with motorsports competition events.		
TENNESSEE	41 ft to a point midway between the two rear axles, or 44 ft to the rearmost axle if not a tandem axle.		
VERMONT	41 ft to the center of the rearmost axle group.	NS	
VIRGINIA	41 ft to the rearmost axle or a point midway between the rear tandem axles.		
WEST VIRGINIA	37 ft from the rear axle of the truck-tractor and the front axle of the semitrailer.		
WISCONSIN	43 ft to the center of the rearmost axle or a point midway between tandem axles – allowed on Interstates and designated highways and certain state trunk highways only.		

MISSOURI

Where to Register for Fuel Use Tax (IFTA) and Order IFTA Trip Permits

Department of Transportation
Motor Carrier Services
P.O. Box 270
Jefferson City, MO 65102-0270
Ph: (866) 831-6277
E-mail: contactmcs@modot.mo.gov
<https://www.modot.org/IFTA>

Where to Register Vehicles (IRP) and Order IRP Trip Permits

Missouri Department of Transportation
Motor Carrier Services
P. O. Box 270
Jefferson City, MO 65102-0270
Ph: 866-831-6277
E-mail: contactmcs@modot.mo.gov
<https://www.modot.org/IRP>

Where to Register for UCRA

Missouri Department of Transportation
Motor Carrier Services
P.O. Box 270
Jefferson City, MO 65102-0270
Ph: (866) 831-6277
E-mail: contactmcs@modot.mo.gov
<https://www.modot.org/UCR>

Where to get Hazardous

Materials/Waste Permits

Missouri Department of Transportation
Motor Carrier Services
P.O. Box 270

Jefferson City,
MO 65102-0270
Ph: (866) 831-
6277 Option 3
E-mail: contact-mcs@modot.mo.gov

<https://www.modot.org/HazWaste>

State Trucking Association

Missouri Trucking Association
Kaitlynn Orr
102 E. High Street
Jefferson City, MO 65101
Ph: (573) 634-3388
E-mail: Kaitlynn@motrucking.org
www.motrucking.org

Where to get Overweight, Oversize Permits

Missouri Department of Transportation
Motor Carrier Services Unit
P.O. Box 270
Jefferson City, MO 65102-0270
Ph: (866)-831-6277 or (573) 751-7100
<https://www.modot.org/OSOW>

Enforcement Information

1510 East Elm Street
Jefferson City, MO 65101
Ph: (573) 526-6128



Size/Weight Limits

Dimension	National Network	State and Other Supplemental Highways
Width:	8' 6"	8' 6"
Height:	14'	13' 6" 14' auto transporters
Length:		
Bus	45'	45'
Articulated bus	60'	60'
Straight trucks	45'	45'
Straight truck and trailer	65'	55'
Tractor-semitrailer combinations	No limit	60'
Semitrailer	53'	N/S
Tractor-twin-trailer combination	No limit	65'
Trailers of twin-trailer combinations	28' includes load	N/S
Boat-transporter combination	75'	55'
Overhang limitations	3' front, 4' rear	3' front, 4' rear
Auto-transporter	75'	55'
Overhang limitations	3' front, 4' rear	3' front, 4' rear
Stinger-steered auto-transporter	80'	55'
Overhang limitations	4' front, 6' rear	3' front, 4' rear
Saddlemount	97'	97'
Length special limitations or restrictions	Automobile transporters may transport cargo or general freight on a backhaul, as long as in compliance with weight limitations for a truck-tractor and semitrailer combination	
Weight:	Interstate and Defense Highways	State and Other Supplemental Highways
Steer axle	12,000 Or exceed axle rating	12,000 Or exceed axle rating
Single axle	20,000	20,000
Tandem axle	34,000	36,000
Gross vehicle weight	80,000	80,000
APU allowance	550	550
Natural gas allowance	2,000	2,000

MONTANA

Where to Register for Fuel Use Tax (IFTA) and Order IFTA Trip Permits

Department of Transportation
Motor Carrier Services
2701 Prospect Avenue
P.O. Box 4639
Helena, MT 59604-4639
Ph: (406) 444-2998 (IFTA)
<https://www.mdt.mt.gov/business/mcs/licenses.aspx>

Where to Register Vehicles (IRP) and Order IRP Trip Permits

Department of Transportation
Motor Carrier Services
2701 Prospect Avenue
P.O. Box 4639
Helena, MT 59604
Ph: (406) 444-2998 (IRP)
<https://www.mdt.mt.gov/business/mcs/licenses.aspx>

Where to Register for UCRA

Montana Department of Transportation
P.O. Box 201001
Helena, MT 59620
Ph: (406) 444-0816
<https://www.ucr.gov/>

Where to get Hazardous Materials/Waste Permits

Montana Department of

Environmental Quality
Hazardous Waste Section
P.O. Box 200901
Helena, MT 59620-0901
Ph: (406) 444-5300
HazardousWaste1.Montana.DEQ.mt.gov

State Trucking Association

Motor Carriers of Montana
501 N. Sanders #201
Helena, MT 59601
Ph: (406) 442-6600
www.mtrucking.org

Where to get Overweight, Oversize Permits

Department of Transportation
Motor Carrier Services Division
P.O. Box 4639
2701 Prospect Avenue
Helena, MT 59604-4639
Ph: (406) 444-7262
<https://www.mdt.mt.gov/business/mcs/permits.shtml>

Enforcement Information

Ph: (406) 444-3300



Size/Weight Limits

Dimension	National Network	State and Other Supplemental Highways
Width:	8' 6"	8' 6"
Height:	14'	14'
Length:	National Network	On All Other
Bus	55'	55'
Straight trucks	55'	55'
Straight truck and trailer	75'	75'
Tractor-semitrailer combinations	No limit with legal trailer	No limit with legal trailer
Semitrailer	53'	53'
Tractor-twin-trailer combination	No limit with legal trailer or 61' combined trailer length	No limit with legal trailer or 61' combined trailer length
Trailers of twin-trailer combinations	28' 6" or 61' combined	28' 6" or 61' combined
Boat-transporter combination	75'	75'
Stinger-steered boat-transporter	75'	75'
Overhang limitations	3' front, 4' rear	3' front, 4' rear
Auto-transporter	75'	75'
Stinger-steered auto-transporter	80'	80'
Overhang limitations	4' front, 6' rear	4' front, 6' rear
Saddlemount	75' up to 3	75' up to 3
Weight:	Interstate and Defense Highways	On All Others
Steer axle	Axles over 11,000 pounds must have 4 tires or wide-base tires	Axles over 11,000 pounds must have 4 tires or wide-base tires
Single axle	20,000 11,000 two tire axle	20,000 11,000 two tire axle
Tandem axle	34,000	34,000
Tridem axle	42,000	42,000
Gross vehicle weight	80,000	131,060 (based on bridge formula: 9 axles over 105')
Load per inch width of tire	500 must be wide-based tires	500 must be wide-based tires
Tolerances	10% \$10 trip permit fee charged. Permit only available to first location to reduce to legal weights.	10% \$10 trip permit fee charged. Permit only available to first location to reduce to legal weights.

NEBRASKA

Where to Register for Fuel Use Tax (IFTA) and Order IFTA Trip Permits

Department of Motor Vehicles
Division of Motor Carrier Services
P.O. Box 94729
301 Centennial Mall South
Lincoln, NE 68509-4729
Ph: (402) 471-4435 (IFTA)
Ph: (888) 622-1222 (Toll-free)
<https://dmv.nebraska.gov/mc/ifta>

Where to Register Vehicles (IRP) and Order IRP Trip Permits

Division of Motor Carrier Services
P.O. Box 94729
301 Centennial Mall South
Lincoln, NE 68509-4729
Ph: (402) 471-4435 (IRP)
Ph: (888) 622-1222 (Toll-free)
<https://dmv.nebraska.gov/mc/irp>

Where to Register for UCRA

Department of Motor Vehicles
Division of Motor Carrier Services
P.O. Box 94729
301 Centennial Mall South
Lincoln, NE 68509-4729
Ph: (402) 471-4435
Ph: (888) 622-1222 (Toll-free)
<https://dmv.nebraska.gov/mc/ucr>

Where to get Hazardous Materials/Waste Permits

Nebraska State Patrol –
State Headquarters

P.O. Box 94907
1600 Highway 2
Lincoln, NE 68502
Ph: (402) 471-0105
<http://statepatrol.nebraska.gov>

One-Stop Shopping

301 Centennial Mall South
P O Box 94729
Lincoln NE 68509-4729
Ph: (402) 471-4435
Ph: (888) 622-1222 (Toll-free)
<https://dmv.nebraska.gov/mc/index>

State Trucking Association

Nebraska Trucking Association
1701 K Street
P.O. Box 81010
Lincoln, NE 68508
Ph: (402) 476-8504
E-mail: info@nebtrucking.com
www.nebtrucking.com/

Where to get Overweight, Oversize Permits

Nebraska Department of Roads
1500 Nebraska Highway 2
P.O. Box 94759
Lincoln, NE 68509-4759
Ph: (402) 471-0034
<https://dot.nebraska.gov/business-center/permits/truck/>

Enforcement Information

Ph: (402) 471-0105 or (402) 471-4545



Size/Weight Limits

Dimension	National Network	State and Other Supplemental Highways
Width:	8' 6"	8' 6" can be route restricted to 8'
Height:	14' 6"	14' 6"
Length:	National Network	On All Other
Bus	45'	45'
Articulated bus	65' Operated by a transit authority	65' Operated by a transit authority
Straight trucks	40'	45'
Straight truck and trailer	75' with implement of husbandry on the trailer	75' with implement of husbandry on the trailer
Tractor-semitrailer combinations	No limit	No limit
Semitrailer	53'	53'
Tractor-twin-trailer combination	No limit	No limit
Trailers of twin-trailer combinations	65' measured from front of 1st trailing unit to rear of 2nd	65' measured from front of 1st trailing unit to rear of 2nd
Stinger-steered auto-transporter	80'	80'
Overhang limitations	4' front, 6' rear	4' front, 6' rear
Saddlemount	75'	75'
Weight:	Interstate and Defense Highways	On All Others
Steer axle	20,000 or the tire rating, whichever is less	20,000 or the tire rating, whichever is less
Single axle	20,000	20,000
Tandem axle	34,000	34,000
Gross vehicle weight	80,000	95,000 following bridge formula and axles
Per wheel	10,000	10,000
APU allowance	550	550
Natural gas allowance	2,000 Includes battery powered	

NEVADA

Where to Register for Fuel Use Tax (IFTA) and Order IFTA Trip Permits

Department of Motor Vehicles
Motor Carrier Bureau
555 Wright Way
Carson City, NV 89711-0600
Ph: (775) 684-4711 (IFTA)
<https://dmv.nv.gov/mcexisting.htm>

Where to Register Vehicles (IRP) and Order IRP Trip Permits

Department of Motor Vehicles
Motor Carrier Bureau
555 Wright Way
Carson City, NV 89711-0600
Ph: (775) 684-4711 (IRP)
<https://dmv.nv.gov/mcexisting.htm>

Where to Register for UCRA

Nevada is not a participating member of the Unified Carrier Registration Agreement. Interstate motor carriers based in Nevada are required to register with the UCRA by choosing a participating state where the applicant maintains an office or operating facility, or by choosing one of the following states: AK, CA, CO, ID, MT, ND, NM, SD, UT, or WA. Refer to <https://www.ucr.gov> for more information.

Where to get Hazardous Materials/Waste Permits

Nevada Department of Public Safety
State Fire Marshal's Office
HAZMAT Office
107 Jacobsen Way
Carson City, NV 89701
Ph: (775) 684-7524
E-mail: sfm@dps.state.nv.us
<https://fire.nv.gov/bureaus/FPL/Hazmat/>

State Trucking Association

Nevada Trucking Association
8745 Technology Way, Suite E
Reno, NV 89521
Ph: (775) 673-6111
Email: admin@nevadatrucking.com
<http://nevadatrucking.com/>

Where to get Overweight, Oversize Permits

Department of Transportation
1263 South Stewart Street, Room 102
Carson City, NV 89712
Ph: (800) 552-2127 or (775) 888-7410
E-mail: OverDimensionalPermitsOffice@dot.nv.gov
[CommercialVehicles1NevadaDepartmentofTransportation\(nv.gov\)](http://CommercialVehicles1NevadaDepartmentofTransportation(nv.gov))

Enforcement Information

Ph: (775) 687-5300



Size/Weight Limits

Dimension	National Network	State and Other Supplemental Highways
Width:	8' 6"	8' 6"
Height:	14' 15' baled hay	14' 15' baled hay
Length:		
Bus	45'	45'
Articulated bus	65'	65'
Straight trucks	40'	40'
Straight truck and trailer	70'	70'
Tractor-semitrailer combinations	No limit	No limit
Semitrailer	53'	53'
Tractor-twin-trailer combination	No limit	No limit
Trailers of twin-trailer combinations	28' 6"	28' 6"
Saddlemount	97' up to 3 vehicles	97' up to 3 vehicles
General overhang limitations	10' front, OR 10' rear, OR 10' total front and rear	10' front, OR 10' rear, OR 10' total front and rear
Drawbar	15'	15'
Weight:	Interstate and Defense Highways	On All Others
Steer axle	20,000 up to 600 lb/in	20,000 up to 600 lb/in
Single axle	20,000	20,000
Tandem axle	34,000	34,000
Tridem axle	42,000	42,000
Gross vehicle weight	129,000 following bridge formula and axles registration must cover additional weight	129,000 following bridge formula and axles registration must cover additional weight
Load per inch width of tire	500	500
APU allowance	550 registration must cover additional weight	550 registration must cover additional weight
Natural gas allowance	2,000 registration must cover additional weight	2,000 registration must cover additional weight

NEW HAMPSHIRE

Where to Register for Fuel Use Tax (IFTA) and Order IFTA Trip Permits

Department of Safety
Division of Administration
Road Toll Bureau
33 Hazen Drive, Room 108
Concord, NH 03305
Ph: (603) 271-2311 (Trip Permits) or
(603) 223-8000 (Main)
[www.nh.gov/safety/divisions/
administration/roadtoll/forms.html](http://www.nh.gov/safety/divisions/administration/roadtoll/forms.html)

Where to Register Vehicles (IRP) and Order IRP Trip Permits

Department of Safety
Division of Motor Vehicles
DMV - IRP Section
23 Hazen Drive
Concord, NH 03305
Ph: (603) 227-4110 (IRP)
[https://www.dmv.nh.gov/vehicles-
boats-or-titles/vehicle-registrations/
international-registration-plan-
apportioned-plates](https://www.dmv.nh.gov/vehicles-boats-or-titles/vehicle-registrations-international-registration-plan-apportioned-plates)

Where to Register for UCRA

Department of Safety
Road Toll Bureau
33 Hazen Dr.
Concord, NH 03305
Ph: (603) 271-2311
[www.nh.gov/safety/divisions/admin-
istration/roadtoll/unified_carrier.html](http://www.nh.gov/safety/divisions/administration/roadtoll/unified_carrier.html)

Where to get Hazardous Materials/Waste Permits

New Hampshire Department of
Environmental Services

Hazardous Waste Remediation
29 Hazen Drive
PO Box 95
Concord, NH 03302
Ph: (603) 271-3203
maria.michel@des.nh.gov
[https://onlineforms.nh.gov/
HOME/bc69a25f-718c-462b-
aba9-754cc9d9c434](https://onlineforms.nh.gov/HOME/bc69a25f-718c-462b-aba9-754cc9d9c434)

State Trucking Association

New Hampshire Motor Transport Assoc.
19 Henniker Street
Concord, NH 03301
Ph: (603) 224-7337
www.nhmta.org

Where to get Overweight, Oversize Permits

New Hampshire Department of
Transportation
Permits Supervisor
John O. Morton Building
P.O. Box 483
7 Hazen Dr.
Concord, NH 03302-0483
Ph: (603) 271-3734 or
(603) 271-2691 (Permit Office)
E-mail: nhdotpermits@dot.nh.gov
[www.nh.gov/dot/business/
transportation.htm](http://www.nh.gov/dot/business/transportation.htm)

Enforcement Information

Department of Safety
Division of Motor Vehicles Auditorium
23 Hazen Drive
Concord, NH 03305
Ph: (603) 223-8780



NEW JERSEY

Where to Register for Fuel Use Tax (IFTA) and Order IFTA Trip Permits

New Jersey Motor Vehicle
Commission
Motor Carrier Services
IFTA Section
225 E. State Street
P. O. Box 133
Trenton, NJ 08666-0133
Ph: (609) 633-9400 (Fuel Use
Tax - IFTA)
[www.state.nj.us/mvc/business/
ifta.htm](http://www.state.nj.us/mvc/business/ifta.htm)

Where to Register Vehicles (IRP) and Order IRP Trip Permits

New Jersey Motor Vehicle
Commission
Motor Carrier Services — IRP Section
225 E. State St. - P. O. Box 178
Trenton, NJ 08666-0178
Ph: (609) 633-9400, Option 1 (IRP)
www.state.nj.us/mvc/business/irp.htm

Where to Register for UCRA

New Jersey is not a participating
member of the Unified Carrier
Registration Agreement. Interstate
motor carriers based in New Jersey
are required to register with the
UCRA by choosing a participating
state where the applicant maintains
an office or operating facility, or
by choosing one of the following
states: CT, DE, MA, ME, NH, NY,
PA, RI, VA, or WV. Refer to [https://
www.ucr.gov](https://www.ucr.gov) for more information.

Where to get Hazardous Materials/Waste Permits

Dept. of Environmental
Protection
Division of Sustainable
Waste Management
Mail Code 401-02C
401 East State Street
PO Box 420
Trenton, NJ 08625-0420
Ph: (609) 633-1418
Toll free hotline for environmental
incidents: 1-877-WARNDEP/
1-877-927-6337
www.state.nj.us/dep/dshw

State Trucking Association

New Jersey Motor Truck Association
160 Tices Lane
East Brunswick, NJ 08816
Ph: (732) 254-5000
<http://njmta.wildapricot.org/>

Where to get Overweight, Oversize Permits

NJ Dept. of Transportation
Motor Vehicle Commission
P.O. Box 600
Trenton, NJ 08625-0600
Ph: (609) 530-6089
[www.state.nj.us/transportation/
freight/trucking/oversize.shtm](http://www.state.nj.us/transportation/freight/trucking/oversize.shtm)

Enforcement Information

New Jersey State Police
P.O. Box 7068
West Trenton, NJ 08628
Ph: (609) 882-2000 Ext. 2238



Size/Weight Limits

Dimension	National Network	State and Other Supplemental Highways
Width:	8' 6"	8' 6"
Height:	13' 6"	13' 6"
Length:	National Network	On All Other
Bus	45'	45'
Straight trucks	45'	45'
Semitrailer	53' see KPRA	48'
Tractor-twin-trailer combination	N/S	N/S
Trailers of twin-trailer combinations	28'	28' only on state-designated routes
Auto-transporter	65'	65'
Overhang limitations	3' front, 4' rear	3' front, 4' rear
Stinger-steered auto-transporter	75'	75'
Overhang limitations	3' front, 4' rear	3' front, 4' rear
Saddlemount	65'	65'
Kingpin to rear axle	41' to the centerline of the rear axle or the midpoint of a tandem axle of the semitrailer. Trailer must also be equipped with a rear underride guard	NS
Length special limitations or restrictions	Aerodynamic devices that extend a maximum of 5' beyond the rear of the vehicle, provided such devices have neither the strength, rigidity, nor mass to damage a vehicle, or injure a passenger in a vehicle, that strikes a trailer so equipped from the rear, and provided also that they do not obscure tail lamps, turn signals, marker lamps, identification lamps, or other required safety devices, such as hazardous materials placards or conspicuity markings are exempt from the length limits.	
Weight:	Interstate and Defense Highways	On All Others
Single axle	20,000 With a GVW greater than 73,280 lbs and axle spacing greater than 8'	18,000 lb on axles less than 10' apart, 22,400 lb on axles more than 10' apart
Tandem axle	34,000 36,000 if gross weight is less than 73,280 lb	34,000 36,000 if gross weight is less than 73,280 lb
Gross vehicle weight	80,000	80,000
Load per inch width of tire	Manufacturer's load rating	Manufacturer's load rating
Tolerances	NS	5%
APU allowance	550	550
Weight special limitations or restrictions	For a combination of truck-tractor and single semi-trailer with 4 or more axles carrying raw forestry products, the allowed weight on any tandem - 40,000 lbs	

Size/Weight Limits

Dimension	National Network	State and Other Supplemental Highways
Width:	8' 6"	8' 6" on the NJ 102' truck network
Height:	13' 6"	13' 6"
Length:		
Straight trucks	40' 50' when transporting items that cannot be divided	40' 50' when transporting items that cannot be divided
Straight truck and trailer	62'	62'
Tractor-semi-trailer combinations	No limit	No limit
Semitrailer	53' see KPRA	48'
Tractor-twin-trailer combination	No limit	Only allowed on NJ double-trailer truck network
Trailers of twin-trailer combinations	28'	28'
Auto-transporter	65'	65'
Overhang limitations	3' front, 4' rear	3' front, 4' rear
Stinger-steered auto-transporter	75'	75'
Overhang limitations	3' front, 4' rear	3' front, 4' rear
Kingpin to rear axle	41' to the centerline of the rear axle or rear axle group	NS
Weight:	Interstate and Defense Highways	State and Other Supplemental Highways
Single axle	22,400	22,400
Tandem axle	34,000	34,000
Gross vehicle weight	80,000	80,000
Load per inch width of tire	800	800
Tolerances	5%	5%
Natural gas allowance	2,000	2,000

NEW MEXICO

Where to Register for Fuel Use Tax (IFTA) and Order IFTA Trip Permits

New Mexico Motor Vehicle Division
Commercial Vehicle Bureau
Special Tax Programs
2544 Camino Edward Ortiz, Suite C
Santa Fe, NM 87507
Ph: (888) 683-4636 prompt 6
<https://www.mvd.newmexico.gov/commercial/commercial-vehicles/fuels-tax/>

Where to Register Vehicles (IRP) and Order IRP Trip Permits

Motor Vehicle Division
Commercial Vehicle Bureau
2546 Camino Entrada
Santa Fe, NM 87507
Ph: (888) 683-4636 prompt 6
<https://www.mvd.newmexico.gov/commercial/commercial-vehicles/international-registration-plan-irp>

Where to Register for UCRA

New Mexico Public
Regulation Commission
Transportation Division/
UCR Program
P.O. Box 1269
Santa Fe, NM 87504-1269
Ph: (505) 827-4519
<http://www.nmprc.state.nm.us/transportation/unified-carrier-registration.html>

Where to get Hazardous Materials/Waste Permits

New Mexico Motor Vehicle Division

Joseph Montoya
Building
PO Box 1028
1100 South St.
Francis Drive
Santa Fe, NM
87504-1028
Ph: (888) 683-4636
**Hazardous
Material
Endorsement | Motor Vehicle
Division NM (newmexico.gov)**



State Trucking Association
New Mexico Trucking Association
4700 Lincoln NE
Albuquerque, NM 87109
Ph: (505) 884-5575
Email: admin@nmtrucking.org
www.nmtrucking.org

Where to get Overweight, Oversize Permits

Motor Transportation Division
OS/OW Permit Section
2500 Cerrillos Rd
P.O. Box 1628
Santa Fe, NM 87505
Ph: (505) 476-2475 (Santa Fe)
Ph: (505) 841-9212 (Albuquerque)
E-mail: Nmdot-permits@state.nm.us
<https://dot.state.nm.us/content/nmdot/en/trucking.html>

Enforcement Information

Ph: (575) 624-6062
Commercial Vehicle
Enforcement (nm.gov)

Size/Weight Limits

Dimension	National Network	State and Other Supplemental Highways
Width:	8' 6"	8' 6"
Height:	13' 6"	14'
Length:		
Bus	45' (may exceed)	45'
Straight trucks	40'	40'
Straight truck and trailer	65'	65'
Tractor-semitrailer combinations	No limit with legal trailer	65'
Semitrailer	57' 6"	N/S
Tractor-twin-trailer combination	No limit with legal trailer	65'
Trailers of twin-trailer combinations	28' 6"	N/S
Boat-transporter combination	65' (may exceed)	N/S
Overhang limitations	3' front, 4' rear	N/S
Stinger-steered boat-transporter	75'	N/S
Overhang limitations	3' front, 4' rear	N/S
Auto-transporter	65' (may exceed)	N/S
Overhang limitations	3' front, 4' rear	N/S
Stinger-steered auto-transporter	75'	N/S
Overhang limitations	3' front, 4' rear	N/S
Saddlemount	97' up to 3	N/S
General overhang limitations	3' front, 7' rear on a straight truck 2' rear, no front on a trailing unit	3' front, 7' rear on a straight truck 2' rear, no front on a trailing unit
Weight:	Interstate and Defense Highways	State and Other Supplemental Highways
Steer axle	600 lb/in of tire width	600 lb/in of tire width
Single axle	21,600	21,600
Tandem axle	34,320	34,320
Gross vehicle weight	86,400	86,400
Load per inch width of tire	600	600
Per wheel	11,000	11,000
APU allowance	400	400
Natural gas allowance	2,000	2,000

NEW YORK

Where to Register for Fuel Use Tax (IFTA) and Order IFTA Trip Permits

NYS Department of Taxation and Finance
Highway Use Tax Registration
W A Harriman Campus
Albany, NY 12227
Ph: (518) 457-5735 (IFTA)
Ph: (800) 972-1233 (Business tax information center)
<https://www.tax.ny.gov/bus/ifta/fuel.htm>

Where to Register Vehicles (IRP) and Order IRP Trip Permits

Department of Motor Vehicles
IRP Bureau
P. O. Box 2850-ESP
Albany, NY 12220-0850
Ph: (518) 473-5834 (IRP)
<https://dmv.ny.gov/motor-carriers/international-registration-plan-irp>

Where to Register for UCRA

New York State Department of Transportation
Office of Modal Safety and Security
50 Wolf Road, POD 53
Albany, NY 12232-0879
Ph: (518) 457-6512
<https://www.dot.ny.gov/divisions/operating/oss/truck/unified-carrier-reg?nd=nysdot>

Size/Weight Limits

Dimension	National Network	State and Other Supplemental Highways
Width:	8' 6"	8' 6" Route restricted to 8'
Height:	13' 6"	13' 6"
Length:		
Bus	45'	45'
Articulated bus	62'	62'
Straight trucks	40'	40'
Straight truck and trailer	65'	65'
Tractor-semitrailer combinations	No limit with legal trailer	65'
Semitrailer	53' see KPRA. Severely restricted in NYC	48'
Tractor-twin-trailer combination	No limit with legal trailer	65'
Trailers of twin-trailer combinations	28' 6"	28' 6"
Stinger-steered boat-transporter	75'	75' on qualified highways
Overhang limitations	3' front, 4' rear	3' front, 4' rear on qualified highways
Auto-transporter	65'	65' on qualified highways
Overhang limitations	3' front, 4' rear	3' front, 4' rear on qualified highways
Stinger-steered auto-transporter	80'	80' on qualified highways
Overhang limitations	4' front, 6' rear	4' front, 6' rear on qualified highways
Kingpin to rear axle	43' to the centerline of the rear axle	NS
Weight:	Interstate and Defense Highways	State and Other Supplemental Highways
Steer axle		
Single axle	22,400	22,400
	36,000	36,000
Tandem axle	34,000 for vehicles with a GVW of less than 71,000 lbs	34,000 for vehicles with a GVW of less than 71,000 lbs
Gross vehicle weight	80,000	80,000
Load per inch width of tire	800	800
Per wheel	11,200	11,200
APU allowance	400	400
Natural gas allowance	2,000	2,000

Where to get Hazardous Materials/Waste Permits

Dept. of Environmental Conservation
Division of Materials Management
625 Broadway, Fl. 9
Albany, NY 12233-7251
Ph: (518) 402-8792 (Waste Transp. Permits)
E-mail: transport@dec.ny.gov
www.dec.ny.gov/chemical/8483.html



State Trucking Association

Trucking Association of New York
7 Corporate Drive
Clifton Park, NY 12065
Ph: (518) 458-9696
Email: info@nytrucks.org
www.nytrucks.org

Where to get Overweight, Oversize Permits

Department of Transportation, Permit Section
50 Wolf Road
Central Permits Office, 1st Floor
Albany, NY 12232
Ph: (518) 485-2999
Ph: (888) 783-1685 (Toll-free)
<https://www.dot.ny.gov/nypermits>

Enforcement Information

Ph: (518) 457-6512

OSCAR – One Stop

Ph: (518) 474-7667

NEW YORK

New York City Limits	
Width:	96"
Height:	13' 6"
Length: Single vehicle	35' (except articulated buses & semitrailers), 65' articulated buses.
Vehicle combination	55'; exception — vehicles hauling poles, girders, columns or other similar objects of great length which are indivisible may be 60'.
Single trailer	Trailers over 48' to 53' only with a kingpin to center of rear axle limited to 43' are allowed on: <ul style="list-style-type: none"> • I95 between the Bronx-Westchester county line and I295; I295 which connects I95 with I495; • I495 between I295 and the Nassau-Queens county line; • I678 between I95 and the John F. Kennedy International Airport; • I95 between I695 and the New Jersey state line on the upper level of the George Washington Bridge; and • I695 between I95 and I295.
The combinations listed cannot exceed 73' 6" inclusive of load and bumpers.	
Weight: Per inch width of tire	800 lb
Wheel	11,200 lb
Single axle	22,400 lb
Tandem axle	36,000 lb
Gross vehicle weight	34,000 lb, plus 1,000 lb for each foot and major fraction of a foot of the distance from the center of the foremost axle to the center of the rearmost. Total weight may not exceed 80,000 lb.

See also New York City's Truck Route Map available at <https://tinyurl.com/NYC-Trk-Rte>. These limits do not apply to any vehicle authorized by the Federal Surface Transportation Assistance Act of 1982.

New York State Thruway Limits	
Width:	8' 6"
Height:	13' 6"
Length: Single vehicle	40'
Single truck pulling a trailer	65'
Length of semitrailer	53', including load
Weight:	
Single vehicle, 2-axle	44,800 lb
Gross vehicle weight	80,000 lb

A single-unit vehicle or combination vehicle with three or more axles whose total gross weight does not exceed 71,000 lb shall not exceed the base weight of 34,000 lb plus 1,000 lb per foot or major fraction thereof, of the distance between the centers of the foremost and rearmost axles. (This is commonly referred to as the Bridge formula).

A single-unit vehicle or combination vehicle with three or more axles whose total gross weight exceeds 71,000 lb is governed by the formula $MGW = 500 (LN/N-1 + 12N + 36)$ where MGW = maximum gross weight (pounds), L = distance (in feet) between the centers of the foremost and rearmost axles, and N = number of axles.

Operators of all vehicles that exceed the legal dimension or weight limits are required to obtain a Special Hauling Permit. The permit is valid for one trip in one direction only, not to exceed 24 hours. Permits issued by the New York State Department of Transportation are not valid on roads outside of the Department's jurisdiction. This includes local roads, the NYS Thruway, and any road in New York City.

All vehicles in excess of 8' 6" wide require a special hauling permit. Operators of overdimensional vehicles must request pre-purchased Special Hauling Permits prior to the trip. Requests for Special Hauling Permits must be processed through TOPS system, an authorized Permit Service who has access to the new automated TOPS Program (Thruway Over-Dimensional Permit System). Any carrier with a Thruway Commercial Charge Account or a valid credit card and a TOPS Account may obtain Special Hauling Permits directly via the TOPS Program. Office hours are Monday through Friday, 8 a.m. to 4 p.m.

Permit fees are payable pre- or post-trip, whereas tolls are payable at the toll station. Commercial users having charge accounts with the Thruway Authority may charge all fees to their accounts. Fees include Protective Liability Insurance for the Thruway Authority. Once issued, permits can't be cancelled.

Oversize Limits — Width: The maximum width allowed on 2-lane sections is 12' 6"; on 3-lane sections, 13'. On the northbound exit ramp at Harriman, Interchange 16, the maximum width allowed is 10'.

Sign Requirements — Width: All overwidth vehicles must display a sign on the rear with a legend similar to: OVERSIZE VEHICLE, OVERWIDTH VEHICLE, or WIDE LOAD.

Pilot Cars — The pilot car must be New York certified escort as defined in the vehicle and traffic laws for all pilot cars. Information on pilot car certification can be found at <http://www.nypermits.org> under "Special Hauling". A pilot car may be required: 1) if the overhang is 10 or more feet or the load consists of poles, masts, booms or similar shapes, 2) if the vehicle is a drill rig with boom, 3) if the vehicle and load exceed 12' in width, 4) when necessary for odd shaped vehicles or vehicles with odd shaped loads, and 5) 80' and over in length.

Travel may be restricted to daylight hours. All vehicles must maintain a minimum speed of 40 mph.

NORTH CAROLINA

Where to Register for Fuel Use Tax (IFTA) and Order IFTA Trip Permits

Department of Revenue
Motor Fuels Tax Division
P.O. Box 25000
Raleigh, NC 27610
Ph: Toll free (877) 308-9092
<https://ncdor.gov/file-pay/eservices/frequently-asked-questions-about-iftaintrstate-e-file-system>
<https://ncdor.gov/file-pay/iftaintrstate-e-file>

Where to Register Vehicles (IRP) and Order IRP Trip Permits

Division of Motor Vehicles
International Registration Plan Section
1425 Rock Quarry Rd., Suite 100
Raleigh, NC 27610
Ph: (919) 707-7503 (IRP) or (877) 308-9092
<https://edmv-cts.dot.state.nc.us/irp/>

Where to Register for UCRA

International Registration Plan Section
North Carolina Division of Motor Vehicles
1425 Rock Quarry Rd., Suite 100
Raleigh, NC 27610
Ph: (919) 615-6700 or (877) 308-9092
<https://ncdot.gov/dmv/programs/commercial-trucking/Pages/unified-carrier-registration.aspx>

Where to get Hazardous Materials/ Waste Permits

Department of Environment and Natural Resources
Waste Management Division
217 West Jones St.
Raleigh, NC 27603
Ph: (919) 707-8205 or (919) 280-4929
<https://deq.nc.gov/about/divisions/waste-management/waste-management-permits>

State Trucking Association

North Carolina Trucking Association
407 N. Person Street
Raleigh, NC 27601
Ph: (919) 834-0387
www.nctrucking.com

Where to get Overweight, Oversize Permits

Department of Transportation
Oversize/Overweight Permit Unit
1425 Rock Quarry Rd., Suite 109
Raleigh, NC 27610
Ph: Toll-free (888) 221-8166
Local: (919) 814-3700
Local: (919) 662-4320
<https://connect.ncdot.gov/business/trucking/Pages/overpermits.aspx>

Enforcement Information

Motor Carrier Enforcement Administration
4231 Mail Service Center
Raleigh, N.C. 27699-4231
Ph: (919) 715-8683

Size/Weight Limits

Dimension	National Network	State and Other Supplemental Highways
Width:	8' 6"	8' 6"
Height:	13' 6"	13' 6"
Length:		
Bus	45' government operated	45' government operated
Articulated bus	65' government operated	65' government operated
Straight trucks	40'	40'
Straight truck and trailer	60'	60'
Tractor-semi-trailer combinations	No limit with legal trailer	No limit with legal trailer
Semitrailer	53' see KPRA	53' see KPRA
Tractor-twin-trailer combination	No limit allowed on highways designated for STAA dimensioned vehicles	Not allowed
Trailers of twin-trailer combinations	28'	Not allowed
Saddlemount	NS up to 3	NS up to 3
General overhang limitations	3' front, 14' rear If the load extends more than 4' beyond the rear of the vehicle, must be properly flagged or lit	3' front, 14' rear If the load extends more than 4' beyond the rear of the vehicle, must be properly flagged or lit
Kingpin to rear axle	41' to the rearmost axle or a point midway between the two rear axles	41' to the rearmost axle or a point midway between the two rear axles 53' allowed on primary roads with KPRA
Weight:	Interstate and Defense Highways	State and Other Supplemental Highways
Single axle	20,000	20,000
Tandem axle	38,000	38,000
Gross vehicle weight	80,000	80,000
APU allowance	550 by adoption	550 by adoption
Natural gas allowance	2,000 by adoption	2,000 by adoption

NORTH DAKOTA

Where to Register for Fuel Use Tax (IFTA) and Order IFTA Trip Permits

North Dakota Department of Transportation
Motor Vehicle Division
Prorate Section
608 E. Boulevard Ave. Ste. 103
Bismarck, ND 58505-0791
Ph: (701) 328-1287
<http://www.dot.nd.gov/business/motor-carrier.htm>

Where to Register Vehicles (IRP) and Order IRP Trip Permits

North Dakota Department of Transportation
Motor Vehicle Division
Prorate Section
608 E. Boulevard Ave. Ste. 103
Bismarck, ND 58505-0791
Ph: (701) 328-1287
<http://www.dot.nd.gov/business/motor-carrier.htm>

Where to Register for UCRA

North Dakota Department of Transportation
Motor Vehicle Division
Prorate Section
608 E. Boulevard Ave.
Bismarck, ND 58505-0780
Ph: (701) 328-1287
General info—www.dot.nd.gov/business/motor-carrier.htm
Online renewal—<https://apps>.

nd.gov/dot/cvsn/login.htm

Where to get Hazardous Materials/Waste Permits

North Dakota Department of Environmental Quality
4201 Normandy St.
Bismarck, ND 58503-1324
Ph: (701) 328-5150
<https://deq.nd.gov/ContactUs.aspx>

State Trucking Association

North Dakota Motor Carriers Association
1937 East Capitol Ave.
P.O. Box 874
Bismarck, ND 58501
Ph: (701) 223-2700
www.ndmca.org

Where to get Overweight, Oversize Permits

North Dakota Highway Patrol
Motor Carrier Division – Permits Section
608 East Boulevard Avenue
Bismarck, ND 58505
Ph: (701) 328-2621 (Permits)
<https://www.nd.gov/ndmhp/motor-carrier-operations>

Enforcement Information

Ph: (701) 328-9921 or 844-474-NDHP / (701) 328-2447 (Statewide)



Size/Weight Limits

Dimension	National Network	State and Other Supplemental Highways
Width:	8' 6"	8' 6"
Height:	14'	14'
Length:	National Network	On All Other
Straight trucks	50'	50'
Straight truck and trailer	110'	75' 2-, 3-, and 4-unit combinations, 110' on 4-lane divided highways. 95' on most state highways
Tractor-semitrailer combinations	No limit	75' 2-, 3-, and 4-unit combinations, 110' on 4-lane divided highways. 95' on most state highways
Semitrailer	53'	53'
Tractor-twin-trailer combination	110'	75' 2-, 3-, and 4-unit combinations, 110' on 4-lane divided highways. 95' on most state highways
Trailers of twin-trailer combinations	100' total on a semitrailer and trailer	NS
Weight:	Interstate and Defense Highways	On All Other
Steer axle	20,000 or axle rating	N/S limited by load per inch
Single axle	20,000	20,000
Tandem axle	34,000	34,000
Tridem axle	NS	48,000
Gross vehicle weight	80,000	105,500 unless otherwise posted
Load per inch width of tire	550	550
Per wheel	10,000	10,000

The following vehicles are exempt from the legal-size limitations:

Width—1) Construction and building contractors' equipment and vehicles used to move such equipment which does not exceed 10 feet in width when being moved by contractors or resident carriers. 2) Implements of husbandry being moved by resident farmers, ranchers, manufacturers, dealers, or government entities between sunrise and sunset; furthermore, the limitation does not apply to implements of husbandry being moved between sunrise and sunset by resident farmers, ranchers, governmental entities, dealers, or manufacturers on public state, county, or township highway systems other than interstate highway systems; 3) Hay in the stack or bale being moved along the extreme right edge of a roadway between sunrise and sunset by someone other than a commercial mover; 4) Commercial haystack or hay bale movers, overwidth self-propelled fertilizer spreaders, overwidth self-propelled agricultural chemical applicators, overwidth portable grain cleaners, forage harvesters, and overwidth hay grinders need seasonal permits.

Height—Implements of husbandry which do not exceed 15 feet 6 inches in height when being moved by resident farmers, ranchers, dealer, or manufacturers between sunrise and sunset provided the trip is not more than 60 miles and is not on an interstate highway.

Length—1) Building moving equipment. 2) Emergency tow trucks towing disabled lawful combinations of vehicles to a nearby repair facility. 3) Vehicles and equipment owned and operated by the U.S. Armed Forces or the National Guard. 4) Structural material of telephone, power, and telegraph companies. 5) Truck-mounted haystack stack moving equipment, provided such equipment does not exceed a length of 56 feet. 6) Safety and energy conservation devices on any additional length exclusive devices for the safe and efficient use of commercial motor vehicles.

Any vehicles that are exempt from the legal-size limits must comply with the flagging, lighting, and/or escort vehicle requirements as provided in North Dakota 38-05-02-01, Standards for Marking Vehicles and Loads, available at <http://tinyurl.com/NDflags>. Such vehicles must also be equipped with a mirror that provides the driver with a rear view of the highway for a distance of at least 200 feet.

OHIO

Where to Register for Fuel Use Tax (IFTA) and Order IFTA Trip Permits

Ohio Department of Taxation
International Fuel Tax Agreement (IFTA)
Excise & Energy Tax Division
IFTA Unit
P. O. Box 530
Columbus, OH 43216-0530
Ph: (855) 466-3921
Permit Information:
Ph: (614) 466-3921
www.tax.ohio.gov/excise/international_fuel_tax_agreement_ifta.aspx

Where to Register Vehicles (IRP) and Order IRP Trip Permits

Bureau of Motor Vehicles
IRP Processing Center
P.O. Box 18320
Columbus, OH 43218-0320
Ph: (614) 777-8400
Ph: (800) IRP-0007
www.bmv.ohio.gov/vr-irp-geninfo.aspx

Where to Register for UCRA

Ohio Public Utilities Commission
180 E. Broad St., 4th Floor
Columbus, OH 43215
Ph: (614) 466-3392
<https://puco.ohio.gov/wps/portal/gov/puco/transportation/trucking/resources/motor-carrier-registration>

Where to get Hazardous Materials/Waste Permits

Ohio EPA - DERR
Lazarus Government Center
P.O. Box 1049
Columbus, OH 43216-1049
Ph: (614) 644-2924
www.epa.gov/ohio
www.epa.gov/ohio/hazardous-waste-permits

State Trucking Association

Ohio Trucking Association
655 Cooper Road
Westerville, OH 43081
Ph: (614) 221-5375
<https://www.ohiotrucking.org/>

Where to get Overweight, Oversize Permits

ODOT Special Hauling Permit Section
1980 W. Broad Street,
Mail Stop 5140
Columbus, OH 43223
Ph: (614) 351-2300
<https://transportation.ohio.gov/wps/portal/gov/odot/working/permits/special-hauling-permits/>

Enforcement Information

Ph: (614) 466-2660



Size/Weight Limits

Dimension	National Network	State and Other Supplemental Highways
Width:	8' 6"	8' 6"
Height:	13' 6"	13' 6"
Length:		
Bus	45'	45'
Articulated bus	65' operated by a regional transit authority	65' operated by a regional transit authority
Straight trucks	50'	50'
Straight truck and trailer	65'	65'
Tractor-semitrailer combinations	No limit with legal trailer	No limit with legal trailer
Semitrailer	53'	53'
Tractor-twin-trailer combination	No limit	No limit
Trailers of twin-trailer combinations	28' 6"	28' 6"
Auto-transporter	65'	65'
Overhang limitations	3' front, 4' rear	3' front, 4' rear
Stinger-steered auto-transporter	75'	75'
Overhang limitations	3' front, 4' rear	3' front, 4' rear
Saddlemount	97'	97', 75' on a non-interstate or state route
Drawbar	15'	15'
Weight:	Interstate and Defense Highways	State and Other Supplemental Highways
Single axle	20,000	20,000
Tandem axle	34,000	34,000 Spaced more than 4' apart and weighed simultaneously. Plus 1,000 lbs per foot or fraction thereof over 4' up to 40,000 lbs.
Gross vehicle weight	80,000	80,000
Load per inch width of tire	650	650
Natural gas allowance	NS	2,000

Ohio Turnpike Limits

Width:	8' 6" (102")
Height:	13' 6"
Length:	
Trucks and 2 Axles Buses	40'
Buses with 3 or more axles	45'
Tractor-semitrailer combinations	75' (Length includes any overhang)
Tractor-twin-trailer combination	85' (no allowed overhang)
Other combinations of vehicles coupled together	65'
Auto-transporter combination	75' (plus load overhang of 3' in front, 4' at rear)
Special limitations or restrictions	Most toll interchanges have signs reading: "OVERSIZE VEHICLES PARK HERE — USE PHONE TO REGISTER." All oversize and overweight vehicles must comply. The phone located by the sign automatically connects to toll personnel at the interchange. If the toll interchange does not have a registration phone, the vehicle operator needs to park on the right shoulder (barr) and walk up to the main building and notify the toll personnel. For additional size and weight limits for the Ohio turnpike, see: https://www.ohioturnpike.org/wp-content/uploads/2013/05/spec_haul_perm_info.pdf
Weight:	
Steering axle	N/S
Single axle	21,000
Tandem axle (4' or less spread)	24,000
Tandem axle (greater than 4' but less than 8')	34,000
Gross vehicle weight	90,000

OKLAHOMA

Where to Register for Fuel Use Tax (IFTA) and Order IFTA Trip Permits

Oklahoma Corporation Commission
Transportation Division - IFTA/IRP Section
2101 N. Lincoln Blvd., Suite 312
Oklahoma City, OK 73105
Mailing address: P.O. Box 52000
Oklahoma City, OK 73152-2948
Ph: (405) 521-3246 (IFTA)
<https://oklahoma.gov/occ/divisions/transportation/applications-forms-permits.html>

Where to Register Vehicles (IRP) and Order IRP Trip Permits

Oklahoma Corporation Commission
Transportation Division - IFTA/IRP Section
2101 N. Lincoln Blvd., Suite 312
Oklahoma City, OK 73105
Mailing address: P.O. Box 52948
Oklahoma City, OK 73152-2948
Ph: (405) 521-3036 (IRP)
<https://oklahoma.gov/occ/divisions/transportation/applications-forms-permits.html>

Where to Register for UCRA

Oklahoma Corporation Commission
Transportation Division
2101 N. Lincoln Blvd.
P.O. Box 52000
Oklahoma City, OK 73152-2000
Ph: (405) 521-2251
<https://oklahoma.gov/occ/divisions/transportation/applications-forms-permits.html>

Where to get Hazardous Materials/Waste Permits

Oklahoma Corporation Commission
2101 N. Lincoln Blvd.
P.O. Box 52000
Oklahoma City, OK 73152-2000
Ph: (405) 521-2251 or (405) 521-2915
<https://oklahoma.gov/occ/divisions/transportation/trucking/hazardous-waste-registrations-and-permits.html>

State Trucking Association

Oklahoma Trucking Association
3909 N. Lindsay Ave.
Oklahoma City, OK 73105
Ph: (405) 525-9488
<https://oktrucking.org/>

Where to get Overweight, Oversize Permits

Transportation Department
Size & Weight Permit Division
200 NE 21 St.
Oklahoma City, OK 73105
Ph: (405) 425-7012
E-mail: swpermits@dps.ok.gov
<https://oklahoma.gov/odot/size-and-weight.html>

Enforcement Information

Ph: (405) 521-2965



Size/Weight Limits

Dimension	National Network	State and Other Supplemental Highways
Width:	8' 6"	8' 6"
Height:	14' On turnpike, interstate, or U.S. hwy 14' 6" auto transporters	14' On state highways - map available 14' 6" auto transporters
Length:	National Network	On All Others
Bus	45'	45'
Straight trucks	45'	45'
Straight truck and trailer	70'	70'
Tractor-semitrailer combinations	No limit with legal trailer	No limit with legal trailer
Semitrailer	53'	53'
Tractor-twin-trailer combination	No limit with legal trailer	No limit with legal trailer
Trailers of twin-trailer combinations	53' Not to exceed 110' cargo-carrying capacity limits on Interstate and 4-lane divided highways only	29'
Auto-transporter	NS	NS
Overhang limitations	3' front, 4' rear	3' front, 4' rear
Stinger-steered auto-transporter	80'	80'
Overhang limitations	4' front, 6' rear	4' front, 6' rear
Saddlemount	97'	75'
Length special limitations or restrictions	All triple-trailer combinations require an annual permit.	
Weight:	Interstate and Defense Highways	On All Others
Single axle	20,000	20,000
Tandem axle	34,000	34,000
Gross vehicle weight	80,000	80,000
APU allowance	400	400
Natural gas allowance	2,000 Includes battery and hydrogen fuel powered - may require federal exemption	2,000 Includes battery and hydrogen fuel powered

OREGON

Where to Register for Fuel Use Tax (IFTA) and Order IFTA Trip Permits

Oregon Department of Transportation
Commerce and Compliance Division
455 Airport Road SE, Building A
Salem, OR 97301
Ph: (503) 373-1634
E-mail: CCDGreenlight@odot.state.or.us
www.oregon.gov/ODOT/MCT
<https://apps.oregon.gov/SOS/LicenseDirectory/>

Where to Register Vehicles (IRP) and Order IRP Trip Permits

Oregon Department of Transportation
Commerce and Compliance Division
455 Airport Road SE, Building A
Salem, OR 97301
Ph: (503) 378-6643
www.oregon.gov/ODOT/MCT
<https://apps.oregon.gov/SOS/LicenseDirectory/>

Where to Register for UCRA

Oregon is not a participating member of the Unified Carrier Registration Agreement. Interstate motor carriers based in Oregon are required to register with the UCRA by choosing a participating state where the applicant maintains an office or operating facility, or by choosing one of the following states: AK, CA, CO, ID, MT, ND, NM, SD, UT, or WA. Refer to <https://www.ucr.gov> for more information.

Where to get Hazardous Materials/Waste Permits

Oregon Department of Transportation
zGeo-Environmental Section
4040 Fairview Industrial Dr. SE, MS 6
Salem, OR 97302-1166
Ph: (503) 986-3252
<https://www.oregon.gov/odot/GeoEnvironmental/Pages/Haz-Mat.aspx>

One-Stop Shopping

<http://oregontruckingonline.com>

State Trucking Association

Oregon Trucking Associations, Inc.
4005 Southeast Naef Road
Portland, OR 97267
Ph: (503) 513-0005
Email: info@ortrucking.org
www.ortrucking.org

Where to get Overweight, Oversize Permits

Oregon Department of Transportation
Over-Dimensional Permit Unit
455 Airport Road SE, Building A
Salem, OR 97301
Ph: (503) 373-0000
<https://oregon.gov/odot/mct/pages/over-dimension.aspx-#HowToGetanOversizePermit>

Enforcement Information

Ph: (800) 248-6882



Size/Weight Limits

Dimension	National Network	State and Other Supplemental Highways
Width:	8' 6"	8' 6"
Height:	14'	14'
Length:		
Straight trucks	40'	40'
Straight truck and trailer	60'	60'
Tractor-semitrailer combinations	No limit with legal trailer	60', 53' trailer on a Group 1 highway, or 40' trailer on a Group 2 highway
Semitrailer	53'	53' on a Group 1 highway, 40' trailer on a Group 2 highway
Tractor-twin-trailer combination	No limit with legal trailer limit	75' on a Group 1 highway, 65' on a Group 2, and 60' on a Group 3 highway
Trailers of twin-trailer combinations	40' both trailing units together measured from the front of the 1st trailer to the rear of the 2nd trailer may not exceed 68'	Total length restricted
Boat-transporter combination	65' May exceed 65' provided the semitrailer does not exceed 53'	NS
Overhang limitations	4' front, 5' rear	NS
Auto-transporter	65' May exceed 65' provided the semitrailer does not exceed 53'	NS
Overhang limitations	4' front, 5' rear	NS
Stinger-steered auto-transporter	75' 45' trailer	NS
Overhang limitations	4' front, 5' rear	NS
General overhang limitations	4' front, Rear overhang: • On a single vehicle may equal 3/4 the length of the vehicle's wheelbase. • On a combination of vehicles may equal 1/3 the length of the wheel base of the combination. Overhang is measured from center of rear axle to rear of load.	
Weight:	Interstate and Defense Highways	State and Other Supplemental Highways
Single axle	20,000	20,000
Tandem axle	34,000	34,000
Gross vehicle weight	80,000	80,000
Load per inch width of tire	600 or the manufacturer's side wall tire rating	600 or the manufacturer's side wall tire rating
Per wheel	10,000	10,000
APU allowance	550	550
Natural gas allowance	2,000 Includes battery powered	2,000 Includes battery powered

Seasonal Weight Restrictions

Oregon's seasonal weight restrictions can be found at www.oregon.gov/ODOT/MCT/Pages/OD.aspx.

PENNSYLVANIA

Where to Register for Fuel Use Tax (IFTA) and Order IFTA Trip Permits

Pennsylvania Department of Revenue
Bureau of Motor and Alternative Fuel Taxes
P.O. Box 280646
Harrisburg, PA 17128-0646
Ph: (800) 482-4382
<https://www.revenue.pa.gov/TaxTypes/MAFT/MCRT-IFTA/Pages/default.aspx>

Where to Register Vehicles (IRP) and Order IRP Trip Permits

Department of Transportation
Bureau of Motor Vehicles
Commercial Registration Section
P.O. Box 68286
Harrisburg, PA 17106
Ph: (717) 412-5300 (IRP)
[www.dmv.pa.gov/VEHICLE-SERVICES/Title-Registration/](http://www.dmv.pa.gov/VEHICLE-SERVICES/Title-Registration/Apportioned/Pages/default.aspx)
[Apportioned/Pages/default.aspx](http://www.dmv.pa.gov/VEHICLE-SERVICES/Title-Registration/Apportioned/Pages/default.aspx)

Where to Register for UCRA

Pennsylvania Public Utility Commission
Bureau of Investigation & Enforcement
P.O. Box 3265
Harrisburg, PA 17105-3265
Ph: (717) 783-3846
www.puc.pa.gov/utility_industry/transportation/motor_carrier/ucr_information.aspx

Where to get Hazardous Materials/Waste Permits

Pennsylvania Department of Environmental Protection
Bureau of Waste Management
Division of Hazardous Waste
PO Box 69170
Harrisburg, PA 17106-9170
Ph: (717) 787-6239
<http://www.dep.pa.gov/Business/Land/Waste/SolidWaste/HazardousWaste/Transportation/Pages/default.aspx>

State Trucking Association

Pennsylvania Motor Truck Association
910 Linda Lane
Camp Hill, PA 17011
Ph: (717) 761-7122
www.pmta.org

Where to get Overweight, Oversize Permits

PA Department of Transportation
Central Permit Office
P.O. Box 2671
Harrisburg, PA 17105-2671
Ph: (717) 787-4680
Ph: (717) 939-9551 (Turnpike)
www.penndot.gov/Doing-Business/Permits/Hauling-Information/Pages/default.aspx

Enforcement Information

Commission's Bureau of Investigation and Enforcement



RHODE ISLAND

Where to Register for Fuel Use Tax (IFTA) and Order IFTA Trip Permits

Rhode Island Division of Taxation
One Capitol Hill
Providence, RI 02908-5800
Ph: (401) 574-8955 or (401) 574-8970
<https://tax.ri.gov/tax-sections/sales-excise-taxes/international-fuel-tax-agreement-ifta>

Where to Register Vehicles (IRP) and Order IRP Trip Permits

Rhode Island Division of Motor Vehicles
IRP Services Section
600 New London Ave.
Cranston, RI 02920-3024
Ph: (401) 462-5813 (IRP)
www.ri.gov/DMV/irp

Where to Register for UCRA

Public Utilities Commission
Division of Public Utilities and Carriers
Motor Carrier Section
89 Jefferson Blvd.
Warwick, RI 02888
Ph: (401) 780-2158
<https://www.ucr.gov/>

Where to get Hazardous Materials/Waste Permits

Rhode Island Department of Environmental Management
Office of Waste Management
235 Promenade St
Providence, RI 02908-5767
Ph: (401) 222-2797, ext. 7134
<https://ri.gov/DEM/hwtransport>

State Trucking Association

Rhode Island Trucking Association, Inc.
831 Bald Hill Road
Warwick, RI 0286002886
Ph: (401) 729-6600
www.ritrucking.org

Where to get Overweight, Oversize Permits

Division of Motor Vehicles
600 New London Ave.
Cranston, RI 02920
Ph: (401) 462-5747
www.dmv.ri.gov/contact

Enforcement Information

Ph: (401) 462-5736



Size/Weight Limits

Dimension	National Network	State and Other Supplemental Highways
Width:	8' 6"	8' 6"
Height:	13' 6"	12' Implement of Husbandry (conditional)
Length:		13' 6"
Bus	45'	45'
Articulated bus	63'	63'
Straight trucks	40' See length special limitations for boom trucks	40' See length special limitations for boom trucks
Tractor-semitrailer combinations	No limit	No limit
Semitrailer	53' see KPRA	53' see KPRA
Tractor-twin-trailer combination	No limit	Not allowed
Trailers of twin-trailer combinations	28' 6"	Not allowed
Boat-transporter combination	65' plus 3' front and 4' rear overhang	65' plus 3' front and 4' rear overhang
Auto-transporter	65'	65'
Overhang limitations	3' front, 4' rear	3' front, 4' rear
Stinger-steered auto-transporter	80'	80'
Overhang limitations	4' front, 6' rear	4' front, 6' rear
Saddlemount	NS	75'
General overhang limitations	3' front, 6' rear	3' front, 6' rear
Kingpin to rear axle	41' to the center line of the rear axle or rear axle group	41' to the center line of the rear axle or rear axle group
Length special limitations or restrictions	Pennsylvania allows a combination transporting articles that, themselves, do not exceed 70' in length and are nondivisible as to length. A vehicle equipped with a boom or boom-like device allowed up to 55'. An automobile transporter is not prohibited from the transport of cargo or general freight on a backhaul if the automobile transporter complies with the weight limitations for a truck tractor and semitrailer combination motor vehicle.	
Weight:	Interstate and Defense Highways	State and Other Supplemental Highways
Steer axle	20,000	20,000
Single axle	20,000; 22,400 lb if GVW is 73,280 lb or less	20,000; 22,400 lb if GVW is 73,280 lb or less
Tandem axle	34,000; 36,000 lb if GVW is 73,280 lb or less	34,000; 36,000 lb if GVW is 73,280 lb or less
Gross vehicle weight	80,000 following bridge formula	80,000 following bridge formula
Load per inch width of tire	800	800
APU allowance	400	400
Natural gas allowance	2,000 Includes battery powered	2,000 Includes battery powered

Size/Weight Limits

Dimension	National Network	State and Other Supplemental Highways
Width:	8' 6"	8' 6"
Height:	13' 6"	13' 6"
Length:		
Bus	45'	45'
Straight trucks	40'	40'
Tractor-semitrailer combinations	No limit	No limit
Semitrailer	53' see KPRA	48' 6"
Tractor-semitrailer combinations	No limit	No limit on designated roadways only
Tractor-twin-trailer combination	28' 6"	28' 6" on designated roadways only
Saddlemount	up to 3	NS
General overhang limitations	3' front, 6' rear overhang	3' front, 6' rear overhang
Drawbar	15'	15'
Kingpin to rear axle	41' to the center of the rear axle	NS
Length special limitations or restrictions	An automobile transporter may transport cargo or general freight on a backhaul, provided it complies with the weight limitations for a truck tractor and semitrailer combination.	
Weight:	Interstate and Defense Highways	State and Other Supplemental Highways
Single axle	22,400	22,400
Tandem axle	36,000	36,000
Gross vehicle weight	80,000	80,000
Natural gas allowance	2,000	2,000

SOUTH CAROLINA

Where to Register for Fuel Use Tax (IFTA) and Order IFTA Trip Permits

South Carolina Department of Motor Vehicles
Motor Carrier Services
Physical address:
10311 Wilson Blvd. - Building C
Blythewood, SC 29016
Mailing address:
P.O. Box 1498
Blythewood, SC 29016-0027
Ph: (803) 896-3870 (IFTA)
E-mail: help@scdmvonline.com
<http://scdmvonline.com/Business-Customers/Motor-Carriers/International-Fuel-Tax-Agreement>

Where to Register Vehicles (IRP) and Order IRP Trip Permits

South Carolina Department of Motor Vehicles
Motor Carrier Services
Physical address:
10311 Wilson Blvd. - Building C
Blythewood, SC 29016
Mailing address:
P.O. Box 1498
Blythewood, SC 29016-0027
Ph: (803) 896-3870 (IRP)
<http://scdmvonline.com/Business-Customers/Motor-Carriers/International-Registration-Plan>

Where to Register for UCRA

South Carolina Department of Motor Vehicles
Motor Carrier Services
P.O. Box 1498
Blythewood, SC 29016
Ph: (803) 896-3870
<http://scdmvonline.com/Business-Customers/Motor-Carriers/Unified-Carrier-Registration>

Where to get Hazardous Materials/Waste Permits

South Carolina
Department of Health and Environmental Control
2000 Hampton St.
Columbia, SC 29204
Ph: (803) 898-3432
<https://scdhec.gov/environment/land-management/hazardous-waste>

State Trucking Association

South Carolina Trucking Association
2425 Devine Street
P.O. Box 50166
Columbia, SC 29250-0166
Ph: (803) 799-4306
Email: info@scstrucking.org
www.scstrucking.org/

Where to get Overweight, Oversize Permits

South Carolina Department of Transportation
Attn: OSOW Permit Office
Physical address:
955 Park Street, Rm G4
Columbia, SC 29201
Mailing address:
Attention: OSOW Permit Office
P.O. Box 191
Columbia, SC 29202
Ph: (803) 737-6769
Ph: (877) 349-7190 (Toll-free)
<http://www.scdot.org/business/permits-osow.aspx>

Enforcement Information

10311 Wilson Boulevard, Bldg D-2
Post Office Box 1993
Blythewood, SC 29016
Ph: (803) 896-5500

Size/Weight Limits

Dimension	National Network	State and Other Supplemental Highways
Width:	8' 6"	8' 6"
Height:	13' 6"	13' 6"
	14' auto-transporters	14' 6" auto transporters
Length:		
Bus	45'	45'
Straight trucks	40'	40'
Straight truck and trailer	No overall limit with legal trailer	53'
Tractor-semitrailer combinations	No limit	No limit
Semitrailer	53'	53'
Tractor-twin-trailer combination	No limit	Not allowed
Trailers of twin-trailer combinations	28' 6"	Not allowed
Boat-transporter combination	75'	NS
Overhang limitations	3' front, 4' rear	NS
Auto-transporter	75'	NS
Overhang limitations	3' front, 4' rear	NS
Stinger-steered auto-transporter	75'	NS
Overhang limitations	3' front, 4' rear	NS
Saddlemount	75'	NS
Drawbar	15'	15'
Kingpin to rear axle	41' to the center of the rear axle assembly or to the center of the tandem axle assembly. 46' to the center of the rear axle for trailers or semitrailers used primarily to transport vehicles used in connection with motor-sports competition events.	
Weight:	Interstate and Defense Highways	State and Other Supplemental Highways
Single axle	20,000	20,000
Tandem axle	35,200	36,000
Gross vehicle weight	80,000	80,000
Per wheel	10,000	10,000
Tolerances	N/S	10%
APU allowance	550	550
Natural gas allowance	2,000	2,000



SOUTH DAKOTA

Where to Register for Fuel Use Tax (IFTA) and Order IFTA Trip Permits

Department of Revenue
Motor Vehicles Division
IFTA Section
445 E. Capitol Ave.
Pierre, SD 57501
Ph: (605) 773-3541
E-mail: sdmotorcarrier@state.sd.us
http://dor.sd.gov/Motor_Vehicles/Trucking_Industry/

Where to Register Vehicles (IRP) and Order IRP Trip Permits

South Dakota Department of Revenue
IRP Prorate Licensing
445 E. Capitol Ave.
Pierre, SD 57501-3185
Ph: (605) 773-3541
<https://sdtruckinfo.sd.gov/irp.aspx>

Where to Register for UCRA

South Dakota Department of Revenue
Division of Motor Vehicles-UCR Program
445 E. Capitol Ave.
Pierre, SD 57501-3185
Ph: (605) 773-3541
<https://sdtruckinfo.sd.gov/irp.aspx>

Where to get Hazardous Materials/Waste Permits

Information regarding South Dakota's requirements governing the transportation of hazardous waste may be obtained from the Department of Agriculture and Natural Resources (DANR) in Pierre at (605) 773-3153 and in Rapid City at (605) 394-2229.
<https://sdtruckinfo.sd.gov/rules-regulations/motor-carrier-handbook/chapter-6/>

hazardous-material-transportation/

South Dakota does not require a Special Permit to transport hazardous material or hazardous waste. However, trucking companies based in South Dakota must submit a hazardous waste notification form. The form can be found at <https://danr.sd.gov/Environment/WasteManagement/HazardousWaste/Notification.aspx>.

State Trucking Association

South Dakota Trucking Association
3801 S. Kiwanis Avenue
P.O. Box 8900
Sioux Falls, SD 57105
Ph: (605) 334-8871
www.southdakotatrucking.com

Where to get Overweight, Oversize Permits

South Dakota Department of Public Safety
Motor Carrier Services
118 W. Capitol Avenue
Pierre, SD 57501-2000
Ph: (605) 773-4578
<https://sdtruckinfo.sd.gov/permits/>

One-Stop Shopping

Ph: (605) 773-4578
www.sdtruckinfo.com

Enforcement Information

Ph: (605) 773-3105



Size/Weight Limits

Dimension	National Network	State and Other Supplemental Highways
Width:	8' 6"	8' 6"
Height:	14'	14'
Length:	National Network	On All Others
Straight trucks	45'	45'
Straight truck and trailer	80'	80'
Tractor-semitrailer combinations	No overall limit	No overall limit
Semitrailer	53'	53'
Tractor-twin-trailer combination	No overall limit	No overall limit
Trailers of twin-trailer combinations	28' 6" if towbars do not exceed 19' and the overall length does not exceed 80'	28' 6" if towbars do not exceed 19' and the overall length does not exceed 80'
Stinger-steered auto-transporter	NS	NS
Overhang limitations	4' front, 6' rear	4' front, 6' rear
Saddlemount	97'	75'
General overhang limitations	3' front, 4' rear	3' front, 4' rear
Drawbar	15'	15'
Weight:	Interstate and Defense Highways	On All Others
Steer axle	20,000 or 600 lb/in. tire width	20,000 or 600 lb/in. tire width
Single axle	20,000	20,000
Tandem axle	34,000	34,000
Gross vehicle weight	80,000	Bridge formula
Load per inch width of tire	500 600 lb/in on dual tire axles, axle on permitted vehicle, axle on trailer towed by vehicle with GVWR less than 11,000 lb, or axles equipped with super single tires	500 600 lb/in on dual tire axles, axle on permitted vehicle, or axle on trailer towed by vehicle with GVWR less than 11,000 lb

Seasonal Weight Restrictions

South Dakota's seasonal weight restrictions can be found at <https://dot.sd.gov/travelers/of-interest/spring-load-restrictions>

TENNESSEE

Where to Register for Fuel Use Tax (IFTA) and Order IFTA Trip Permits

Department of Revenue
Vehicle Services Division
500 Deaderick St.
Nashville, TN 37242
Ph: (615) 399-4265
Statewide Toll-free: (888) 826-3151
<https://www.tn.gov/revenue/motor-carrier/international-fuel-tax-agreement.html>

Where to Register Vehicles (IRP) and Order IRP Trip Permits

Department of Revenue
Vehicle Services Division
500 Deaderick St.
Nashville, TN 37242
Ph: (615) 399-4265
Statewide toll-free: (888) 826-3151
<https://www.tn.gov/revenue/motor-carrier/international-registration-plan.html>

Where to Register for UCRA

Tennessee Department of Revenue
Motor Carrier Section-UCR
500 Deaderick St
Nashville, TN 37242
Ph: (615) 399-4265 or 1-800-826-3151
<https://www.tn.gov/revenue/motor-carrier/unified-carrier-registration.html>

Where to get Hazardous Materials/Waste Permits

Tennessee Department of Environment & Conservation
312 Rosa L. Parks Ave.

Nashville, TN

37243

Ph: (615)

532-0780

Email: Solid.Waste@tn.gov
<https://www.tn.gov/environment/permit-permits/waste-permits1/notification-of-hazardous-waste-activity.html>

State Trucking Association

Tennessee Trucking Association
4531 Trousdale Drive
Nashville, TN 37204
Ph: (615) 777-2882
E-mail: dengland@tntrucking.org
<https://tntrucking.org>

Where to get Overweight, Oversize Permits

Tennessee Department of Transportation
Oversize/Overweight Permit Office
James K. Polk Building, Suite 800
505 Deaderick St.
Nashville, TN 37243
Ph: (615) 741-3821
E-mail: TDOT.Permits@tn.gov
<https://www.tn.gov/tdot/central-services/oversize-overweight-permits.html>

Enforcement Information

Tennessee Dept. of Safety & Homeland Security
Commercial Vehicle Enforcement
1150 Foster Avenue
Nashville, TN 37243-1000
Ph: (615) 743-4990



Size/Weight Limits

Dimension	National Network	State and Other Supplemental Highways
Width:	8' 6"	8' 6"
Height:	13' 6"	13' 6"
Length:		
Bus	45'	45'
Straight trucks	45'	45'
Straight truck and trailer	65'	65'
Tractor-semitrailer combinations	No limit	No limit
Semitrailer	53'	53'
Tractor-twin-trailer combination	No limit	Not allowed
Trailers of twin-trailer combinations	28' 6"	Not allowed
Auto-transporter	No limit with trailer no longer than 52' from point of attachment to the tractor	No limit with trailer no longer than 52' from point of attachment to the tractor
Stinger-steered auto-transporter	80'	NA
Overhang limitations	4' front, 6' rear	NA
Kingpin to rear axle	41' to a point midway between the two rear axles, or 44'	41' to a point midway between the two rear axles, or 44'
Weight:	Interstate and Defense Highways	State and Other Supplemental Highways
Single axle	20,000	20,000
Tandem axle	34,000	34,000
Gross vehicle weight	80,000	80,000
APU allowance	550	550
Natural gas allowance	2,000	NA

TEXAS

Where to Register for Fuel Use Tax (IFTA) and Order IFTA Trip Permits

Texas Comptroller of Public Accounts
Tax Administration Division
Mailing address:
Post Office Box 13528
Austin, Texas 78711-3528
Attn: Fuel Trip Permit
Physical address:
Lyndon B. Johnson State Office Building
111 East 17th Street
Austin, TX 78774
Ph: (800) 531-5441 ext. 3-3678
E-mail: IFTAtax@cpa.texas.gov
<https://comptroller.texas.gov/taxes/fuels/ifta.php>

Where to Register Vehicles (IRP) and Order IRP Trip Permits

Texas Department of Motor Vehicles
Motor Carrier Division – IRP Renewal
P.O. Box 26440
Austin, TX 78755-0440
Ph: (512) 374-5250, option 6 (IRP Branch)
Ph: (888) 368-4689
www.txdmv.gov/motor-carriers/commercial-fleet-registration/apportioned-registration

Where to Register for UCRA

Texas Department of Motor Vehicles
P. O. Box 12984
Austin, TX 78711-2984
Ph: (888) 299-1700, select 3
<http://www.txdmv.gov/motor-carriers/unified-carrier-registration#more-information>

Where to get Hazardous Materials/Waste Permits

TCEQ
IHW Registrations,
MC 129 TCEQ
PO Box 13087
Austin, TX 78711-3087
Ph: (512) 239-2335
www.tceq.texas.gov/permitting/waste_permits/iwh_permits/iwh.html

State Trucking Association

Texas Trucking Association
1103 Sabine, Fifth Floor
Austin, TX 78701
Ph: (512) 478-2541
E-mail: info@texastrucking.com
<https://texastrucking.com/#>

TXDOT's one-stop shop hotline:
Ph: (800) 299-1700

Where to get Overweight, Oversize Permits

Texas Department of Transportation
Motor Carrier Division
4000 Jackson Ave
Austin, TX 78731
Ph: (800) 299-1700
www.txdmv.gov/motor-carriers/oversize-overweight-permits

Enforcement Information

Texas Department of Motor Vehicles (TxDMV)
4000 Jackson Avenue
Austin, Texas 78731
Ph: (512) 465-4204 or (800) 299-1700



Size/Weight Limits

Dimension	National Network	State and Other Supplemental Highways
Width:	8' 6"	8' 6"
Height:	14'	14'
Length:		
Straight trucks	45'	45'
Straight truck and trailer	65'	65'
Tractor-semitrailer combinations	No limit with legal trailer	No limit with legal trailer
Semitrailer	59'	59'
Tractor-twin-trailer combination	No limit with legal trailer	No limit with legal trailer
Trailers of twin-trailer combinations	28' 6"	28' 6"
Auto-transporter	No limit with trailer to 59'	NS
Stinger-steered auto-transporter	80'	80'
Overhang limitations	4' front, 6' rear	4' front, 6' rear
Saddlemount	97' up to 3	97' up to 3
General overhang limitations	3' front and 4' rear	3' front and 4' rear
Drawbar	15'	15'
Length special limitations or restrictions	An automobile transporter that complies with the weight and size limitations for a truck-tractor and semitrailer combination may transport cargo or general freight on a backhaul.	
Weight:	Interstate and Defense Highways	State and Other Supplemental Highways
Steer axle	Tire rating	Tire rating
Single axle	20,000	20,000
Tandem axle	34,000	34,000
Tridem axle	42,000	42,000
Gross vehicle weight	80,000	80,000
Load per inch width of tire	Tire rating	Tire rating
APU allowance	400	400
Natural gas allowance	2,000	2,000

UTAH

Where to Register for Fuel Use Tax (IFTA) and Order IFTA Trip Permits

Salt Lake City Office
State Tax Commission
Motor Carrier Section
210 North 1950 West
Salt Lake City, UT 84134-8040
Salt Lake City Area: (801) 297-6800
Toll Free: (888) 251-9555
E-mail: MCSCorres@utah.gov
dmv.utah.gov/motorcarriers

Washington County Office
Division of Motor Vehicles
Motor Carrier Services
100 S 5300 W
Hurricane, UT 84737
Phone: 435-251-9533
Email: MCSHurricane@utah.gov

Where to Register Vehicles (IRP) and Order IRP Trip Permits

Salt Lake City Office
State Tax Commission
Motor Carrier Services
210 North 1950 West
Salt Lake City, UT 84134-8040
Salt Lake City Area: (801) 297-6800
Toll Free: (888) 251-9555
dmv.utah.gov/motorcarriers

Washington County Office
Division of Motor Vehicles
Motor Carrier Services
100 S 5300 W
Hurricane, UT 84737
Phone: 435-251-9533
Email: MCSHurricane@utah.gov

Where to Register for UCRA

Department of Transportation,
Ports of Entry
Motor Carrier Division
4501 S. 2700 West
P.O. Box 148240
Salt Lake City, UT 84114-8240

Ph: (801) 965-4892
<https://www.udot.utah.gov/>

Where to get Hazardous Materials/Waste Permits

Utah does not require any Hazardous Material Transportation permits. PHMSA registers hazardous material transporters, however, this is for tracking reasons only. If you have any questions regarding hazardous materials shipping papers, packaging, placarding, etc., please call one of the numbers listed below.

Ph: (801) 965-4892
<https://www.udot.utah.gov/connect>

State Trucking Association

Utah Trucking Association
4181 West 2100 South
West Valley City, UT 84120
Ph: (801) 973-9370
E-mail: Jon@UtahTrucking.com
www.utahtrucking.com/

Where to get Overweight, Oversize Permits

Department of Transportation (UDOT)
Port-of-Entry Headquarters
P.O. Box 148240
4501 South 2700 West
Salt Lake City, UT 84119-5998
Ph: (801) 965-4892 (Permits, Ports-of-Entry) or (866) 215-5399
<http://www.udot.utah.gov/main/f?p=100:pg:0:::1:T.V:383>

Enforcement Information

State Police
Calvin Rampton Building
4501 South 2700 West
Salt Lake City, UT 84129
Ph: (801) 965-4518



Size/Weight Limits

Dimension	National Network	State and Other Supplemental Highways
Width:	8' 6"	8' 6"
Height:	14'	14'
Length:	National Network	On All Others
Straight trucks	45'	45'
Straight truck and trailer	65'	65''
Tractor-semitrailer combinations	No limit with legal trailer	No limit with legal trailer
Semitrailer	53'	53'
Tractor-twin-trailer combination	No limit if coupled trailers measure 61' or less	No limit if coupled trailers measure 61' or less
Trailers of twin-trailer combinations	61' measured from front of first trailing unit to rear of second	61' measured from front of first trailing unit to rear of second
Auto-transporter	65'	65'
Overhang limitations	3' front, 4' rear	3' front, 4' rear
Stinger-steered auto-transporter	75'	75'
Overhang limitations	3' front, 4' rear	3' front, 4' rear
General overhang limitations	3' front, 6' rear	3' front, 6' rear
Drawbar	15'	15'
Weight:	Interstate and Defense Highways	On All Others
Steer axle	20,000 or tire rating	20,000 or tire rating
Single axle	20,000	20,000
Tandem axle	34,000	34,000
Gross vehicle weight	80,000	80,000
Load per inch width of tire	600	600
Per wheel	10,500	10,500
Natural gas allowance	2,000	2,000
Weight special limitations or restrictions	An implement of husbandry is allowed a 2,000 lbs allowance off the interstate when hauling a raw agricultural commodity so long as the vehicle is not over the allowed gross weight.	

VERMONT

Where to Register for Fuel Use Tax (IFTA) and Order IFTA Trip Permits

Vermont Department of Motor Vehicles
CVO Unit - IFTA
120 State St.
Montpelier, VT 05603-0001
Ph: (802) 828-2070
<https://dmv.vermont.gov/CVO/fuel-tax/international-fuel-tax-agreement-ifta>

Where to Register Vehicles (IRP) and Order IRP Trip Permits

Vermont Department of Motor Vehicles
Commercial Vehicle Office
120 State St.
Montpelier, VT 05603-0001
Ph: (802) 828-2071 (IRP)
<https://dmv.vermont.gov/commercial-services/international-registration-plan-irp>

Where to Register for UCRA

Vermont is not a participating member of the Unified Carrier Registration Agreement. Interstate motor carriers based in Vermont are required to register with the UCRA by choosing a participating state where the applicant maintains an office or operating facility, or by choosing one of the following states: CT, DE, MA, ME, NH, NY, PA, RI, VA, or WV. Refer to <https://www.ucr.gov> for more information.

Where to get Hazardous Materials/Waste Permits

Vermont Department of Environmental Conservation
Waste Management and Prevention Division
Davis Building – 1st Floor
One National Life Dr.
Montpelier, VT 05620-3704
Ph: (802) 828-1138
<https://dec.vermont.gov/waste-management/hazardous/permit-facilities>

State Trucking Association

Vermont Truck & Bus Association (VTBA)
19 Henniker Street
PO Box 3898
Concord, NH 03301
Ph: (802) 479-1778
<https://vtba.org/>

Where to get Overweight, Oversize Permits

Vermont Department of Motor Vehicles
Commercial Vehicle Permit Unit
120 State Street
Montpelier, VT 05603-0001
Ph: (802) 828-2064
<https://dmv.vermont.gov/CVO/permits>

Enforcement Information

Commercial Vehicle Enforcement
120 State Street
Montpelier, VT 05602
Ph: (802) 828-2078



Size/Weight Limits

Dimension	National Network	State and Other Supplemental Highways
Width:	8' 6"	8' 6"
Height:	13' 6"	13' 6"
Length:		
Straight trucks	46'	46'
Straight truck and trailer	75'	75'
Tractor-semitrailer combinations	No limit with legal trailer	75' on US RT 4 from the New Hampshire line to the Jct. of VT RT 100 South a no-fee permit is required if the length is 68' to 72'. If length exceeds 72', a single trip permit is required.
Semitrailer	53' see KPRA	53' see KPRA
Tractor-twin-trailer combination	No limit with legal trailer	Not allowed unless on approved routing
Trailers of twin-trailer combinations	28'	Not allowed unless on approved routing
Kingpin to rear axle	41' to the center of the rearmost axle group	41' to the center of the rearmost axle group
Weight:	Interstate and Defense Highways	State and Other Supplemental Highways
Steer axle	600 lb/in	600 lb/in
Single axle	20,000	22,400
Tandem axle	34,000	36,000 A trunnion axle with eight wheels in line is considered a tandem axle on state highways
Gross vehicle weight	80,000	80,000
Load per inch width of tire	600	600
Tolerances	none	5% on gross, 10% on axles

VIRGINIA

Where to Register for Fuel Use Tax (IFTA) and Order IFTA Trip Permits

Virginia Department of Motor Vehicles
Motor Carrier Services
P. O. Box 27412
Richmond, VA 23269
Ph: (804) 249-5140
www.dmv.virginia.gov/commercial/#mcs/programs/ifta/index.html

Where to Register Vehicles (IRP) and Order IRP Trip Permits

Virginia Department of Motor Vehicles
Motor Carrier Services
P. O. Box 27412
Richmond, VA 23269
Ph: (804) 249-5140
www.dmv.virginia.gov/commercial/#mcs/programs/irp/index.html

Where to Register for UCRA

Virginia Department of Motor Vehicles
Motor Carrier Services
P. O. Box 27412
Richmond, VA 23269-0001
Ph: (804) 249-5140
<https://www.dmv.virginia.gov/commercial/#mcs/programs/ucra/index.html>

Where to get Hazardous Materials/ Waste Permits

Virginia Department of Environmental Quality/Waste Division

Mailing Address:
629 E. Main St.
P.O. Box 1105
Richmond, VA 23218

Street Address:
1111 East Main St., Suite 1400
Richmond, VA 23219
Ph: (804) 698-4000 or
1-800-592-5482 (Toll Free in VA)

The legal requirement to obtain a permit for the transportation of hazardous waste was removed from the Virginia Waste Management Act during the 2014 Legislative Session and the Virginia Hazardous Waste Management Regulations have been amended effective August 27, 2014

to remove the associated requirements related to permitting of transporters. In addition, as of July 4, 2013, transporters are no longer required to submit a transporter annual report by April 1 of each year or to provide documentation of liability insurance. However, please note that all other applicable regulatory requirements under the Virginia Hazardous Waste Management Regulations as well as other applicable state and federal laws and regulations will continue to apply to hazardous waste transporters. If you have any questions regarding this matter, please contact Leslie Romanchik at (804) 912-7218.

Contact the Virginia State Police, the enforcing agency, with questions about transporting hazardous materials. There are special considerations for hazardous materials that are being transported through one of the six state-owned tunnels. Contact VDOT at 1-800-FOR-ROAD (1-800-367-7623) for more information.

www.virginiadot.org/info/hazmat.asp

One-Stop Shopping

Ph: (804) 249-5130

State Trucking Association

Virginia Trucking Association
4821 Bethlehem Rd., Suite 101
Richmond, VA 23230
Ph: (804) 355-5371
E-mail: info@vatrucking.org
www.vatrucking.org

Where to get Overweight, Oversize Permits

Virginia Department of Motor Vehicles
Motor Carrier Services
P.O. Box 27412
Richmond, VA 23269-0001
Ph: (804) 249-5130
www.dmv.virginia.gov/commercial/#mcs/programs/overload/index.html

Enforcement Information

Ph: (804) 497-7100

Size/Weight Limits

Dimension	National Network	State and Other Supplemental Highways
Width:	8' 6"	8' 6"
Height:	13' 6"	13' 6"
Length:		
Bus	45'	45'
Straight trucks	40'	40'
Straight truck and trailer	65'	65'
Tractor-semitrailer combinations	No limit	No limit Unless prohibited
Semitrailer	53' see KPRA	53' see KPRA
Tractor-twin-trailer combination	No limit	Not allowed
Trailers of twin-trailer combinations	28' 6"	Not allowed
Boat-transporter combination	65'	65'
Overhang limitations	3' front, 4' rear	3' front, 4' rear
Stinger-steered boat-transporter	75'	75'
Overhang limitations	3' front, 4' rear	3' front, 4' rear
Auto-transporter	65'	65'
Overhang limitations	3' front, 4' rear	3' front, 4' rear
Stinger-steered auto-transporter	80'	80'
Overhang limitations	4' front, 6' rear	4' front, 6' rear
Saddlemount	97' up to 3	75'
General overhang limitations	3' front, 4' rear, and 6' side	3' front, 4' rear, and 6' side
Drawbar	15'	15'
Kingpin to rear axle	41' to the rearmost axle or a point midway between the rear tandem axles	41' to the rearmost axle or a point midway between the rear tandem axles
Length special limitations or restrictions	Vehicles exclusively designed as automobile transporters may transport cargo or general freight on a backhaul.	
Weight:	Interstate and Defense Highways	State and Other Supplemental Highways
Single axle	20,000	20,000
Tandem axle	34,000	34,000
Gross vehicle weight	80,000	80,000
Load per inch width of tire	650	650
APU allowance	550	550
Natural gas allowance	2,000	2,000
	Includes battery powered	Includes battery powered

WASHINGTON

Where to Register for Fuel Use Tax (IFTA) and Order IFTA Trip Permits

Washington State Department of Licensing
IFTA Unit
P.O. Box 9228
Olympia, WA 98507-9228
Ph: (360) 664-1858
Email: MotorCarrierServices@dol.wa.gov
www.dol.wa.gov/vehicle/registration/ftifta.html

Where to Register Vehicles (IRP) and Order IRP Trip Permits

Washington State Department of Licensing
Motor Carrier Services IRP
P.O. Box 9228
Olympia, WA 98507-9228
Ph: (360) 664-1858
Email: MotorCarrierServices@dol.wa.gov
www.dol.wa.gov/vehicle/registration/irpregregation.html

Where to Register for UCRA

Washington Utilities and Transportation Commission
Licensing Services Section
P. O. Box 47250
Olympia, WA 98504-7250
Ph: (360) 664-1222
E-mail: transportation@utc.wa.gov
www.utc.wa.gov/regulated/industries/transportation/commonCarriers/Pages/unifiedCarrierRegistration.aspx

Where to get Hazardous Materials/Waste Permits

Department of Ecology

Hazardous Waste and Toxics Reduction

P.O. Box 47600
Olympia, WA 98504-7600
Ph: (360) 407-6700
<https://ecology.wa.gov/About-us/Who-we-are/Our-Programs/Hazardous-Waste-Toxics-Reduction>

State Trucking Association

Washington Trucking Associations
2102 Carriage Drive SW, Bldg F
Olympia, WA 98502
Ph: (253) 838-1650 (local) or toll-free (800) 732-9019
E-mail: WTA@watrucking.org
[permits@watrucking.org https://wtaontheroad.com](https://wtaontheroad.com)

Where to get Overweight, Oversize Permits

Washington State Department of Transportation
Commercial Vehicle Services Headquarters
7345 Linderson Way SW
P.O. Box 47367
Tumwater, WA 98504-7367
Ph: (360) 704-6340
www.wsdot.wa.gov/commercialvehicle/

Enforcement Information

Washington State Patrol
Helen Sommers Building
106 11th Ave. SW
Olympia, WA 98501
Ph: (360) 596-4000

Size/Weight Limits

Dimension	National Network	State and Other Supplemental Highways
Width:	8' 6"	8' 6"
Height:	14'	14'
Length:	National Network	On All Other
Bus	46'	46'
Articulated bus	61'	61'
Straight trucks	40'	40'
Straight truck and trailer	75'	75'
Tractor-semitrailer combinations	No limit with legal trailer	No limit with legal trailer
Semitrailer	53'	53'
Tractor-twin-trailer combination	No limit with legal trailer	No limit with legal trailer
Trailers of twin-trailer combinations	61' measured from front of 1st trailing unit or load to rear of 2nd trailing unit or load	61' measured from front of 1st trailing unit or load to rear of 2nd trailing unit or load
Boat-transporter combination	65'	65'
Overhang limitations	3' front, 4' rear	3' front, 4' rear
Stinger-steered boat-transporter	75'	75'
Overhang limitations	3' front, 4' rear	3' front, 4' rear
Auto-transporter	65'	65'
Overhang limitations	3' front, 4' rear	3' front, 4' rear
Stinger-steered auto-transporter	80'	80'
Overhang limitations	4' front, 6' rear	4' front, 6' rear
Saddlemount	97' up to 3	97' up to 3
General overhang limitations	3' front, 15' rear from center of the last axle	3' front, 15' rear from center of the last axle
Drawbar	15'	15'
Weight:	Interstate and Defense Highways	On All Other
Steer axle	600 lb/in	600 lb/in
Single axle	20,000	20,000
Tandem axle	34,000	34,000
Gross vehicle weight	105,500 max. determined by number of axles, spacings, and tire size	105,500 max. determined by number of axles, spacings, and tire size
Load per inch width of tire	500 on vehicles with axles equipped with single tires	500 on vehicles with axles equipped with single tires
APU allowance	550	550
Natural gas allowance	2,000	

Seasonal Weight Restrictions

Washington's seasonal weight restrictions can be found at <http://www.wsdot.wa.gov/commercialvehicle/restrictions>.

WEST VIRGINIA

Where to Register for Fuel Use Tax (IFTA) and Order IFTA Trip Permits

WV Dept. of Transportation
IFTA Unit
P. O. Box 17900
Charleston, WV 25317
Ph: (304) 926-0799
<https://transportation.wv.gov/DMV/Motor-Carriers/Pages/IRP-IFTA.aspx>

Where to Register Vehicles (IRP) and Order IRP Trip Permits

Department of Transportation
Division of Motor Vehicles
P.O. Box 17900
Charleston, WV 25317
Ph: (304) 926-0799
<https://transportation.wv.gov/DMV/Motor-Carriers/Pages/IRP-IFTA.aspx>

Where to Register for UCRA

Public Service Commission
Motor Carriers-UCR
201 Brooks Street
P.O. Box 812
Charleston, WV 25323
Ph: (304) 340-0418
<http://www.psc.state.wv.us/scripts/Directory/trans.cfm>

Where to get Hazardous Materials/Waste Permits

Public Service Commission

201 Brooks Street
P.O. Box 812
Charleston, WV 25323
Ph (800) 344-5113
<http://www.psc.state.wv.us/default.htm>

State Trucking Association

West Virginia Trucking Association
2006 Kanawha Blvd. East
Charleston, WV 25311
Ph: (304) 345-2800
www.wvtrucking.com

Where to get Overweight, Oversize Permits

WV Dept. of Transportation
Building 5, Room 356
1900 Kanawha Blvd. East
Charleston, WV 25305-0430
Ph: (304) 558-9547
E-mail: dot.permitgroup@wv.gov
<http://www.gotpermits.com>
<https://transportation.wv.gov/highways/maintenance/hauling-permits/Pages/default.aspx>

Enforcement Information

Ph: (304) 340-0818
<http://www.psc.state.wv.us/scripts/Directory/trans.cfm>



WISCONSIN

Where to Register for Fuel Use Tax (IFTA) and Order IFTA Trip Permits

Wisconsin Department of Transportation
Motor Carrier Services
P. O. Box 7979
Madison, WI 53707-7979
Ph: (608) 266-9900
E-mail: irp-ifta@dot.wi.gov
<https://wisconsindot.gov/Pages/dmv/com-driv-vehs/mtr-car-trkr/default.aspx>

Where to Register Vehicles (IRP) and Order IRP Trip Permits

Wisconsin Department of Transportation
Motor Carrier Services
P.O. Box 7979
Madison WI 53707-7979
Ph: (608) 266-9900
E-mail: irp-ifta@dot.wi.gov
<https://wisconsindot.gov/Pages/dmv/com-driv-vehs/mtr-car-trkr/default.aspx>

Where to Register for UCRA

Department of Transportation
Motor Carrier Services
P. O. Box 7979
Madison, WI 53707-7979
Ph: (608) 266-9900
<https://wisconsindot.gov/Pages/dmv/com-driv-vehs/mtr-car-trkr/ucr.aspx>

Where to get Hazardous Materials/Waste Permits

Wisconsin Department of Natural Resources
101 S. Webster St
P.O. Box 7921
Madison, WI 53707-7921
Ph: (608) 266-2111 or 888-936-7463 (General Information)
<https://dnr.wi.gov/topic/Waste/Licenses.html>

State Trucking Association

Wisconsin Motor Carriers Association
P. O. Box 44849
Madison, WI 53744-4849
Ph: (608) 833-8200
<https://witruck.org/>

Where to get Overweight, Oversize Permits

Wisconsin Department of Transportation
Bureau of Highway Maintenance
P. O. Box 7980
Madison, WI 53707-7980
Ph: (608) 266-7320
E-mail: oversize-permits.dmv@dot.wi.gov
<https://wisconsindot.gov/Pages/dmv/com-driv-vehs/mtr-car-trkr/osowgeneral.aspx>

Enforcement Information

Ph: (608) 267-9762



Size/Weight Limits

Dimension	National Network	State and Other Supplemental Highways
Width:	8' 6"	8' 6" 8' if lanes under 10' wide
Height:	13' 6"	13' 6"
Length:		
Straight trucks	40'	40'
Straight truck and trailer	55' (state may allow 60' on some routes)	55' (state may allow 60' on some routes)
Tractor-semitrailer combinations	No limit	70'
Semitrailer	53'	48' on lanes under 10' wide
Tractor-twin-trailer combination	No limit with legal trailer	Not allowed
Trailers of twin-trailer combinations	28'	Not allowed
Auto-transporter	No limit	70' on U.S. and WV Routes
Overhang limitations	3' front, 6' rear	NS
Stinger-steered auto-transporter	No limit	NS
Saddlemount	75' up to 3	75' up to 3
General overhang limitations	3' front, 6' rear	3' front, 6' rear
Drawbar	15'	15'
Kingpin to rear axle	37' from the rear axle of the truck- tractor and the front axle of the semitrailer	NS
Weight:	Interstate and Defense Highways	State and Other Supplemental Highways
Steer axle	20,000	NS
Single axle	20,000	20,000
Tandem axle	34,000	34,000
Gross vehicle weight	80,000	80,000
Tolerances	none	10%
APU allowance	550	550

Size/Weight Limits

Dimension	National Network	State and Other Supplemental Highways
Width:	8' 6"	8' 6"
Height:	13' 6"	13' 6"
Length:		
Articulated bus	65' operated in urban areas	65' operated in urban areas
Straight trucks	45'	45'
Straight truck and trailer	70'	70'
Tractor-semitrailer combinations	No limit	75' on state trunk highways
Semitrailer	53' see KPRA	53' see KPRA
Tractor-twin-trailer combination	No limit	Not allowed
Trailers of twin-trailer combinations	28' 6"	Not allowed
Stinger-steered boat-transporter	75'	
Overhang limitations	3' front, 4' rear	
Auto-transporter	66'	66'
Overhang limitations	4' front, 5' rear	4' front, 5' rear
Stinger-steered auto-transporter	75'	66'
Overhang limitations	3' front, 4' rear	4' front, 5' rear
Saddlemount	97'	97'
General overhang limitations	3' front, rear NS	3' front, rear NS
Drawbar	12'	12'
Kingpin to rear axle	43' to the center of the rearmost axle or a point midway between tandem axles. Allowed on Interstates and designated highways and certain state trunk highways only.	43' to the center of the rearmost axle or a point midway between tandem axles. Allowed on Interstates and designated highways and certain state trunk highways only.
Weight:	Interstate and Defense Highways	State and Other Supplemental Highways
Steer axle	13,000 Up to 20,000 pounds if the manufacturer's rated capacity of the axle and the tires are sufficient to carry the weight	13,000 Up to 20,000 pounds if the manufacturer's rated capacity of the axle and the tires are sufficient to carry the weight
Single axle	20,000	20,000
Tandem axle	34,000	34,000
Gross vehicle weight	80,000	80,000
Per wheel	11,000	11,000
APU allowance	550	550
Natural gas allowance	2,000	2,000

Seasonal Weight Restrictions

Wisconsin's seasonal weight restrictions can be found at www.dot.wi.gov/business/carriers/osowgeneral.htm.

WYOMING

Where to Register for Fuel Use Tax (IFTA) and Order IFTA Trip Permits

Department of Transportation
Motor Vehicle Services
5300 Bishop Blvd.
Cheyenne, WY 82009-3340
Ph: (307) 777-4827 (IFTA)
http://www.dot.state.wy.us/home/trucking_commercial_vehicles/ifta.html

Where to Register Vehicles (IRP) and Order IRP Trip Permits

Department of Transportation
Motor Vehicle Services
5300 Bishop Blvd.
Cheyenne, WY 82009-3340
Ph: (307) 777-4829 (IRP)
http://www.dot.state.wy.us/home/trucking_commercial_vehicles/irp.html

Where to Register for UCRA

Wyoming is not a participating member of the Unified Carrier Registration Agreement. Interstate motor carriers based in Wyoming are required to register with the UCRA by choosing a participating state where the applicant maintains an office or operating facility, or by choosing one of the following states: AK, CA, CO, ID, MT, ND, NM, SD, UT, or WA. Refer to <https://www.ucr.gov> for more information.

Where to get Hazardous Materials/Waste Permits

Wyoming
Department of Environmental Quality
200 West 17th Street
Cheyenne WY 82002
Ph: 307-777-7937
<https://deq.wyoming.gov/shwd/hazardous-waste-permitting-corrective-actions/>

State Trucking Association

Wyoming Trucking Association
555 N. Poplar Street
P.O. Box 1175
Casper, WY 82602
Ph: (307) 234-1579
Email: wtaoffice@wytruck.org
<https://wytruck.org>

Where to get Overweight, Oversize Permits

Wyoming Highway Patrol
Overweight Loads Office
2617 East Lincolnway Suite F
Cheyenne, WY 82001
Ph: (307) 777-4376;
(307) 777-4920; (307) 777-4747
<https://www.wyp.dot.state.wy.us/home/commercial-carrier/super-loads--overweight-loads-of.html>

Enforcement Information

Ph: (307) 777-4872



Size/Weight Limits

Dimension	National Network	State and Other Supplemental Highways
Width:	8' 6"	8' 6"
Height:	14'	14'
Length:	National Network	On All Others
Straight trucks	60'	60'
Straight truck and trailer	85'	85'
Tractor-semitrailer combinations	No limit	No limit
Semitrailer	60'	60'
Tractor-twin-trailer combination	NS	NS
Trailers of twin-trailer combinations	81' not to exceed in combined length. Maximum 48' for 1st semitrailer and 40' for the second trailer. Heavier trailer in front if difference of GVW exceeds 5,000 lb.	81' not to exceed in combined length. Maximum 48' for 1st semitrailer and 40' for the second trailer. Heavier trailer in front if difference of GVW exceeds 5,000 lb.
Auto-transporter	No overall limit semitrailer and load cannot exceed 60'	No overall limit semitrailer and load cannot exceed 60'
Saddlemount	97' up to 3	97' up to 3
Length special limitations or restrictions	All other combinations not mentioned above are limited to 85'.	
Weight:	Interstate and Defense Highways	On All Others
Steer axle	750 lb/in	750 lb/in
Single axle	20,000	20,000
Tandem axle	36,000	36,000
Tridem axle	42,000	42,000
Gross vehicle weight	117,000 using Table I by formula for Interstate, primary and secondary, 80,000 using Table 2	117,000 using Table I by formula for Interstate, primary and secondary, 80,000 using Table 2
Load per inch width of tire	600	600
Per wheel	10,000	10,000

DISTRICT OF COLUMBIA

Where to Register for Fuel Use Tax (IFTA) and Order IFTA Trip Permits

The District of Columbia is not a member of IFTA and was grandfathered under ISTE from ever having to join. Carriers based in DC may apply to Virginia, Maryland or another IFTA jurisdiction for an IFTA license and decals.

Where to Register Vehicles (IRP) and Order IRP Trip Permits

DC IRP Processing Center
95 M Street, SW
Washington, DC 20024
Ph: (202) 729-7078
<https://dmv.dc.gov/service/international-registration-plan>

Where to Register for UCRA

The District of Columbia is not a participating member of the Unified Carrier Registration Agreement. Interstate motor carriers based in the District of Columbia are required to register with the UCRA by choosing a participating state where the applicant maintains an office or operating facility, or by choosing one of the following states: CT, DE, MA, ME, NH, NY, PA, RI, VA, or

WV. Refer to <https://www.ucr.gov> for more information.

Where to get Hazardous Materials/Waste Permits

Department of Energy & Environment
1200 First Street NE
Washington, DC 20002
Ph: (202) 535-2600
E-mail: dooe@dc.gov
<http://ddoe.dc.gov/service/applications-licenses-permits>

Where to get Overweight, Oversize Permits

Department of Transportation
Public Space Permit Office
1100 4th St. SW
Washington, DC 20004
Ph: (202) 442-4670
tops.ddot.dc.gov/DDOTPERMITSYSTEM/DDOTPERMITONLINE/Landing.aspx

Enforcement Information

Metropolitan Police Department
441 4th Street, NW, 7th Floor,
Washington DC 20001
Ph: (202) 727-9099

Size/Weight Limits

Dimension	National Network	State and Other Supplemental Highways
Width:	8' 6"	8' 6" for 15 or greater passenger bus
Height:	13' 6"	13' 6"
Length:		
Bus	60'	60'
Articulated bus	60'	60'
Straight trucks	40'	40'
Straight truck and trailer	60'	55'
Tractor-semitrailer combinations	No limit	55'
Semitrailer	53' Route specific. See KPRA.	48' Route specific
Tractor-twin-trailer combination	No limit	No limit
Trailers of twin-trailer combinations	28'	28' Route specific
Saddlemount	Up to 3	Up to 3
Kingpin to rear axle	41' to rear axle	NS
Weight:	Interstate and Defense Highways	State and Other Supplemental Highways
Single axle	20,000	20,000 21,000 lb if GVW is under 73,000 lb
Tandem axle	34,000	34,000
Gross vehicle weight	80,000	80,000
Tolerances	1,000 lb on GVW	1,000 lb on GVW

MEXICO

Mexican Trucking Association
CANACAR (Camara Nacional del Autotransporte de Carga)
Pachuca No. 158 bis
Condesa, Cuauhtémoc
06140, Ciudad de México
Ph: 011 (55) 5999-7100
<https://canacar.com.mx/>

Federal Motor Transport
Ministry of Communications and Transportation
Insurgentes Sur 1089 Col.
Christmas Eve
03720 Mexico City
Ph: 011 (55) 5723-9300
<https://www.gob.mx/sct>

National Immigration Institute
Calle Homero 1832,
Los Morales Polanco, Del.
Miguel Hidalgo
Ciudad de México. C.P. 11510
Ph: 011 (55) 5387-2400
<https://www.gob.mx/inm>

General Customs Administration
Servicio de Administración Tributaria
Avenida Hidalgo 77
Col. Guerrero C.P. 06300,
México City
Ph: (55) 627 22 728 in Mexico
01-877-44-88-728 (U.S. and Canada)
<http://www.sat.gob.mx/Paginas/Inicio.aspx>

Mexican Transportation Institute
Km 12, Carretera Estatal No. 431
"El Colorado-Galindo"
San Fandila/Mpio. Pedro Escobedo
C.P. 76703 Querétaro
Ph: (442) 216-97-77
Attn: Instituto Mexicano del Transporte
<https://www.gob.mx/imt>

Mexican Embassy in U.S.
1911 Pennsylvania Ave., NW
Washington, DC 20006
Ph: (202) 728-1600

or

Secretaría de Relaciones Exteriores
Plaza Juárez #20
Col. Centro
Ciudad de México. C.P. 06010
Ph: 011 (55) 3686-5100
E-mail: canciller@sre.gob.mx
Atención a la ciudadanía:
(55) 3686-5581
Secretaría de Relaciones Exteriores
<http://embamex.sre.gob.mx/eua/www.gob.mx/sre>

Mexican Embassy in Canada
Consular Section of the Embassy of Mexico [Coverage: Ottawa – Gatineau]
45 O'Connor St., Ste. 1000
Ottawa, ON K1P 1A4
Ph: (613) 233-8988
E-mail: infocan@sre.gob.mx
<https://embamex.sre.gob.mx/canada>

or

Consulate General of Mexico in Toronto [Coverage: Ontario and Manitoba]
11 King St. West, Suite 350
Toronto, ON M5H 4C7
Ph: (416) 368-2875
E-mail: comunicacionestor@sre.gob.mx
<https://consulmex.sre.gob.mx/toronto>

or

Consulate of Mexico in Leamington [Coverage: Essex County (South), Ontario]
350 Highway 77
Leamington, ON N8H 3V5
Ph: (519) 325-1460
E-mail: atencionpublicolea@sre.gob.mx
<https://consulmex.sre.gob.mx/leamington>

or

Consulate General of Mexico in Montreal [Coverage: Quebec, Newfoundland and Labrador, New Brunswick, Nova Scotia, Prince Edward Island and Nunavut]
2055 Rue Peel, Bureau 1000
Montreal, QC H3A 1V4
Ph: (514) 288-2707
Email: informacionmon@sre.gob.mx
<https://consulmex.sre.gob.mx/montreal>

or

Consulate General of Mexico in Vancouver [Coverage: British Columbia, Yukon and Northwest Territories]
411-1177 West Hastings St.
Vancouver, BC V6E 2K3
Ph: (604) 684-3547
E-mail: consulmexvan@sre.gob.mx
<https://consulmex.sre.gob.mx/vancouver>

or

Consulate of Mexico in Calgary [Coverage: Alberta, Saskatchewan]
833-4th Avenue SW, Suite 1100
Calgary, AB T2P 3T5
Ph: (403) 264-4819 x21 and 23, (403) 264-1804 and (403) 264-1259
E-mail: consultasclg@sre.gob.mx
<https://consulmex.sre.gob.mx/calgary>

Where to Register for UCRA

Mexico is not a participating member of the U. S. Unified Carrier Registration Agreement. Interstate motor carriers based in Mexico and operating into the United States are required to register with the UCRA by choosing a participating state where the applicant maintains an office or operating facility, or by choosing one of the following states: AL, AR, GA, KY, LA, MS, NC, OK, SC, TN, or TX. Refer to www.ucr.gov for more information.

CANADA

Where to get information in Canada

Motor carriers can best determine which Canadian requirements they must meet by checking the Task Force on Vehicle Weights and Dimensions Policy in Canada found at <http://comt.ca/english/programs/trucking/Index.html>.

Alberta

Alberta Transportation - Carrier Services Divisions
#401, 4920 - 51 Street
Red Deer, AB T4N 6K8
Ph: (403) 755-6111 (toll-free in Alberta by first dialing 310-0000)
<https://www.alberta.ca/commercial-carriers.aspx>

British Columbia

Ministry of Transportation
Commercial Vehicle Safety and Enforcement
P.O. Box 9250 STN Prov Govt
Victoria, BC V8W 9J2
Ph: (250) 952-0577
Toll-free: 1 800 559-9688
E-mail: PPCPermit@gov.bc.ca
www.th.gov.bc.ca/cvse/index.htm

Manitoba

Infrastructure and Transportation
Transportation Safety & Regulation
Motor Carrier Safety
Unit C – 1695 Sargent Ave.
Winnipeg, MB R3H 0C4
Ph: (204) 945-3890 (Compliance and Regulatory Services)
Ph: (204) 945-5322 (Safety)
Ph: (204)-945-3961 (permits)
E-mail: motorcarrier@gov.mb.ca
www.gov.mb.ca/mit/mcd/index.html

New Brunswick

Department of Transportation and Infrastructure
Kings Place
P.O. Box 6000
Fredericton, NB E3B 5H1
Ph: (506) 453-3939
(Toll-free 1-833-384-4111)
E-mail: transportnb@gnb.ca
<http://www2.gnb.ca/content/gnb/en/departments/dti.html>

Newfoundland-Labrador

Digital Government and Service NL
Motor Registration Division
P.O. Box 8710
St. John's, NL A1B 4J5
Ph: (709) 729-2519
E-mail: IRP@gov.nl.ca
<https://www.gov.nl.ca/motor-registration/commercial-vehicles-and-drivers/>

Northwest Territories

Department of Transportation
Road Licensing & Safety Division
New Government Building
5015 49th St.
3rd Floor
P.O. Box 1320
Yellowknife, NT X1A 2L9
Ph: (867) 767-9088
Email: dmv@gov.nt.ca
<https://www.idmv.dot.gov.nt.ca/>

Nova Scotia

Department of Public Works
P.O. Box 186
Halifax, NS B3J 2N2
Ph: (902) 424-2297
E-mail: tpwpaff@novascotia.ca
www.gov.ns.ca/tran

Ontario

Ministry of Transportation
Permit Office
301 St. Paul Street, 3rd Floor
St. Catharines, ON L2R 7R4
Ph: (416) 246-7166 or (800) 387-7736
E-mail: oo.permits@ontario.ca
<https://www.ontario.ca/page/get-oversize-overweight-permit>

Prince Edward Island

Dept. of Transportation and Infrastructure
Third Floor, Jones Building
11 Kent St.
P.O. Box 2000
Charlottetown, PEI C1A 7N8
Ph: (902) 368-5100
<https://www.princeedwardisland.ca/en/topic/transportation-and-infrastructure>

Québec

Société de l'assurance automobile du Québec
Case postale 19600, succursale Terminus
333, boulevard Jean-Lesage
Québec, QC G1K 8J6
Ph: 800-361-7620
<https://saaq.gouv.qc.ca/en/i-drive/heavy-vehicle>

Saskatchewan

Saskatchewan Ministry of Highways and Infrastructure
Trucking Policy and Regulation Unit
9th Floor, 1855 Victoria Ave.
Regina, SK S4P 3T2
Ph: (866) 933-5290 (enforcement); (800) 667-7575 (permits within Saskatchewan); (306) 775-6969 (permits outside of Saskatchewan)
www.saskatchewan.ca/government/government-structure/ministries/highways

Yukon

Government of Yukon
Department of Highways and Public Works
P.O. Box 2703 (W-17)
Whitehorse, YT Y1A 2C6
Ph: (867) 667-5811; (800) 661-0408 (toll-free in the Yukon)
<https://service.yukon.ca/driving-transportation>

ALABAMA

BIRMINGHAM
Phone: 205-326-0940
birmingham@xtra.com

ARIZONA

PHOENIX
Phone: 602-272-0471
phoenix@xtra.com

ARKANSAS

LITTLE ROCK
Phone: 501-562-6308
littlerock@xtra.com

CALIFORNIA

COMMERCE
Phone: 323-728-9488
commerce@xtra.com

FONTANA

Phone: 909-350-3996
fontana@xtra.com

HAYWARD

Phone: 510-670-0181
hayward@xtra.com

ORANGE

Phone: 714-744-0887
orange@xtra.com

SACRAMENTO

Phone: 916-371-3144
sacramento@xtra.com

STOCKTON

Phone: 209-983-0600
stockton@xtra.com

COLORADO

DENVER
Phone: 303-393-7909
denver@xtra.com

FLORIDA

ORLANDO
Phone: 407-826-0595
orlando@xtra.com

GEORGIA

ATLANTA
Phone: 404-363-9826
atlanta@xtra.com

ILLINOIS

CHICAGO - O'HARE
Phone: 847-298-3111
chicago-ohare@xtra.com

CHICAGO - MIDWAY
Phone: 708-496-7300
chicago-midway@xtra.com

CHICAGO - JOLIET
Phone: 815-467-0431
chicago-joliet@xtra.com

INDIANA

INDIANAPOLIS
Phone: 317-244-5601
indianapolis@xtra.com

IOWA

CEDAR RAPIDS
Phone: 319-363-4477
cedarrapids@xtra.com

KENTUCKY

LOUISVILLE
Phone: 502-367-9117
louisville@xtra.com

LOUISIANA

NEW ORLEANS
Phone: 504-471-2190
neworleans@xtra.com

MICHIGAN

DETROIT
Phone: 313-295-0800
detroit@xtra.com

GRAND RAPIDS

Phone: 616-245-4774
grandrapids@xtra.com

MINNESOTA

MINNEAPOLIS/ST. PAUL
Phone: 763-486-0900
minneapolis@xtra.com

MISSOURI

KANSAS CITY
Phone: 816-471-0730
kansascity@xtra.com

ST. LOUIS

Phone: 314-209-0504
stlouis@xtra.com

NEVADA

LAS VEGAS
Phone: 702-597-9035
lasvegas@xtra.com

NORTH CAROLINA

CHARLOTTE
Phone: 704-597-8540
charlotte@xtra.com

GREENSBORO

Phone: 336-664-0006
greensboro@xtra.com

OHIO

CINCINNATI
Phone: 513-874-8760
cincinnati@xtra.com

CLEVELAND

Phone: 330-425-3413
cleveland@xtra.com

COLUMBUS

Phone: 614-275-0377
columbus@xtra.com

OKLAHOMA

OKLAHOMA CITY
Phone: 405-378-0449
oklahomacity@xtra.com

PENNSYLVANIA

ALLENTOWN
Phone: 610-395-9511
allentown@xtra.com

HARRISBURG/CARLISLE

Phone: 717-258-5665
carlisle@xtra.com

SCRANTON

Phone: 570-383-3620
scranton@xtra.com

SOUTH CAROLINA

GREENVILLE/DUNCAN
Phone: 864-879-3554
duncan@xtra.com

TENNESSEE

MEMPHIS
Phone: 901-794-8700
memphis@xtra.com

NASHVILLE

Phone: 615-641-2370
nashville@xtra.com

TEXAS

DALLAS
Phone: 972-438-1271
dallas@xtra.com

FORT WORTH

Phone: 817-831-6266
fortworth@xtra.com

HOUSTON

Phone: 713-672-9727
houston@xtra.com

LAREDO

Phone: 956-725-6446
laredo@xtra.com

SAN ANTONIO

Phone: 210-333-8660
sanantonio@xtra.com

UTAH

SALT LAKE CITY
Phone: 801-972-8837
saltlakecity@xtra.com

VIRGINIA

RICHMOND
Phone: 804-232-5000
richmond@xtra.com

WASHINGTON

SEATTLE/TACOMA
Phone: 253-863-2239
seattle@xtra.com

WISCONSIN

GREENBAY/APPLETON
Phone: 920-759-0018
greenbay@xtra.com

MILWAUKEE

Phone: 414-281-9640
milwaukee@xtra.com

**Full-service trailer rental
and leasing with
convenient locations
across the United States.**



A Berkshire Hathaway Company

XTRA Lease
7911 Forsyth Boulevard, Suite 600
St. Louis, MO 63105
1-800-325-1453
xtralease.com

